MASTER
NEGATIVE
NO. 95-82329-11

COPYRIGHT STATEMENT

Author:
U.S. Bureau of Agricultural Economics
Title:
Grade, staple length and tenderability of cotton in...
Place:
Washington, D.C.
Date:
1938

95-82329-11
MASTER NEGATIVE #

COLUMBIA UNIVERSITY LIBRARIES
PRESERVATION DIVISION

BIBLIOGRAPHIC MICROFORM TARGET

ORIGINAL MATERIAL AS FILMED - EXISTING BIBLIOGRAPHIC RECORD

U. S. Bureau of agricultural economics.
Grade, staple length, and tenderability of cotton in the United States, 1928-29 to 1937-38. Washington, 1938.
91 p. of maps, tables.

1. Cotton.

RESTRICTIONS ON USE:

TECHNICAL MICROFORM DATA

FILM SIZE: 35mm REDUCTION RATIO: 16X IMAGE PLACEMENT: IA (IIA) IB IIB

DATE FILMED: 1-23-95 INITIALS: DS

TRACKING # : MSH 03099

FILMED BY PRESERVATION RESOURCES, BETHLEHEM, PA.

2.5 mm

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

2.0 mm

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890

1.5 mm

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890

PM-MGP 13″x18″
METRIC GENERAL PURPOSE TARGET
PHOTOGRAPHIC

200 mm

150 mm

100 mm

A5

A4

A3

1.0

1.1

1.25

1.4

1.6

2.8

3.2

3.6

4.0

2.5

2.2

2.0

1.8

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

1.0 mm

1.5 mm

2.0 mm

2.5 mm

PRECISION℠ RESOLUTION TARGETS

Century

1303 Geneva Avenue
St. Paul, MN 55119

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

4.5 mm

3.5 mm

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890

3.0 mm

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz1234567890

U.S. Agriculture Econ. Bureau
Grade, staple length, and tenderability
of cotton in the U.S., 1928-29 to 1937-38.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES 1928-29 TO 1937-38

Washington, D. C.
October 1938

Statement of Cooperation

In assembling the information on which this report is based, the following agencies cooperated during each of the years for which figures are shown:

Arizona Agricultural Experiment Station
California State Department of Agriculture
Georgia Agricultural Experiment Station of the University System
North Carolina Agricultural Experiment Station
Oklahoma Agricultural Experiment Station
South Carolina Agricultural Experiment Station
Tennessee Agricultural Experiment Station

In addition, the following agencies cooperated during some part of the period:

Alabama Agricultural Experiment Station
Arkansas Agricultural Experiment Station
Florida Agricultural Experiment Station
Louisiana Agricultural Experiment Station
Mississippi Agricultural Experiment Station
Missouri Agricultural Experiment Station
New Mexico Agricultural Experiment Station
Texas Agricultural Experiment Station

Credit is due cotton growers, ginners, warehousemen, dealers, manufacturers, and owners of cotton whose cooperation has made this report possible.

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES, 1928-29 TO 1937-38 1/

CONTENTS

		Page
Introduction		1
Table 1.-	Official color groups and grades for American upland cotton effective Aug. 20, 1936	2
Table 2.-	Official color groups and grades for American upland cotton in effect prior to Aug. 20, 1936	2
Table 3.-	Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937	3
Table 4.-	Grade and staple length of American-Egyptian cotton ginned in the United States, crops of 1928-37	14
Table 5.-	Grade and staple length of Sea-Island cotton ginned in the United States, crop of 1937	15
Table 6.-	Grade of American upland cotton ginned in the United States, by States, crops of 1928-37	16
Table 7.-	Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37	34
Table 8.-	Average staple length of American upland cotton ginned in the United States, by States and districts thereof, crop of 1937	37
Table 9.-	Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-37	38
Table 10.-	Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1937	39
Table 11.-	Grade of American-Egyptian cotton ginned in the United States during specified periods, crop of 1937	49
Table 12.-	Grade of Sea-Island cotton ginned in the United States during specified periods, crop of 1937	49
Table 13.-	Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1937	50
Table 14.-	Staple length of American-Egyptian cotton ginned in the United States during specified periods, crop of 1937	59
Table 15.-	Staple length of Sea-Island cotton ginned in the United States during specified periods, crop of 1937	59
Table 16.-	Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1937	60
Table 17.-	Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1937	62
Table 18.-	Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1937	64
Table 19.-	Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1937	66

1/ Prepared under the supervision of W. B. Lanham.

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES, 1928-29 TO 1937-38 - Continued

Page

Table 20.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1937 68
Table 21.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1937 70
Table 22.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1937 72
Table 23.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1937 74
Table 24.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1937 76
Table 25.- Staple length of American upland cotton ginned in designated districts of Texas, crop of 1937 78
Table 26.- Tenderability of American upland cotton ginned in the United States, by States, crops of 1928-37 80
Table 27.- Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1937 83
Table 28.- Grade and staple length of American-Egyptian cotton on hand in the United States, Aug. 1, 1928-37 84
Table 29.- Staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37 85
Table 30.- Tenderability of American upland cotton on hand in the United States, Aug. 1, 1928-37 86
Table 31.- Average staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37 ... 87
Table 32.- Staple length of Egyptian cotton on hand in the United States, Aug. 1, 1928-37 87
Table 33.- Staple length of foreign cotton other than Egyptian on hand in the United States, Aug. 1, 1928-37 88
Table 34.- Staple length of American upland cotton ginned in designated districts of Texas, crops of 1928-37 89
Table 35.- Average staple length of American upland cotton ginned in designated districts of Texas, crops of 1928-37 91

Introduction

This report covers the 1937-38 season, the tenth consecutive season for which the Department has assembled and disseminated information on grade, staple length, and tenderability of the annual cotton crop and of the cotton carry-over as of August 1 in this country. In addition, it carries forward certain information contained in earlier publications, Statistical Bulletins 40, 47, 52, 56, and 60, and in a multilithed report issued in July, 1937 entitled "Grade, Staple Length, and Tenderability of Cotton in the United States, 1928-29 to 1936-37", and contains, in addition, as indicated, information on the grade, staple length, and tenderability of the cotton crop and carry-over of 1937. Figures are included for the first time on the grade and staple length of ginnings of Sea-Island cotton in the United States, the 1937 crop being the first one for which grade and staple statistics were separately prepared for Sea-Island cotton. Figures on total ginnings of upland cotton from the crops of earlier years included the Sea-Island cotton ginned from the crops of the years specified.

Grade, staple-length, and tenderability figures on the crop are based on the classification of samples of ginnings; corresponding figures on the carry-over of cotton as of August 1 are based on the classification of samples representing cotton in public warehouses and compresses, consuming establishments, and other places of storage.

The 1936 carry-over was classed according to grade standards in effect August 1 of that year, but the 1936 crop was classed according to revised grade standards that became effective August 20, 1936, as were both the crop and carry-over of 1937. Table 1 lists the revised grade standards that became effective August 20, 1936, and table 2 lists the grade standards that were in effect prior to August 20, 1936.

Throughout this report the names of the grades have been abbreviated as follows: 1-M.F., Middling Fair; 2-S.G.M., Strict Good Middling; 3-G.M., Good Middling; 4-S.M., Strict Middling; 5-M., Middling; 6-S.L.M., Strict Low Middling; 7-L.M., Low Middling; 8-S.G.O., Strict Good Ordinary; 9-G.O., Good Ordinary.

Table 1.- Official color groups and grades for American upland cotton that became effective August 20, 1936 1/

Extra White	White	Spotted	Tinged	Yellow Stained	Gray
	M.F.*				
	S.G.M.				
G.M.*	G.M.	G.M.*	G.M.	G.M.*	G.M.*
S.M.*	S.M.	S.M.*	S.M.	S.M.*	S.M.*
M.*	M.	M.*	M.	M.*	M.*
S.L.M.*	S.L.M.	S.L.M.*	S.L.M.		
L.M.*	L.M.	L.M.*	L.M.		
S.G.O.*	S.G.O.				
G.O.*	G.O.				

1/ The grades shown above the double lines are tenderable on futures contracts made in accordance with sec. 5 of the United States Cotton Futures Act. Those below the lines are not tenderable on such contracts. These standards, superseding those that were in effect prior to August 20, 1936, are described in Service and Regulatory Announcements 150, Bureau of Agricultural Economics, and in Statistical Bulletin No. 56, page 3.
*Descriptive only--not represented by physical forms.

Table 2.- Official color groups and grades for American upland cotton that were in effect prior to August 20, 1936 1/

Extra White	White	Spotted	Yellow Tinged	Light Yellow Stained	Yellow Stained	Gray	Blue Stained
	M.F.						
	S.G.M.		S.G.M.*				
G.M.	G.M.	G.M.*	G.M.	G.M.*	G.M.	G.M.*	G.M.
S.M.	S.M.	S.M.*	S.M.	S.M.*	S.M.	S.M.*	S.M.
M.	M.	M.*	M.	M.*	M.	M.*	M.
S.L.M.	S.L.M.	S.L.M.*	S.L.M.				
L.M.	L.M.	L.M.*	L.M.				
	S.G.O.						
	G.O.						

1/ The grades shown above the double lines were tenderable on futures contracts made in accordance with sec. 5 of the United States Cotton Futures Act. Those below the lines were not tenderable on such contracts. These standards, superseded by revised grade standards effective Aug. 20, 1936, are described in Service and Regulatory Announcements 92.
*Descriptive only--not represented by physical forms.

Table 3 .- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

UNITED STATES

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades .. 2/	18,237.1	100.0	1,834.6	5,235.0	5,038.7	3,542.4	1,638.5	842.2	90.2	15.5
White	13,881.0	76.1	1,151.4	3,649.6	3,856.6	2,895.6	1,423.5	805.3	84.7	14.3
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	.7	3/	.1	.2	.2	.1	.1	---	---	---
3-G.M.....	555.6	3.0	13.9	41.6	45.3	47.2	192.9	211.1	3.2	.4
4-S.M.....	2,655.3	14.6	200.7	656.8	697.4	547.9	342.9	188.9	18.0	2.7
5-M.....	4,872.9	26.7	425.5	1,387.9	1,381.5	1,072.6	357.7	199.6	39.9	8.2
6-S.L.M.....	3,704.4	20.3	310.0	984.3	1,094.0	800.8	338.8	153.8	20.0	2.7
7-L.M.....	1,456.2	8.0	134.7	424.9	430.2	278.3	141.6	43.1	3.2	.2
8-S.G.O. 1/	486.4	2.7	52.3	128.2	152.4	106.9	38.8	7.5	.3	---
9-G.O. 1/	149.5	.8	14.2	25.7	55.6	41.8	10.7	1.3	.1	.1
Spotted	4,091.9	22.4	644.2	1,501.8	1,089.5	618.0	196.0	35.7	5.5	1.2
3-G.M.....	81.3	.4	9.5	28.9	22.4	16.2	4.0	.3	---	---
4-S.M.....	1,584.8	8.7	235.8	597.4	389.8	255.7	90.3	12.9	2.5	.4
5-M.....	1,663.7	9.1	217.9	607.6	480.8	260.0	75.6	18.8	2.3	.7
6-S.L.M. 1/	510.2	2.8	101.6	184.9	134.1	64.7	21.4	2.9	.5	.1
7-L.M. 1/	251.9	1.4	79.4	83.0	62.4	21.4	4.7	.8	.2	---
Tinged	152.7	.8	26.4	55.6	51.3	16.5	2.7	.2	---	---
3-G.M.....	1.7	3/	---	.6	.5	.6	---	---	---	---
4-S.M.....	17.4	.1	2.0	6.1	5.7	3.1	.5	---	---	---
5-M. 1/	35.8	.2	5.1	14.5	12.0	3.8	.4	---	---	---
6-S.L.M. 1/	33.5	.2	8.3	11.5	10.6	2.6	.4	.1	---	---
7-L.M. 1/	64.3	.3	11.0	22.9	22.5	6.4	1.4	.1	---	---
Yellow Stained ...	3.7	3/	1.0	1.3	1.2	.2	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	.6	3/	.1	.1	.3	.1	---	---	---	---
5-M. 1/	3.1	3/	.9	1.2	.9	.1	---	---	---	---
Gray	15.4	.1	---	.4	.9	.7	13.0	.4	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	7.0	3/	---	.3	---	---	6.3	.4	---	---
5-M. 1/	8.4	3/	---	.1	.9	.7	6.7	---	---	---
No grade 1/ 4/ ...	92.4	.5	11.6	26.3	39.2	11.4	3.3	.6	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 -- Continued

ALABAMA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	2/ 1,566.6	100.0	269.9	736.5	401.2	151.9	5.6	1.1	0.3	0.1
White	1,196.7	76.4	203.0	548.0	311.4	128.0	4.9	1.0	.3	.1
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	.1	3/	---	---	.1	---	---	---	---	---
3-G.M.....	8.6	.5	1.0	2.4	3.0	2.1	.1	---	---	---
4-S.M.....	222.4	14.2	28.4	83.6	68.1	40.5	1.6	.2	---	---
5-M.....	544.0	34.7	80.3	251.2	146.1	63.2	2.3	.6	.2	.1
6-S.L.M.....	323.7	20.7	83.7	161.2	78.0	19.7	.8	.2	.1	---
7-L.M.....	88.3	5.6	26.3	44.5	15.2	2.2	.1	---	---	---
8-S.G.O. 1/	9.1	.6	3.0	4.9	.9	.3	---	---	---	---
9-G.O. 1/	.5	3/	.3	.2	---	---	---	---	---	---
Spotted	347.8	22.2	64.0	176.9	83.7	22.4	.7	.1	---	---
3-G.M.....	7.0	.4	.6	3.2	2.2	1.0	---	---	---	---
4-S.M.....	125.6	8.0	21.2	59.8	33.0	11.2	.4	---	---	---
5-M.....	178.1	11.4	33.5	93.5	41.6	9.3	.3	.1	---	---
6-S.L.M. 1/	33.9	2.2	7.8	18.7	6.5	.9	---	---	---	---
7-L.M. 1/	3.2	.2	.9	1.9	.4	---	---	---	---	---
Tinged	20.5	1.3	2.7	11.0	5.5	1.3	---	---	---	---
3-G.M.....	.3	3/	---	.2	.1	---	---	---	---	---
4-S.M.....	3.7	.2	.6	1.8	1.0	.3	---	---	---	---
5-M. 1/	10.8	.7	1.6	5.9	2.7	.6	---	---	---	---
6-S.L.M. 1/	3.4	.2	.5	2.1	.7	.1	---	---	---	---
7-L.M. 1/	2.3	.1	---	1.0	1.0	.3	---	---	---	---
Yellow Stained	.9	.1	---	.3	.5	.1	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	.1	3/	---	---	.1	---	---	---	---	---
5-M. 1/	.8	.1	---	.3	.4	.1	---	---	---	---
No grade 1/ 4/	.7	3/	.2	.3	.1	.1	---	---	---	---

ARIZONA

All grades ...	2/ 299.2	100.0	---	---	1.1	76.2	211.3	10.5	0.1	---
White	197.4	66.0	---	---	.6	33.3	153.3	10.1	.1	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	50.9	17.0	---	---	---	2.9	41.2	6.7	.1	---
4-S.M.....	83.6	28.0	---	---	---	11.0	69.6	2.8	---	---
5-M.....	38.2	12.8	---	---	---	9.8	28.7	.5	---	---
6-S.L.M.....	20.0	6.7	---	---	.2	6.9	12.8	.1	---	---
7-L.M.....	3.6	1.2	---	---	.1	2.7	.8	---	---	---
8-S.G.O. 1/	.7	.2	---	---	.1	.6	---	---	---	---
9-G.O. 1/	.4	.1	---	---	.3	.2	---	---	---	---
Spotted	101.7	34.0	---	---	.5	42.8	58.0	.4	---	---
3-G.M.....	1.5	.5	---	---	---	1.0	.5	---	---	---
4-S.M.....	45.7	15.3	---	---	---	15.5	29.8	.4	---	---
5-M.....	42.9	14.3	---	---	---	19.5	23.4	---	---	---
6-S.L.M. 1/	10.5	3.5	---	---	.2	6.1	4.2	---	---	---
7-L.M. 1/	1.1	.4	---	---	.3	.7	.1	---	---	---
Tinged	.1	3/	---	---	---	.1	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	---	---	---	---	---	---	---	---	---	---
5-M. 1/	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/	.1	3/	---	---	---	.1	---	---	---	---
7-L.M. 1/	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American Upland cotton ginned in the United States, by States, crop of 1937 — Continued

ARKANSAS

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	2/ 1,868.9	100.0	103.8	350.2	651.2	499.6	161.4	54.5	7.1	1.5
White	1,511.0	83.5	70.6	246.6	553.9	442.8	140.4	49.3	6.4	1.0
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	9.5	.5	.6	.4	1.8	4.0	1.8	.8	.1	.1
4-S.M.....	186.5	10.3	9.8	22.2	57.5	72.1	19.8	4.7	.3	.1
5-M.....	534.6	29.6	26.5	103.9	188.7	155.6	44.0	14.7	1.3	.1
6-S.L.M.....	457.9	25.3	23.0	72.6	166.4	131.3	40.3	19.9	3.8	.6
7-L.M.....	195.9	10.8	7.5	25.0	83.7	50.1	21.7	6.9	.9	.1
8-S.G.O. 1/	97.9	5.4	2.8	16.8	44.1	22.3	9.9	1.9	.1	---
9-G.O. 1/	28.5	1.6	.4	5.7	11.7	7.4	2.9	.4	---	---
Spotted	260.7	14.4	30.7	74.2	81.9	49.7	18.6	4.6	.7	.3
3-G.M.....	1.3	.1	.2	.3	.3	.3	.2	---	---	---
4-S.M.....	69.1	3.8	10.3	22.0	18.9	12.9	4.4	.5	.1	---
5-M.....	105.2	5.8	13.6	32.8	30.5	19.4	6.3	2.2	.3	.1
6-S.L.M. 1/	51.4	2.8	3.8	10.1	19.6	11.9	4.4	1.3	.2	.1
7-L.M. 1/	33.7	1.9	2.8	9.0	12.6	5.2	3.3	.6	.1	.1
Tinged	21.1	1.2	1.8	5.7	7.7	4.4	1.4	.1	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	1.0	.1	.3	.3	.2	.2	---	---	---	---
5-M. 1/	8.8	.5	1.2	1.8	.3	.9	.2	---	---	---
6-S.L.M. 1/	5.1	.3	.5	1.7	1.8	.2	.2	.1	---	---
7-L.M. 1/	12.2	.7	.5	2.5	4.9	3.0	1.2	---	---	---
Yellow Stained ...	.3	3/	---	.2	.1	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.3	3/	---	.2	.1	---	---	---	---	---
Gray	.8	3/	---	.2	.4	.2	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.2	3/	---	---	.1	---	---	---	---	---
5-M. 1/	.6	3/	---	.1	.3	.2	---	---	---	---
No grade 1/ 4/ ...	15.0	.8	.7	3.3	7.2	2.5	1.0	.3	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 — Continued

CALIFORNIA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	2/ 723.0	100.0	---	0.1	---	25.1	310.7	384.2	2.9	---
White	663.1	91.7	---	.1	---	9.2	274.0	376.9	2.9	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	272.4	37.7	---	---	---	.1	86.0	183.3	1.0	---
4-S.M.....	189.5	26.2	---	.1	---	.7	68.7	118.6	1.4	---
5-M.....	104.6	14.5	---	---	---	.5	46.5	57.1	.5	---
6-S.L.M.....	71.8	9.9	---	---	---	1.9	53.0	16.9	---	---
7-L.M.....	16.9	2.3	---	---	---	2.3	13.7	.9	---	---
8-S.G.O. 1/	6.1	.8	---	---	---	3.0	3.0	.1	---	---
9-G.O. 1/.....	1.8	.3	---	---	---	.7	1.1	---	---	---
Spotted	46.0	6.4	---	---	---	15.3	23.8	6.9	---	---
3-G.M.....	.3	3/	---	---	---	.2	.1	---	---	---
4-S.M.....	13.6	1.9	---	---	---	3.1	9.6	.9	---	---
5-M.....	21.6	3.0	---	---	---	6.5	9.1	6.0	---	---
6-S.L.M. 1/	9.4	1.3	---	---	---	4.7	4.7	---	---	---
7-L.M. 1/.....	1.1	.2	---	---	---	.8	.3	---	---	---
Gray	13.5	1.9	---	---	---	.3	12.8	.4	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	6.7	.9	---	---	---	---	6.3	.4	---	---
5-M. 1/	6.8	1.0	---	---	---	.3	6.5	---	---	---
No grade 1/ 4/ ...	.4	3/	---	---	---	.3	.1	---	---	---

FLORIDA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	2/ 32.3	100.0	2.3	23.4	5.4	1.2	---	---	---	---
White	18.1	56.0	1.4	12.7	3.2	.8	---	---	---	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	1.1	3.4	---	.8	.2	.1	---	---	---	---
5-M.....	6.4	19.8	.3	4.6	1.2	.3	---	---	---	---
6-S.L.M.....	5.7	17.6	.5	3.9	1.0	.3	---	---	---	---
7-L.M.....	3.9	12.1	.4	2.7	.7	.1	---	---	---	---
8-S.G.O. 1/	1.0	3.1	.2	.7	.1	---	---	---	---	---
9-G.O. 1/.....	---	---	---	---	---	---	---	---	---	---
Spotted	14.1	43.7	.9	10.6	2.2	.4	---	---	---	---
3-G.M.....	.1	.3	---	.1	---	---	---	---	---	---
4-S.M.....	4.4	13.7	.2	3.2	.8	.2	---	---	---	---
5-M.....	7.1	22.0	.6	5.3	1.0	.2	---	---	---	---
6-S.L.M. 1/	2.2	6.8	.1	1.7	.4	---	---	---	---	---
7-L.M. 1/.....	.5	.9	---	.3	---	---	---	---	---	---
No grade 1/ 4/ ...	.1	.3	---	.1	---	---	---	---	---	---

See footnotes at end of table.

Table 3 .- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 -- Continued

GEORGIA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades.....	2/ 1,473.1	100.0	68.8	539.1	498.9	351.1	14.0	0.8	0.4	---
White.....	1,113.7	75.6	53.5	408.4	361.5	277.7	11.6	.6	.4	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.G.M.....	.1	3/	---	.1	---	---	---	---	---	---
3-G.M.....	10.1	.7	.1	1.0	5.4	5.2	.4	---	---	---
4-S.M.....	169.5	11.5	2.2	38.4	56.8	69.5	2.4	.1	.1	---
5-M.....	435.3	29.5	10.3	143.1	145.8	129.6	5.9	.4	.2	---
6-S.L.M.....	320.5	21.8	17.4	135.7	106.7	57.9	2.6	.1	.1	---
7-L.M.....	150.7	10.2	16.7	75.5	43.7	14.5	.3	---	---	---
8-S.G.O. 1/.....	24.3	1.6	5.5	13.2	4.7	.9	---	---	---	---
9-G.O. 1/.....	3.2	.2	1.3	1.4	.4	.1	---	---	---	---
Spotted.....	346.6	23.5	14.6	126.4	132.1	70.9	2.4	.2	---	---
3-G.M.....	11.7	.8	.2	2.3	4.0	4.9	.3	---	---	---
4-S.M.....	128.9	8.7	3.9	38.8	49.3	35.8	1.0	.1	---	---
5-M.....	170.5	11.6	7.7	67.8	66.4	27.5	1.0	.1	---	---
6-S.L.M. 1/.....	31.3	2.1	2.3	15.3	11.1	2.5	.1	---	---	---
7-L.M. 1/.....	4.2	.3	.5	2.2	1.3	.2	---	---	---	---
Tinged.....	11.4	.8	.3	3.8	5.0	2.3	---	---	---	---
3-G.M.....	1.0	.1	---	.4	.3	.3	---	---	---	---
4-S.M.....	4.2	.3	.1	1.2	1.7	1.2	---	---	---	---
5-M. 1/.....	4.5	.3	.1	1.5	2.1	.8	---	---	---	---
6-S.L.M. 1/.....	.7	3/	---	.4	.3	---	---	---	---	---
7-L.M. 1/.....	1.0	.1	.1	.3	.6	---	---	---	---	---
Yellow Stained.....	.4	3/	---	.1	.2	.1	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/.....	.2	3/	---	---	.1	.1	---	---	---	---
5-M. 1/.....	.2	3/	---	.1	.1	---	---	---	---	---
No grade 1/ 4/.....	1.0	.1	.4	.4	.1	.1	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937

LOUISIANA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-5/32 inches	1-1/8 and 1-3/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades .. 2/	1,050.6	100.0	61.7	123.4	317.2	389.8	117.4	19.4	1.7	---
White	797.3	75.9	50.2	84.1	240.2	310.2	94.9	16.1	1.6	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	6.9	.7	.2	.5	.9	3.5	1.8	.2	---	---
4-S.M.	117.9	11.2	10.1	15.1	36.7	48.4	17.0	2.2	.4	---
5-M.	271.9	25.9	22.8	34.8	68.4	103.8	34.9	6.4	.8	---
6-S.L.M.	236.8	22.7	15.0	23.4	73.4	95.5	28.7	5.4	.4	---
7-L.M.	129.7	12.3	3.7	10.1	54.5	49.0	10.8	1.8	---	---
8-S.G.O. 1/	27.1	2.6	.2	2.7	13.5	9.0	1.6	.1	---	---
9-G.O. 1/	5.0	.5	.2	.5	3.0	1.2	.2	---	---	---
Spotted	251.7	24.0	11.2	39.0	75.9	79.4	22.5	3.5	.1	---
3-G.M.	3.7	.4	.2	.6	.8	1.1	.4	---	---	---
4-S.M.	106.0	10.1	17.3	19.8	36.0	30.7	10.6	1.6	---	---
5-M.	106.4	10.1	11.5	14.9	33.9	36.2	9.6	1.4	.1	---
6-S.L.M. 1/	31.0	3.0	1.6	3.1	12.7	11.5	1.8	.5	---	---
7-L.M. 1/	4.4	.4	.3	.6	2.5	.9	.1	---	---	---
Tinged	.2	3/	---	---	.2	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	.1	3/	---	---	.1	---	---	---	---	---
5-M. 1/	---	---	---	---	---	---	---	---	---	---
6-S.L.M. 1/	---	---	---	---	---	---	---	---	---	---
7-L.M. 1/	.1	3/	---	---	.1	---	---	---	---	---
No grade 1/ 4/	1.4	.1	---	.3	.9	.2	---	---	---	---

MISSISSIPPI

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-5/32 inches	1-1/8 and 1-3/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades .. 2/	2,561.8	100.0	84.5	153.3	579.0	841.9	321.0	324.6	74.3	13.2
White	2,277.8	88.9	42.2	124.1	495.7	759.0	289.5	307.1	70.0	12.2
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	.1	3/	---	---	---	---	.1	---	---	---
3-G.M.	48.1	1.9	1.0	1.4	4.1	14.8	12.2	7.2	2.1	.5
4-S.M.	355.8	13.9	12.2	20.4	68.6	137.3	60.3	40.0	14.9	2.1
5-M.	709.7	27.7	15.4	40.6	148.7	219.1	129.7	113.0	35.5	7.7
6-S.L.M.	651.8	25.4	9.2	34.5	139.3	177.2	67.4	107.3	15.0	1.9
7-L.M.	306.9	12.0	3.5	16.5	63.2	98.8	69.4	35.2	2.2	.1
8-S.G.O. 1/	141.0	5.5	.8	6.8	42.0	61.9	23.8	5.5	.2	---
9-G.O. 1/	63.4	2.7	.1	3.9	27.8	29.9	6.5	.9	.1	.1
Spotted	263.5	10.3	12.1	27.5	76.1	96.0	29.3	17.2	4.3	1.0
3-G.M.	9.6	.4	.7	1.0	2.8	3.6	1.1	.2	---	---
4-S.M.	139.0	5.4	7.1	13.6	38.7	54.7	14.3	7.9	2.3	.4
5-M.	87.9	3.4	3.3	9.0	24.5	30.3	10.6	7.8	1.8	.6
6-S.L.M. 1/	21.5	.9	.9	2.8	7.7	6.0	2.9	1.1	.2	---
7-L.M. 1/	5.5	.2	.2	1.1	2.4	1.2	.4	.2	---	---
Tinged	3.1	.1	.1	.7	1.6	.5	.2	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	.7	3/	---	.4	.3	---	---	---	---	---
5-M. 1/	1.0	3/	---	.3	.4	.1	.2	---	---	---
6-S.L.M. 1/	.6	3/	---	---	.6	.2	---	---	---	---
7-L.M. 1/	.6	3/	.1	---	.3	.2	---	---	---	---
Yellow Stained	.1	3/	---	---	.1	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	.1	3/	---	---	.1	---	---	---	---	---
5-M. 1/	---	---	---	---	---	---	---	---	---	---
Gray	.8	3/	---	---	.4	.3	.1	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.8	3/	---	---	.4	.3	.1	---	---	---
No grade 1/ 4/	16.8	.6	.1	1.0	7.1	6.1	1.9	.3	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 — Continued

MISSOURI

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-5/32 inches	1-1/8 and 1-3/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades .. 2/	390.8	100.0	38.9	96.4	182.2	96.8	9.9	0.4	0.1	0.1
White	284.2	97.5	17.7	46.2	80.7	70.6	8.3	.3	.1	.1
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	.3	.1	.1	---	.1	.1	---	---	---	---
4-S.M.	23.9	6.1	2.6	4.5	7.5	8.5	.9	.1	---	---
5-M.	94.0	24.1	8.1	20.5	31.8	28.8	4.8	.8	---	---
6-S.L.M.	80.0	20.5	5.5	14.2	28.3	29.5	2.3	---	.1	.1
7-L.M.	8.8	2.3	.7	1.8	4.4	2.5	.2	---	---	---
8-S.G.O. 1/	10.7	2.7	.5	3.8	5.3	1.8	.1	---	---	---
9-G.O. 1/	6.5	1.7	.4	2.2	3.5	.6	---	---	---	---
Spotted	96.0	24.6	6.1	22.1	41.6	22.7	1.4	.1	---	---
3-G.M.	.7	.2	.1	.2	.3	.1	---	---	---	---
4-S.M.	14.2	3.6	1.5	2.5	4.6	5.4	.6	---	---	---
5-M.	27.5	7.0	1.5	4.9	10.4	9.9	.6	---	---	---
6-S.L.M. 1/	21.7	5.6	1.4	5.3	11.3	3.4	.2	.1	---	---
7-L.M. 1/	32.1	8.2	1.6	9.4	15.0	3.9	---	---	---	---
Tinged	33.9	8.7	3.3	13.8	13.1	3.6	.1	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	.9	.2	---	.3	.3	.3	---	---	---	---
5-M. 1/	1.3	.3	.1	.8	.5	.5	---	---	---	---
6-S.L.M. 1/	8.4	1.7	.8	2.0	5.0	.6	---	---	---	---
7-L.M. 1/	23.3	6.5	2.4	11.3	9.3	2.2	.1	---	---	---
Yellow Stained	.9	.2	.5	.3	.1	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.9	.2	.5	.3	.1	---	---	---	---	---
No grade 1/ 4/	35.2	9.0	3.3	14.0	16.7	1.1	.1	---	---	---

NEW MEXICO

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-5/32 inches	1-1/8 and 1-3/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades .. 2/	153.8	100.0	1.4	4.8	8.9	25.7	103.1	14.8	0.5	---
White	118.7	77.2	.3	.9	.1	13.7	87.9	15.6	.2	---
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	39.9	25.9	.2	.2	---	3.9	30.4	5.2	---	---
4-S.M.	65.8	42.8	.1	.2	---	7.5	48.5	9.5	.2	---
5-M.	11.0	7.2	---	.1	.1	2.0	8.0	.8	---	---
6-S.L.M.	1.5	1.0	---	.1	---	.4	.9	.1	---	---
7-L.M.	.2	.1	---	---	---	.1	.1	---	---	---
8-S.G.O. 1/	.2	.1	---	.2	---	---	---	---	---	---
9-G.O. 1/	.1	.1	---	.1	---	---	---	---	---	---
Spotted	32.5	21.1	.7	3.0	2.1	11.1	14.9	.6	.1	---
3-G.M.	1.9	1.2	.1	.4	---	.2	1.2	---	---	---
4-S.M.	11.9	7.7	---	.5	---	2.5	8.5	.4	---	---
5-M.	7.0	4.6	.1	.5	.1	2.4	3.8	.1	---	---
6-S.L.M. 1/	4.2	2.7	.1	.4	.5	1.9	1.2	.1	---	---
7-L.M. 1/	7.5	4.9	.4	1.0	1.7	4.1	.2	---	.1	---
Tinged	1.8	1.2	.2	.1	.4	.8	.3	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	.1	.1	---	---	---	---	.1	---	---	---
5-M. 1/	.6	.4	.1	.1	.1	.2	.1	---	---	---
6-S.L.M. 1/	1.0	.6	.1	---	.3	.5	.1	---	---	---
7-L.M. 1/	.1	.1	---	---	---	---	---	---	---	---
No grade 1/ 4/	.8	.5	.2	.3	.3	.1	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 — Continued

NORTH CAROLINA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales 2/	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	780.6	100.0	10.1	125.9	306.2	302.5	29.0	4.4	1.8	0.7
White	651.6	80.9	5.3	87.5	245.8	260.7	26.1	3.8	1.7	.7
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	7.0	.9	.1	.9	1.5	3.7	.6	.1	.1	---
4-S.M.....	76.0	9.7	1.1	9.4	20.8	37.6	5.5	.7	.6	.3
5-M.....	253.8	32.5	1.8	31.8	85.6	119.8	12.6	1.9	.9	.4
6-S.L.M.....	229.5	29.4	1.7	32.5	101.6	85.7	6.8	1.1	.1	---
7-L.M.....	62.0	8.0	.6	12.3	34.1	14.4	.6	---	---	---
8-S.G.O. 1/	3.3	.4	---	.6	2.2	.5	---	---	---	---
9-O.O. 1/	---	---	---	---	---	---	---	---	---	---
Spotted	143.7	18.4	4.6	36.2	58.4	41.3	2.5	.6	.1	---
3-G.M.....	2.0	.3	.1	.5	.4	.9	.1	---	---	---
4-S.M.....	51.9	6.6	1.5	11.2	18.7	19.0	1.2	.3	---	---
5-M.....	82.0	10.5	2.4	21.6	36.0	20.4	1.2	.3	.1	---
6-S.L.M. 1/	7.2	.9	.2	2.8	3.2	1.0	---	---	---	---
7-L.M. 1/	.6	.1	.4	.1	.1	---	---	---	---	---
Tinged	5.1	.7	.2	2.1	1.2	.5	.4	---	---	---
3-G.M.....	.2	3/	---	.2	---	---	---	---	---	---
4-S.M.....	2.5	.3	.1	.8	.8	.3	.4	---	---	---
5-M. 1/	2.6	.3	.1	1.1	1.1	.3	---	---	---	---
6-S.L.M. 1/	---	---	---	---	---	---	---	---	---	---
7-L.M. 1/	---	---	---	---	---	---	---	---	---	---
No grade 1/ 4/ ...	.2	3/	---	.1	.1	---	---	---	---	---

OKLAHOMA

All grades ..	756.4	100.0	164.0	375.2	176.6	34.2	6.0	0.4	---	---
White	439.7	58.1	75.0	251.4	112.9	17.7	2.5	.2	---	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	.1	3/	.1	---	---	---	---	---	---	---
3-G.M.....	1.6	.2	.7	.7	.2	---	---	---	---	---
4-S.M.....	48.4	6.0	13.2	21.8	8.1	1.7	.5	.1	---	---
5-M.....	117.6	15.5	16.6	60.0	35.5	4.6	.7	---	---	---
6-S.L.M.....	117.5	15.5	16.7	99.1	36.2	4.7	.7	.1	---	---
7-L.M.....	102.3	13.5	17.3	58.7	21.8	4.0	.5	---	---	---
8-S.G.O. 1/	47.4	6.3	8.3	27.1	9.7	2.2	.1	---	---	---
9-O.O. 1/	7.8	1.0	2.1	4.0	1.4	.3	---	---	---	---
Spotted	305.2	40.3	88.8	141.9	62.4	16.4	3.5	.2	---	---
3-G.M.....	.9	.1	.5	.3	.1	---	---	---	---	---
4-S.M.....	93.3	12.3	27.1	40.0	16.2	7.8	2.1	.1	---	---
5-M.....	122.0	16.1	29.0	58.3	27.3	6.1	1.2	.1	---	---
6-S.L.M. 1/	56.6	7.5	15.1	26.8	12.7	1.8	.2	---	---	---
7-L.M. 1/	32.4	4.3	9.1	16.5	6.1	.7	---	---	---	---
Tinged	7.6	1.0	5.3	1.3	.9	.1	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.3	3/	.1	.1	.1	---	---	---	---	---
5-M. 1/	.8	.1	.2	.3	.2	.1	---	---	---	---
6-S.L.M. 1/	2.1	.3	.9	.7	.5	---	---	---	---	---
7-L.M. 1/	4.4	.6	4.1	.2	.1	---	---	---	---	---
Gray	.1	3/	---	---	.1	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.1	3/	---	---	.1	---	---	---	---	---
No grade 1/ 4/ ...	3.8	.5	2.9	.6	.3	---	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 — Continued

SOUTH CAROLINA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales 2/	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	996.2	100.0	2.9	123.0	455.7	372.0	35.3	6.1	1.1	0.1
White	726.4	72.9	1.6	81.9	320.1	286.5	29.8	5.4	1.0	.1
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	1.3	.1	---	.2	.4	.6	.1	---	---	---
4-S.M.....	57.7	5.8	.2	4.8	19.6	29.1	3.1	.6	.2	.1
5-M.....	284.6	28.6	.4	26.1	115.2	125.5	14.0	2.9	.5	---
6-S.L.M.....	297.0	29.8	.7	34.2	142.5	106.9	10.7	1.7	.3	---
7-L.M.....	80.3	8.1	.3	14.6	40.1	23.4	1.8	.1	---	---
8-S.G.O. 1/	5.5	.5	---	2.0	2.3	1.0	.1	.1	---	---
9-O.O. 1/	---	---	---	---	---	---	---	---	---	---
Spotted	265.6	26.7	1.3	40.0	133.4	84.6	5.5	.7	.1	---
3-G.M.....	3.2	.3	---	.2	1.2	1.7	.1	---	---	---
4-S.M.....	85.7	8.6	.4	9.6	40.0	33.2	2.2	.3	---	---
5-M.....	158.4	15.9	.8	25.3	83.2	45.6	3.0	.4	.1	---
6-S.L.M. 1/	17.8	1.8	.1	4.6	8.8	4.1	.2	---	---	---
7-L.M. 1/	.5	.1	---	.3	.2	---	---	---	---	---
Tinged	3.8	.4	---	1.1	1.9	.8	---	---	---	---
3-G.M.....	.1	3/	---	---	---	.1	---	---	---	---
4-S.M.....	1.3	.1	---	.3	.6	.4	---	---	---	---
5-M. 1/	2.3	.2	---	.8	1.2	.3	---	---	---	---
6-S.L.M. 1/	.1	3/	---	---	.1	---	---	---	---	---
7-L.M. 1/	---	---	---	---	---	---	---	---	---	---
No grade 1/ 4/ ...	.4	3/	---	---	.3	.1	---	---	---	---

TENNESSEE

All grades ..	633.3	100.0	97.6	116.2	249.3	157.0	12.9	0.1	---	---
White	422.7	66.7	72.1	71.5	156.0	114.4	8.6	.1	---	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	3.2	.5	1.0	.3	1.0	.8	.1	---	---	---
4-S.M.....	75.3	11.9	24.1	9.2	20.3	20.7	1.0	---	---	---
5-M.....	135.9	21.5	24.5	27.0	43.3	36.0	3.1	---	---	---
6-S.L.M.....	135.9	21.5	19.4	19.9	47.9	44.8	3.8	.1	---	---
7-L.M.....	29.0	4.5	1.9	5.8	15.5	5.3	.5	---	---	---
8-S.G.O. 1/	32.4	5.1	.8	6.8	21.2	3.5	.1	---	---	---
9-O.O. 1/	11.0	1.7	.4	2.5	6.8	1.3	---	---	---	---
Spotted	174.7	27.6	22.6	32.6	75.5	39.9	4.1	---	---	---
3-G.M.....	1.6	.3	.5	.4	.3	.4	---	---	---	---
4-S.M.....	39.7	6.3	10.6	6.3	9.8	12.0	1.0	---	---	---
5-M.....	67.1	10.6	8.2	11.0	27.5	17.9	2.5	---	---	---
6-S.L.M. 1/	38.1	6.0	2.4	7.4	21.3	6.6	.4	---	---	---
7-L.M. 1/	28.2	4.4	.9	7.5	16.6	3.0	.2	---	---	---
Tinged	24.4	3.9	2.1	7.7	12.3	2.1	.2	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	2.2	.3	.5	.6	.6	.4	.1	---	---	---
5-M. 1/	5.4	.9	.5	1.6	2.6	.7	---	---	---	---
6-S.L.M. 1/	6.1	1.0	.6	1.8	3.2	.4	.1	---	---	---
7-L.M. 1/	10.7	1.7	.5	3.7	5.9	.6	---	---	---	---
Yellow Stained ...	.6	.1	.2	.2	.2	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	.1	3/	---	---	.1	---	---	---	---	---
5-M. 1/	.5	.1	.2	.2	.1	---	---	---	---	---
No grade 1/ 4/ ...	10.9	1.7	.6	4.2	5.5	.6	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 -- Continued

TEXAS

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-5/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales 2/	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	4,952.4	100.0	944.5	2,462.6	1,314.9	203.9	99.9	19.7	0.1	---
White	3,495.8	70.6	566.4	1,691.4	956.1	179.9	91.1	18.8	.1	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	.5	3/	---	.2	.1	---	---	---	---	---
3-G.M.....	100.8	2.0	8.9	33.5	38.9	5.7	13.2	7.6	---	---
4-S.M.....	965.2	19.9	96.6	428.2	342.7	62.5	43.8	9.2	---	---
5-M.....	1,519.9	24.6	218.5	648.2	367.3	68.7	22.1	1.2	---	---
6-S.L.M.....	727.9	14.7	139.2	385.3	160.6	34.2	7.8	.8	---	---
7-L.M.....	270.7	5.5	55.9	154.6	50.6	8.5	1.1	---	---	---
8-S.G.O. 1/	78.7	1.6	30.5	42.4	5.6	.5	.1	---	---	---
9-G.O. 1/	14.5	.3	9.0	5.0	.3	---	---	---	---	---
Spotted	1,432.5	28.9	372.1	766.5	338.5	24.0	8.7	.9	---	---
3-G.M.....	35.8	.7	5.5	19.7	9.9	.6	.1	---	---	---
4-S.M.....	655.0	13.2	134.5	369.8	133.9	11.7	4.6	.5	---	---
5-M.....	473.9	9.6	105.7	260.6	95.3	9.1	2.8	.4	---	---
6-S.L.M. 1/	171.8	3.5	65.8	85.1	17.5	2.2	1.0	.2	---	---
7-L.M. 1/	96.0	1.9	60.5	33.1	2.0	.4	.2	---	---	---
Tinged	18.8	.4	10.5	6.1	.3	---	.1	---	---	---
3-G.M.....	.1	3/	---	.1	---	---	---	---	---	---
4-S.M.....	.6	3/	.4	.2	---	---	---	---	---	---
5-M. 1/	3.5	.1	1.8	1.5	.2	---	---	---	---	---
6-S.L.M. 1/	7.6	.2	4.9	2.6	.1	---	---	---	---	---
7-L.M. 1/	7.0	.1	3.2	1.7	---	---	.1	---	---	---
Yellow Stained ...	.4	3/	.3	.1	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	.1	3/	.1	---	---	---	---	---	---	---
5-M. 1/	.3	3/	.2	.1	---	---	---	---	---	---
Gray	.2	3/	---	.2	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.1	3/	---	.1	---	---	---	---	---	---
5-M. 1/	.1	3/	---	.1	---	---	---	---	---	---
No grade 1/ 4/ ...	4.7	.1	3.2	1.5	---	---	---	---	---	---

VIRGINIA

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-5/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales 2/	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	40.2	100.0	0.2	17.2	20.0	2.7	0.1	---	---	---
White	33.2	82.6	.2	14.5	16.1	2.5	.1	---	---	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.5	1.2	---	.2	.1	---	---	---	---	---
5-M.....	6.1	15.2	---	2.1	3.0	1.0	---	---	---	---
6-S.L.M.....	20.4	51.2	.1	8.6	10.5	1.5	.1	---	---	---
7-L.M.....	5.7	14.2	---	3.5	2.3	.1	---	---	---	---
8-S.G.O. 1/	.3	.8	.1	.1	.1	---	---	---	---	---
9-G.O. 1/	---	---	---	---	---	---	---	---	---	---
Spotted	6.9	17.2	---	2.9	3.8	.2	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.7	1.8	---	.3	.3	.1	---	---	---	---
5-M.....	5.2	12.9	---	2.2	2.9	.1	---	---	---	---
6-S.L.M. 1/	1.0	2.5	---	.4	.6	---	---	---	---	---
7-L.M. 1/	---	---	---	---	---	---	---	---	---	---
Tinged	.1	.2	---	---	.1	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.1	.2	---	---	.1	---	---	---	---	---
6-S.L.M. 1/	---	---	---	---	---	---	---	---	---	---
7-L.M. 1/	---	---	---	---	---	---	---	---	---	---

See footnotes at end of table.

Table 3.- Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1937 -- Continued

ALL OTHER STATES 5/

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-5/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales 2/	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ..	18.5	100.0	0.8	1.3	6.7	9.4	0.9	---	---	---
White	13.6	73.6	---	.6	4.0	8.4	.6	---	---	---
1-M.F.....	---	---	---	---	---	---	---	---	---	---
2-S.O.M.....	---	---	---	---	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	1.2	6.5	---	---	.2	.9	.1	---	---	---
5-M.....	5.1	27.6	---	.1	.8	3.8	.4	---	---	---
6-S.L.M.....	4.3	23.3	---	.1	1.2	2.9	.1	---	---	---
7-L.M.....	1.3	7.0	---	---	.7	.6	---	---	---	---
8-S.G.O. 1/	.7	3.8	---	.1	.4	.2	---	---	---	---
9-G.O. 1/	1.0	5.4	---	.3	.7	---	---	---	---	---
Spotted	2.7	14.6	.1	1.4	.8	.3	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	.1	.5	.1	---	.3	.4	.2	---	---	---
5-M.....	.9	4.9	---	---	.3	.3	.1	---	---	---
6-S.L.M. 1/	.6	3.3	---	.2	.2	.1	---	---	---	---
7-L.M. 1/	1.1	5.9	---	.1	.9	.1	---	---	---	---
Tinged	.8	4.3	.1	.2	.5	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M.....	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.1	.5	.1	---	---	---	---	---	---	---
6-S.L.M. 1/	.1	.5	---	---	.1	---	---	---	---	---
7-L.M. 1/	.6	3.3	---	.2	.4	---	---	---	---	---
Yellow Stained ...	.1	.5	---	---	---	---	---	---	---	---
3-G.M.....	---	---	---	---	---	---	---	---	---	---
4-S.M. 1/	---	---	---	---	---	---	---	---	---	---
5-M. 1/	.1	.5	---	---	.1	---	---	---	---	---
No grade 1/ 4/ ...	1.3	7.0	---	.3	.8	.2	---	---	---	---

1/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder. Of the 1,834,800 bales of shorter than 7/8-inch cotton, 107,800, or 0.6 percent, were shorter than 13/16 inch.
2/ As reported by the Bureau of the Census.
3/ Less than 0.05 percent.
4/ Includes bales not otherwise classified above.
5/ Includes Illinois, Kansas, and Kentucky.

Table 4 -- Grade and staple length of American-Egyptian cotton ginned in the United States, crops of 1928-37

(Quantities are given in running bales)

Crop and grade	All staple lengths		Shorter than 1-1/2 inches	1-1/2 and 1-17/32 inches	1-9/16 and 1-19/32 inches	1-5/8 to 1-23/32 inches	1-3/4 inches and longer
	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1928							
All grades	1/ 28.3	100.0	0.7	11.4	12.5	1.6	0.1
1 and 2	5.5	19.4	.2	2.2	2.7	.4	---
2 and 3	13.0	46.1	.3	5.9	6.5	.9	.1
3 and 4	8.4	29.7	.2	3.4	3.6	.3	---
4 and 5	.1	.3	---	---	---	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1929							
All grades	1/ 26.6	100.0		5.1	17.1	3.0	.4
1 and 2	5.1	19.1		.6	3.1	1.2	.1
2 and 3	14.0	52.9		2.3	10.0	1.4	.3
3 and 4	6.5	22.8		2.1	3.9	.3	---
4 and 5	.1	1.4		.1	.1	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1930							
All grades	1/ 23.3	100.0		2.5	16.2	4.6	---
1 and 2	6.2	26.6		.4	4.1	1.7	---
2 and 3	11.5	48.9		1.4	8.1	2.0	---
3 and 4	5.1	21.9		.7	3.7	.3	---
4 and 5	.5	2.6		.1	.3	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1931							
All grades	1/ 13.7	100.0		2.4	6.4	2.9	---
1 and 2	1.2	8.7		.3	.6	.3	---
2 and 3	6.3	45.1		1.1	3.5	1.7	---
3 and 4	5.5	40.4		.9	2.1	.9	---
4 and 5	.5	3.9		.1	.2	.1	---
5	---	---	---	---	---	---	---
Below 5	.2	1.5		.1	.1	---	---
1932							
All grades	1/ 8.1	100.0	1.7	2.9	2.6	1.1	---
1 and 2	2.0	24.7	.3	.5	.8	.3	---
2 and 3	3.7	45.7	.9	1.3	1.0	.5	---
3 and 4	2.2	26.5	.5	.9	.7	.1	---
4 and 5	.2	2.5	---	.2	.1	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1933							
All grades	1/ 9.7	100.0	.1	1.2	5.4	1.0	---
1 and 2	4.9	50.5	.1	.2	3.6	.7	---
2 and 3	4.5	46.3	---	.9	1.8	.3	---
3 and 4	.3	3.2	---	.1	---	---	---
4 and 5	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1934							
All grades	1/ 15.0	100.0		1.6	7.3	2.1	---
1 and 2	5.8	38.8		.3	3.8	1.7	---
2 and 3	5.6	37.0		.8	3.2	.4	---
3 and 4	1.5	10.1		.4	.6	---	---
4 and 5	.9	5.7		---	.6	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1935							
All grades	1/ 17.6	100.0		1.9	12.0	3.7	---
1 and 2	3.4	19.3		.3	2.4	.7	---
2 and 3	12.0	68.2		1.3	8.6	2.1	---
3 and 4	1.9	10.8		.2	1.1	.9	---
4 and 5	.3	1.7		.1	.1	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1936							
All grades	1/ 17.6	100.0		1.6	10.8	3.2	---
1 and 2	3.5	19.9		.2	2.7	.6	---
2 and 3	9.1	51.7		.8	6.4	1.5	---
3 and 4	3.1	17.6		.5	1.5	.6	---
4 and 5	1.6	9.1		.1	.2	.1	---
5	.3	1.7		---	---	---	---
Below 5	---	---	---	---	---	---	---
1937							
All grades	1/ 11.0	100.0	.2	2.8	6.5	1.5	---
1 and 2	.7	6.4	---	.3	.6	.1	---
2 and 3	5.9	53.4	.1	1.3	3.7	.8	---
3 and 4	3.7	33.4	.1	.9	2.1	.6	---
4 and 5	.6	5.8	---	.3	.1	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.

Table 5 -- Grade 1/ and staple length of Sea-Island cotton ginned in the United States, crop of 1937

(Quantities are given in running bales)

Grade	All staple lengths		Shorter than 1-1/2 inches	1-1/2 and 1-17/32 inches	1-9/16 and 1-19/32 inches	1-5/8 and 1-21/32 inches	1-11/16 and 1-23/32 inches	1-3/4 inches and longer
	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades	2/ 4.0	100.0	---	0.5	1.0	1.6	0.5	0.4
1	.7	17.5	---	---	.1	.3	.1	.2
2	1.2	30.0	---	.1	.3	.5	.2	.1
3	1.1	27.5	---	.1	.3	.5	.1	.1
4	.7	17.5	---	.1	.2	.3	.1	---
5	.2	5.0	---	.1	.1	---	---	---
6	---	---	---	---	---	---	---	---
Below 6	.1	2.5	---	.1	---	---	---	---

1/ In classing for grade the standards for Sea-Island cotton in effect from Oct. 25, 1918-Jan. 22, 1925 were used as a guide.

2/ As reported by the Bureau of the Census.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37
(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

UNITED STATES

Grade	1928 1,000 bales	1928 Percent	1929 1,000 bales	1929 Percent	1930 1,000 bales	1930 Percent	1931 1,000 bales	1931 Percent	1932 1,000 bales	1932 Percent	1933 1,000 bales	1933 Percent	1934 1,000 bales	1934 Percent	1935 1,000 bales	1935 Percent
All grades 1/	14,266.2	100.0	14,519.0	100.0	13,732.2	100.0	16,615.2	100.0	12,701.3	100.0	12,654.3	100.0	9,458.0	100.0	10,402.7	100.0
Extra White	406.7	2.8	468.7	3.2	500.6	3.6	435.8	2.6	460.0	3.6	1,647.5	13.0	4,814.4	50.9	2,151.8	20.7
Above 3-G.M.	2/	2/	2/	2/	1.0	3/	.6	3/	1.8	3/	16.0	.1	10.3	.1	.2	3/
3-G.M.	146.5	1.0	180.4	1.2	123.1	.9	76.7	.5	106.9	.8	363.3	2.9	914.1	9.6	341.5	3.3
4-S.M.	141.9	1.0	167.8	1.1	214.4	1.6	174.2	1.0	132.8	1.1	623.6	4.9	2,259.3	23.9	1,064.6	10.2
5-M.	93.6	.7	80.5	.6	107.6	.8	88.1	.5	88.2	.7	409.5	3.2	1,284.2	13.6	568.4	5.5
6-S.L.M.	18.0	.1	32.5	.2	31.1	.2	62.2	.4	99.6	.8	189.5	1.5	281.9	3.0	150.7	1.4
7-L.M.	6.7	3/	7.5	.1	4.8	3/	29.7	.2	28.9	.2	44.7	.4	63.0	.7	26.0	.3
Below 7-L.M. 4/	5/	5/	5/	5/	18.6	.1	4.3	3/	1.8	3/	.9	3/	1.6	3/	.4	3/
White	11,940.1	83.7	12,237.1	84.3	11,942.2	87.0	15,039.7	90.6	9,945.3	78.3	7,020.3	55.5	3,342.6	35.3	5,931.9	57.0
1-M.F.	.7	3/	.2	3/	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	41.8	.3	38.7	.3	13.0	.1	10.9	.1	1.2	3/	2.0	3/	.6	3/	.7	3/
3-G.M.	1,630.0	11.4	863.9	5.9	892.3	6.5	940.0	5.7	251.3	2.0	264.7	2.1	110.0	1.2	40.2	.4
4-S.M.	4,845.6	34.0	3,877.9	26.7	4,364.0	31.8	5,873.4	35.3	3,147.0	24.8	2,409.5	19.1	1,187.2	12.5	1,424.2	13.7
5-M.	3,250.4	22.8	4,399.1	30.3	4,211.7	30.7	5,233.2	31.5	4,474.5	35.2	2,899.1	22.9	1,424.6	15.1	2,484.7	23.9
6-S.L.M.	1,387.2	9.8	1,881.7	13.0	1,749.7	12.7	1,759.2	10.6	1,569.2	12.4	1,143.3	9.0	468.2	4.9	1,232.4	11.8
7-L.M.	447.7	3.1	805.4	5.5	576.9	4.2	640.3	3.9	330.3	2.6	238.0	1.9	107.2	1.1	494.6	4.7
8-S.G.O. 4/	247.5	1.7	290.1	2.0	114.6	.9	421.9	2.5	116.3	.9	52.6	.4	33.4	.4	186.0	1.8
9-G.O. 4/	89.2	.6	80.1	.6	20.0	.1	160.8	1.0	55.5	.4	11.1	.1	11.4	.1	69.1	.7
Spotted	1,677.9	11.8	1,567.3	10.8	1,214.3	8.8	1,048.2	6.3	2,216.9	17.4	3,933.5	31.1	1,264.5	13.4	2,068.4	19.9
3-G.M.	142.9	1.0	47.1	.3	147.2	1.1	115.3	.7	193.6	1.5	479.4	3.8	130.2	1.4	57.7	.5
4-S.M.	792.7	5.5	646.9	4.5	557.0	4.1	428.5	2.6	1,054.0	8.3	2,130.1	16.8	664.4	7.0	825.3	7.9
5-M.	466.1	3.3	564.3	3.9	335.2	2.4	247.9	1.5	673.0	5.3	1,041.6	8.2	345.4	3.7	672.1	6.5
6-S.L.M. 4/	196.1	1.4	234.4	1.6	143.7	1.0	185.2	1.1	217.5	1.7	224.5	1.8	96.3	1.0	319.1	3.1
7-L.M. 4/	80.1	.6	72.6	.5	31.2	.2	71.3	.4	78.8	.6	57.9	.5	28.2	.3	194.2	1.9
Yellow Tinged	41.7	.3	139.9	1.0	55.6	.4	23.9	.1	33.8	.3	21.4	.2	14.0	.1	189.0	1.8
2-S.G.M.	.5	3/	.1	3/	.2	3/	—	—	—	—	—	—	.1	3/	—	—
3-G.M.	4.7	3/	2.7	3/	7.4	3/	1.6	3/	2.7	3/	4.0	3/	.9	3/	1.7	3/
4-S.M.	11.3	.1	25.1	.2	20.7	.2	4.5	3/	10.7	.1	7.7	.1	3.2	3/	16.1	.2
5-M. 4/	6.7	3/	42.0	.3	14.9	.1	7.3	3/	9.0	.1	6.2	3/	5.5	.1	47.0	.4
6-S.L.M. 4/	9.6	.1	40.0	.3	10.1	.1	8.1	3/	9.7	.1	2.3	3/	3.0	3/	70.1	.7
7-L.M. 4/	8.9	.1	30.0	.2	2.3	3/	2.4	3/	1.7	3/	1.2	3/	1.3	3/	54.1	.5
Light Yellow Stained	1.7	3/	17.2	.1	1.8	3/	.7	3/	.3	3/	.5	3/	.3	3/	7.5	.1
3-G.M.	.4	3/	.2	3/	—	—	.1	3/	.1	3/	.2	3/	—	—	—	—
4-S.M. 4/	.5	3/	3.3	3/	.6	3/	.2	3/	.1	3/	.1	3/	.2	3/	.4	3/
5-M. 4/	.8	3/	13.7	.1	1.2	3/	.4	3/	.1	3/	.2	3/	.1	3/	7.1	.1
Yellow Stained	.8	3/	10.4	.1	.6	3/	.1	3/	.1	3/	—	—	—	—	.8	3/
3-G.M.	.2	3/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.3	3/	1.1	3/	.2	3/	—	—	—	—	—	—	—	—	—	—
5-M. 4/	.3	3/	9.2	.1	.4	3/	.1	3/	.1	3/	—	—	—	—	.8	3/
Gray	21.6	.2	18.9	.2	4.6	3/	12.5	.1	10.1	.1	2.9	3/	10.1	.1	6.8	.1
3-G.M.	3.5	3/	.2	3/	.4	3/	.5	3/	1.2	3/	—	—	.1	3/	1.0	3/
4-S.M.	12.8	.1	7.9	.1	3.2	3/	6.9	3/	5.9	3/	1.8	3/	7.4	.1	3.8	3/
5-M. 4/	5.3	3/	10.8	.1	1.0	3/	5.1	3/	3.0	3/	1.1	3/	2.6	3/	2.0	3/
Blue Stained	1.6	3/	3.0	3/	.3	3/	.1	3/	—	—	—	—	—	—	.1	3/
3-G.M. 4/	.4	3/	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.9	3/	1.8	3/	—	—	.1	3/	—	—	—	—	—	—	.1	3/
5-M. 4/	.3	3/	1.1	3/	.2	3/	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	176.1	1.2	56.5	.3	12.2	.1	54.2	.3	34.8	.3	28.2	.2	12.1	.1	46.4	.4

Grade	1936 1,000 bales	1936 Percent	1937 1,000 bales	1937 Percent
All grades 1/	12,123.8	100.0	18,237.1	100.0
Extra White	96.2	.8	—	—
3-G.M.	70.5	.6	—	—
4-S.M.	24.4	.2	—	—
5-M.	.6	3/	—	—
6-S.L.M.	1.1	3/	—	—
7-L.M.	.7	3/	—	—
8-S.G.O. 4/	.8	3/	—	—
9-G.O. 4/	.1	3/	—	—
White	9,420.6	77.7	13,881.0	76.1
1-M.F.	.1	3/	—	—
2-S.G.M.	3.8	3/	.7	3/
3-G.M.	447.8	3.7	555.6	3.0
4-S.M.	2,545.4	21.0	2,655.3	14.6
5-M.	3,478.4	28.7	4,872.9	26.7
6-S.L.M.	1,932.8	15.9	3,704.4	20.3
7-L.M.	763.7	6.3	1,456.2	8.0
8-S.G.O. 4/	214.8	1.8	486.4	2.7
9-G.O. 4/	33.8	.3	149.5	.8
Spotted	2,441.8	20.1	4,091.9	22.4
3-G.M.	164.8	1.4	81.3	.4
4-S.M.	1,213.6	10.0	1,584.8	8.7
5-M.	779.4	6.4	1,663.7	9.1
6-S.L.M. 4/	199.8	1.6	510.2	2.8
7-L.M. 4/	84.2	.7	251.9	1.4
Tinged	81.5	.7	152.7	.8
3-G.M.	3.5	3/	1.7	3/
4-S.M.	14.1	.1	17.4	.1
5-M. 4/	18.6	.2	35.8	.2
6-S.L.M. 4/	20.6	.2	33.5	.2
7-L.M. 4/	24.7	.2	64.3	.3
Yellow Stained	2.1	3/	3.7	3/
3-G.M.	.1	3/	—	—
4-S.M. 4/	.7	3/	.6	3/
5-M. 4/	1.3	3/	3.1	3/
Gray	37.3	.3	15.4	.1
3-G.M.	.7	3/	—	—
4-S.M.	22.9	.2	7.0	3/
5-M. 4/	13.7	.1	8.4	3/
No grade 4/ 6/	42.3	.3	92.4	.5

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

ALABAMA

Grade	1928 1,000 bales	1928 Percent	1929 1,000 bales	1929 Percent	1930 1,000 bales	1930 Percent	1931 1,000 bales	1931 Percent	1932 1,000 bales	1932 Percent	1933 1,000 bales	1933 Percent	1934 1,000 bales	1934 Percent	1935 1,000 bales	1935 Percent
All grades 1/	1,096.6	100.0	1,307.7	100.0	1,444.9	100.0	1,385.0	100.0	933.7	100.0	951.1	100.0	936.1	100.0	1,033.5	100.0
Extra White	.4	3/	—	—	.1	3/	—	—	.3	3/	8.2	.9	326.8	34.9	165.3	16.0
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	.1	3/	—	—	—	—	—	—	—	—	.2	3/	28.3	3.0	26.9	2.6
4-S.M.	.2	3/	—	—	—	—	—	—	—	—	1.6	.2	173.4	18.5	94.1	9.1
5-M.	.1	3/	—	—	.1	3/	—	—	—	—	4.6	.5	111.1	11.9	38.3	3.7
6-S.L.M.	—	—	—	—	—	—	—	—	—	—	1.7	.2	13.2	1.4	5.3	.5
7-L.M.	—	—	—	—	—	—	—	—	.2	3/	.1	3/	.8	.1	.7	.1
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	.1	3/	—	—	—	—	—	—
White	931.7	85.0	1,137.3	87.0	1,275.0	88.2	1,327.8	95.9	783.1	83.9	623.0	65.5	473.4	50.6	662.2	64.1
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	1.5	.1	1.6	.1	.5	3/	2.9	.2	—	—	—	—	.1	3/	.1	3/
3-G.M.	106.8	9.7	37.8	2.9	49.2	3.4	77.2	5.6	9.9	1.1	9.0	.9	.8	.1	8.1	.8
4-S.M.	545.8	49.8	430.0	32.9	508.2	35.2	578.8	41.8	271.9	29.1	230.4	24.2	162.2	17.3	245.7	23.8
5-M.	236.4	21.6	464.1	35.5	493.6	34.2	579.8	41.9	440.7	47.2	341.0	35.9	247.3	26.4	324.7	31.4
6-S.L.M.	37.1	3.4	124.1	9.5	138.3	9.6	87.5	6.3	58.4	6.2	41.6	4.4	57.9	6.2	72.3	7.0
7-L.M.	3.5	.3	42.6	3.3	65.9	4.5	1.6	.1	1.5	.2	1.0	.1	4.8	.5	10.1	1.0
8-S.G.O. 4/	.5	3/	26.2	2.0	15.8	1.1	—	—	.6	.1	—	—	.3	3/	.9	.1
9-G.O. 4/	.1	3/	10.9	.8	3.5	.2	—	—	.1	3/	—	—	—	—	.3	3/
Spotted	160.0	14.6	154.9	11.8	161.1	11.1	55.3	4.0	149.0	16.0	318.4	33.5	134.7	14.4	204.4	19.7
3-G.M.	20.1	1.8	4.9	.4	19.6	1.4	11.6	.8	6.7	.7	30.9	3.3	8.5	.9	8.8	.8
4-S.M.	110.2	10.1	97.7	7.4	75.6	5.2	36.3	2.6	82.1	8.8	216.2	22.7	85.4	9.2	113.6	11.0
5-M.	27.2	2.5	44.2	3.4	47.0	3.2	6.8	.5	56.5	6.1	69.2	7.3	37.6	4.0	74.9	7.2
6-S.L.M. 4/	2.2	.2	7.2	.5	14.6	1.0	.5	3/	3.1	.3	2.1	.2	2.9	.3	6.5	.6
7-L.M. 4/	.3	3/	.9	.1	4.3	.3	.1	3/	.6	.1	—	—	.3	3/	.6	.1
Yellow Tinged	3.8	.3	8.6	.7	6.8	.5	1.0	.1	.9	.1	1.2	.1	.3	3/	1.0	.1
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	1.1	.1	.6	3/	.8	.1	.1	3/	.1	3/	.3	3/	—	—	—	—
4-S.M.	2.2	.2	4.2	.3	3.0	.2	.7	3/	.6	.1	.6	.1	.1	3/	.6	.1
5-M. 4/	.5	3/	2.9	.2	2.1	.1	.2	3/	.2	3/	.3	3/	.2	3/	.4	3/
6-S.L.M. 4/	—	—	.7	.1	.7	3/	—	—	—	—	—	—	—	—	—	—
7-L.M. 4/	—	—	.2	3/	.2	3/	—	—	—	—	—	—	—	—	—	—
Light Yellow Stained	.1	3/	.4	3/	.2	3/	.1	3/	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—
5-M. 4/	.1	3/	.3	3/	.1	3/	.1	3/	—	—	—	—	—	—	—	—
Yellow Stained	.1	3/	.1	3/	—	—	.1	3/	—	—	—	—	—	—	—	—
3-G.M.	—	—	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	.1	3/	—	—	—	—	.1	3/	—	—	—	—	—	—	—	—
Gray	.4	3/	3.4	.3	—	—	.7	3/	.2	3/	—	—	.9	.1	—	—
3-G.M.	.1	3/	—	—	—	—	—	—	.1	3/	—	—	.1	3/	—	—
4-S.M.	.3	3/	1.1	.1	—	—	.5	3/	.1	3/	—	—	.7	.1	—	—
5-M. 4/	—	—	2.3	.2	—	—	.2	3/	—	—	—	—	.1	3/	—	—
Blue Stained	—	—	.6	3/	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	.6	3/	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	.1	3/	2.4	.2	1.7	.1	—	—	.2	3/	.3	3/	—	—	.6	.1

Grade	1936 1,000 bales	1936 Percent	1937 1,000 bales	1937 Percent
All grades 1/	1,135.0	100.0	1,566.6	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	799.7	70.5	1,196.7	76.4
1-M.F.	—	—	—	—
2-S.G.M.	.1	3/	.1	3/
3-G.M.	9.8	.9	8.6	.5
4-S.M.	267.8	23.6	222.4	14.2
5-M.	414.0	36.5	544.0	34.7
6-S.L.M.	95.5	8.4	323.7	20.7
7-L.M.	11.0	1.0	88.3	5.6
8-S.G.O. 4/	1.4	.1	9.1	.6
9-G.O. 4/	.1	3/	.5	3/
Spotted	329.1	29.0	347.8	22.2
3-G.M.	16.6	1.5	7.0	.4
4-S.M.	204.3	18.0	125.6	8.0
5-M.	99.6	8.8	178.1	11.4
6-S.L.M. 4/	8.1	.7	33.9	2.2
7-L.M. 4/	.5	3/	3.2	.2
Tinged	6.0	.5	20.5	1.3
3-G.M.	.4	3/	.3	3/
4-S.M.	3.2	.3	3.7	.2
5-M. 4/	2.1	.2	10.8	.7
6-S.L.M. 4/	.3	3/	3.4	.2
7-L.M. 4/	—	—	2.3	.1
Yellow Stained	.1	3/	.9	.1
3-G.M.	—	—	—	—
4-S.M. 4/	—	—	.1	3/
5-M. 4/	.1	3/	.8	.1
Gray	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	—	—
No grade 4/ 6/	.1	3/	.7	3/

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

ARIZONA

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	117.4	100.0	120.7	100.0	127.2	100.0	97.3	100.0	58.8	100.0	83.2	100.0	99.1	100.0	113.9	100.0
Extra White	104.6	89.1	97.7	80.9	109.4	86.0	82.0	84.3	45.4	77.2	69.5	83.6	71.0	71.7	75.4	66.2
Above 3-G.M.	---	---	---	---	---	---	---	---	.2	.3	---	---	---	---	---	---
3-G.M.	32.6	27.8	19.5	16.2	23.4	18.4	4.8	4.9	11.4	19.4	20.0	24.1	14.3	14.4	22.3	19.6
4-S.M.	46.1	39.2	55.3	45.8	51.6	40.6	29.6	30.4	19.5	33.2	39.1	47.1	43.9	44.4	43.5	38.4
5-M.	23.6	20.1	17.6	14.5	22.6	17.8	32.5	33.4	9.4	16.0	9.5	11.4	11.2	11.3	6.9	6.1
6-S.L.M.	2.1	1.8	5.0	4.1	8.3	6.5	13.3	13.7	3.8	6.5	.6	.7	1.2	1.2	1.8	1.6
7-L.M.	.2	.2	.4	.3	1.0	.8	1.5	1.6	.9	1.5	.2	.2	.4	.4	.6	.5
Below 7-L.M. 4/	---	---	---	---	2.5	1.9	.3	.3	.2	.3	.1	.1	---	---	---	---
White	.4	.3	1.3	1.1	---	---	7.3	7.5	.1	.2	.2	.2	12.3	12.4	16.5	14.5
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	---	---	.7	.6	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	.1	.1	---	---	---	---	---	---	---	---	---	---	---	---	.1	.1
4-S.M.	.1	.1	---	---	---	---	---	---	---	---	---	---	3.4	3.5	6.3	5.5
5-M.	---	---	---	---	---	---	1.7	1.7	---	---	.2	.2	3.6	3.6	6.0	5.3
6-S.L.M.	---	---	---	---	---	---	3.0	3.1	---	---	---	---	3.2	3.2	2.9	2.5
7-L.M.	---	---	.1	.1	---	---	2.2	2.3	.1	.2	---	---	1.7	1.7	.7	.6
8-S.G.O. 4/	.2	.2	---	---	---	---	.4	.4	---	---	---	---	.3	.3	.3	.3
9-G.O. 4/	---	---	.5	.4	---	---	---	---	---	---	---	---	.1	.1	.2	.2
Spotted	12.2	10.4	20.6	17.1	17.7	13.9	4.8	4.9	12.9	21.9	13.3	16.0	15.1	15.2	21.1	18.5
3-G.M.	.5	.4	---	---	.1	.1	.1	.1	.3	.5	2.0	2.4	.5	.5	.5	.4
4-S.M.	5.5	5.0	5.9	4.9	6.6	5.2	2.3	2.4	8.8	15.0	8.9	10.7	5.5	5.5	11.5	10.1
5-M.	3.8	3.2	10.4	8.6	5.2	4.9	1.9	1.9	3.5	6.0	1.8	2.2	6.6	6.7	5.8	5.1
6-S.L.M. 4/	2.1	1.8	3.8	3.2	3.9	3.0	.5	.5	.3	.5	.6	.7	1.5	1.5	2.4	2.1
7-L.M. 4/	---	---	.5	.4	.9	.7	---	---	---	---	---	---	1.0	1.0	.9	.8
Yellow Tinged	.2	.2	---	---	.1	.1	.1	.1	---	---	.2	.2	.1	.1	.5	.4
2-S.G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	.1	.1	---	---	.2	.1
4-S.M.	.1	.1	---	---	---	---	---	---	---	---	---	---	---	---	.1	.1
5-M. 4/	.1	.1	---	---	---	---	.1	.1	---	---	.1	.1	---	---	.1	.1
6-S.L.M. 4/	---	---	---	---	.1	.1	---	---	---	---	---	---	.1	.1	.1	.1
7-L.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Light Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Gray	---	---	.2	.2	---	---	---	---	---	---	---	---	---	---	.1	.1
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.1	.1
4-S.M.	---	---	.1	.1	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	.1	.1	---	---	---	---	---	---	---	---	---	---	---	---
Blue Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade 4/ 6/	---	---	.9	.7	---	---	3.1	3.2	.4	.7	---	---	.6	.6	.3	.3

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	170.2	100.0	299.2	100.0
Extra White	6.1	3.6	---	---
3-G.M.	3.5	2.1	---	---
4-S.M.	1.6	.9	---	---
5-M.	---	---	---	---
6-S.L.M.	---	---	---	---
7-L.M.	---	---	---	---
8-S.G.O. 4/	---	---	---	---
9-G.O. 4/	---	---	---	---
White	75.7	44.5	197.4	66.0
1-M.F.	---	---	---	---
2-S.G.M.	.4	.2	---	---
3-G.M.	31.9	18.8	50.9	17.0
4-S.M.	35.8	21.0	83.6	28.0
5-M.	3.9	2.3	38.2	12.8
6-S.L.M.	1.8	1.1	20.0	6.7
7-L.M.	1.2	.7	3.6	1.2
8-S.G.O. 4/	.5	.3	.7	.2
9-G.O. 4/	.1	.1	.4	.1
Spotted	88.0	51.7	101.7	34.0
3-G.M.	40.0	23.5	1.5	.5
4-S.M.	30.4	17.9	45.7	15.3
5-M.	10.8	6.3	42.9	14.3
6-S.L.M. 4/	4.1	2.4	10.6	3.5
7-L.M. 4/	2.7	1.6	1.1	.4
Tinged	1.3	.7	.1	3/
3-G.M.	.6	.3	---	---
4-S.M.	.2	.1	---	---
5-M. 4/	.1	.1	---	---
6-S.L.M. 4/	.2	.1	.1	3/
7-L.M. 4/	.2	.1	---	---
Yellow Stained	---	---	---	---
3-G.M.	---	---	---	---
4-S.M. 4/	---	---	---	---
5-M. 4/	---	---	---	---
Gray	---	---	---	---
3-G.M.	---	---	---	---
4-S.M.	---	---	---	---
5-M. 4/	---	---	---	---
No grade 4/ 6/	.1	.1	---	---

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

ARKANSAS

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	1,216.2	100.0	1,395.9	100.0	863.5	100.0	1,836.1	100.0	1,283.4	100.0	1,014.6	100.0	849.0	100.0	841.5	100.0
Extra White	.2	3/	1.7	.1	---	---	---	---	2.9	.2	275.7	27.5	615.1	72.5	309.7	36.8
Above 3-G.M.	---	---	---	---	---	---	---	---	---	---	6.2	.6	---	---	---	---
3-G.M.	---	---	.1	3/	---	---	---	---	---	---	47.7	4.7	56.8	6.7	29.5	3.5
4-S.M.	.1	3/	1.4	.1	---	---	---	---	---	---	108.4	10.7	286.2	33.7	156.3	18.6
5-M.	---	---	.2	3/	---	---	---	---	.6	3/	69.9	6.9	205.3	24.2	101.4	12.0
6-S.L.M.	.1	3/	---	---	---	---	---	---	1.5	.1	38.3	3.8	59.1	7.0	21.0	2.5
7-L.M.	---	---	---	---	---	---	---	---	.3	3/	7.9	.8	7.4	.9	1.4	.2
Below 7-L.M. 4/	---	---	---	---	---	---	---	---	---	---	.3	3/	.3	3/	.1	3/
White	1,124.1	92.5	1,313.2	94.1	817.1	94.6	1,782.9	97.1	1,210.9	94.4	671.5	56.3	195.6	23.0	460.1	54.7
1-M.F.	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	1.2	.1	1.3	.1	.3	3/	.2	3/	---	---	.1	3/	---	---	.1	3/
3-G.M.	116.5	9.6	198.4	14.2	63.2	7.3	69.5	3.8	12.7	1.0	6.4	.6	2.4	.3	1.6	.2
4-S.M.	438.3	36.0	535.6	38.4	256.9	29.8	600.6	32.7	337.9	26.3	131.9	13.0	62.6	7.4	94.5	11.2
5-M.	338.0	27.8	387.7	27.8	352.1	40.8	592.9	32.3	549.5	42.8	241.8	23.8	84.1	9.9	149.4	17.8
6-S.L.M.	138.8	11.4	103.2	7.4	111.5	12.9	242.1	13.2	212.6	16.6	157.7	15.5	34.3	4.0	120.7	14.3
7-L.M.	37.3	3.1	47.5	3.4	26.1	3.0	102.7	5.6	50.1	3.9	25.6	2.5	6.0	.7	48.5	5.8
8-S.G.O. 4/	34.8	2.9	29.7	2.1	5.6	.6	112.8	6.1	29.8	2.3	6.3	.6	3.4	.4	30.1	3.6
9-G.O. 4/	19.1	1.6	9.5	.7	1.4	.2	62.1	3.4	18.0	1.4	1.7	.2	2.8	.3	14.7	1.7
Spotted	83.4	6.9	72.1	5.2	44.0	5.1	37.1	2.0	60.0	4.7	158.4	15.6	37.0	4.3	62.1	7.4
3-G.M.	1.9	.2	2.4	.2	5.3	.6	3.6	.2	1.9	.2	2.3	.2	4.3	.5	.7	.1
4-S.M.	26.2	2.2	22.4	1.6	19.4	2.3	15.6	.8	29.9	2.3	71.2	7.0	18.5	2.2	14.9	1.8
5-M.	30.5	2.5	25.9	1.9	13.7	1.6	5.9	.3	14.5	1.1	58.0	5.7	9.5	1.1	21.1	2.5
6-S.L.M. 4/	16.4	1.3	13.5	1.0	4.5	.5	5.2	.3	6.7	.5	18.8	1.9	2.8	.3	15.0	1.8
7-L.M. 4/	9.1	.7	7.6	.5	1.1	.1	3.9	.2	8.0	.6	8.1	.8	1.9	.2	10.4	1.2
Yellow Tinged	1.7	.1	4.9	.4	1.3	.2	.4	3/	.9	.1	1.4	.1	.4	3/	2.9	.3
2-S.G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.1	3/
4-S.M.	.5	3/	.4	3/	.2	3/	.1	3/	.1	3/	.1	3/	.1	3/	.4	3/
5-M. 4/	.5	3/	1.4	.1	.4	3/	.1	3/	.2	3/	.2	3/	---	---	.8	.1
6-S.L.M. 4/	.4	3/	1.3	.1	.6	.1	.1	3/	.2	3/	.6	.1	.3	3/	.5	.1
7-L.M. 4/	.3	3/	1.8	.1	.1	3/	.1	3/	.4	3/	.5	3/	---	---	.5	.1
Light Yellow Stained	.1	3/	.2	3/	---	---	---	---	.1	3/	---	---	---	---	.1	3/
3-G.M.	.1	3/	.1	3/	---	---	---	---	.1	3/	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---	.1	3/
Yellow Stained	.1	3/	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---
3-G.M.	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---
Gray	2.5	.2	.3	3/	.1	3/	.5	3/	.5	3/	.4	3/	---	---	1.6	.2
3-G.M.	---	---	---	---	---	---	.1	3/	---	---	---	---	---	---	---	---
4-S.M.	1.8	.1	---	---	.1	3/	.3	3/	.4	3/	.2	3/	---	---	.6	.1
5-M. 4/	.8	.1	.3	3/	---	---	.1	3/	.1	3/	.2	3/	---	---	1.1	.1
Blue Stained	.1	3/	.1	3/	---	---	.1	3/	---	---	---	---	---	---	---	---
3-G.M. 4/	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	.1	3/	---	---	---	---	---	---	---	---
5-M. 4/	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade 4/ 6/	3.9	.3	3.4	.2	.9	.1	15.1	.8	5.1	.6	4.2	.4	.9	.1	6.0	.6

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	1,265.6	100.0	1,808.9	100.0
Extra White	---	---	---	---
3-G.M.	---	---	---	---
4-S.M.	---	---	---	---
5-M.	---	---	---	---
6-S.L.M.	---	---	---	---
7-L.M.	---	---	---	---
8-S.G.O. 4/	---	---	---	---
9-G.O. 4/	---	---	---	---
White	1,113.1	87.9	1,511.0	83.5
1-M.F.	---	---	---	---
2-S.G.M.	.2	3/	---	---
3-G.M.	46.9	3.7	9.5	.5
4-S.M.	219.6	17.4	186.5	10.3
5-M.	291.6	23.0	534.8	29.6
6-S.L.M.	348.1	27.5	457.9	25.3
7-L.M.	162.1	12.8	196.9	10.8
8-S.G.O. 4/	39.3	3.1	97.9	5.4
9-G.O. 4/	5.3	.4	28.5	1.6
Spotted	134.2	10.6	260.7	14.4
3-G.M.	6.2	.5	1.3	.1
4-S.M.	69.7	5.5	69.1	3.8
5-M.	47.9	3.8	105.2	5.8
6-S.L.M. 4/	9.2	.7	51.4	2.8
7-L.M. 4/	1.2	.1	33.7	1.9
Tinged	.5	3/	21.1	1.2
3-G.M.	---	---	---	---
4-S.M.	.1	3/	1.0	.1
5-M. 4/	.1	3/	2.8	.1
6-S.L.M. 4/	.1	3/	6.1	.3
7-L.M. 4/	.2	3/	12.2	.7
Yellow Stained	---	---	.3	3/
3-G.M.	---	---	---	---
4-S.M. 4/	---	---	---	---
5-M. 4/	---	---	.3	3/
Gray	17.1	1.4	.8	3/
3-G.M.	.4	3/	---	---
4-S.M.	10.7	.8	.2	3/
5-M. 4/	6.0	.5	.6	3/
No grade 4/ 6/	.7	.1	15.0	.8

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

CALIFORNIA

Grade	1928		1929		1930		1931		1932		1933		1934		1935		Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent		1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	171.0	100.0	254.1	100.0	256.3	100.0	171.2	100.0	134.4	100.0	210.7	100.0	251.8	100.0	238.7	100.0	All grades 1/	434.3	100.0	723.0	100.0
Extra White	159.1	93.0	219.1	86.2	254.9	99.3	151.1	88.2	119.2	95.8	196.2	93.4	226.4	90.0	164.7	70.8	Extra White	61.0	12.8	---	---
Above S-O.M.	---	---	---	---	.2	.1	.4	.2	1.1	.9	---	---	2.0	.8	---	---	S-O.M.	54.0	14.7	---	---
S-O.M.	77.3	45.3	112.9	44.4	59.9	23.4	52.4	30.6	71.6	57.5	108.3	51.4	127.5	50.6	68.3	29.3	6-O.M.	16.6	8.2	---	---
6-M.	48.6	24.9	66.0	26.0	107.7	42.0	73.9	43.2	39.9	30.8	70.9	33.7	85.7	34.1	93.9	40.4	6-M.	.4	.1	---	---
S-M.	29.5	16.6	24.8	9.8	66.8	26.2	20.2	12.1	5.7	4.6	6.0	2.9	11.1	4.4	9.5	4.1	S-L.M.	---	---	---	---
6-L.M.	8.5	5.0	13.8	5.5	16.9	6.6	2.3	1.3	1.6	1.5	.7	.3	.5	.1	---	---	7-L.M.	---	---	---	---
7-L.M.	2.0	1.2	1.9	.7	2.9	1.1	.6	.4	.3	.4	.2	.1	---	---	---	---	8-S.G.O. 2/	---	---	---	---
Below 7-L.M. 2/	---	---	---	---	10.3	4.1	.3	.2	.3	.2	.2	.1	---	---	---	---	9-G.O. 2/	---	---	---	---
White	8.3	4.9	23.7	9.3	---	---	9.6	5.6	.2	.2	15.3	7.4	10.5	4.1	16.6	7.1	White	361.1	79.8	649.1	91.7
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1-M.F.	---	---	---	---
S-S.O.M.	---	---	23.4	9.2	---	---	---	---	---	---	---	---	---	---	---	---	S-S.O.M.	.1	.0	---	---
S-O.M.	.7	.4	.2	.1	---	---	---	---	---	---	---	---	---	---	.4	.2	S-O.M.	40.5	9.3	272.4	37.7
6-O.M.	.3	.2	---	---	---	---	.9	.4	---	---	3.5	1.7	.9	.4	9.6	4.0	6-M.	98.8	22.6	189.8	26.2
S-M.	.1	.1	---	---	---	---	3.7	1.6	---	---	5.1	2.5	4.4	1.8	1.5	.6	S-L.M.	98.4	22.6	104.6	14.5
6-S.L.M.	.1	.1	---	---	---	---	3.4	2.0	---	---	6.8	1.3	3.5	1.4	.5	.2	6-S.L.M.	16.1	4.1	71.8	9.9
7-L.M.	.8	.5	---	---	---	---	2.1	1.2	.1	.1	.8	.4	1.1	.4	.2	.1	7-L.M.	1.0	.2	16.9	2.3
8-S.G.O. 2/	2.0	1.2	---	---	---	---	.5	.2	---	---	2.6	1.2	.3	.1	1.9	.8	8-S.G.O. 2/	1.9	.4	8.1	.8
9-G.O. 2/	.5	.3	.1	3/	---	---	.1	.1	.1	.1	.7	.3	.1	3/	2.3	1.0	9-G.O. 2/	6.6	.8	1.8	.3
Spotted	3.5	1.9	8.1	4.0	1.4	.3	2.0	1.2	2.5	2.0	7.9	3.7	8.4	3.3	42.8	18.3	Spotted	33.9	12.2	46.0	6.4
S-O.M.	.7	.4	---	---	---	---	.1	.1	1.3	.6	---	---	---	---	20.0	8.8	S-O.M.	11.0	2.6	.3	3/
6-O.M.	1.5	.9	1.6	.6	.8	.3	1.3	.9	1.3	1.0	5.7	1.6	1.6	.7	18.3	7.0	6-M.	20.7	6.9	15.6	1.9
S-M.	.7	.4	3.7	1.1	.4	.1	.4	.2	1.0	.8	1.9	.9	4.4	1.7	9.8	4.1	S-M.	1.6.7	3.8	21.6	3.0
6-S.L.M. 2/	.3	.2	.8	.3	.2	.1	.1	.1	.1	.1	.7	.3	1.3	.8	8.7	6.9	6-S.L.M. 2/	4.9	1.6	9.4	1.3
7-L.M. 2/	---	---	.1	3/	---	---	---	---	---	---	.2	.1	.9	.4	5.0	3.4	7-L.M. 2/	10.4	3.4	1.1	.2
Yellow Tinged	.1	.1	---	---	---	---	---	---	---	---	.6	.2	.1	3/	8.0	3.4	Tinged	9.4	2.2	---	---
S-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	.4	.1	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.5	.2	6-M.	.8	.1	---	---
6-M.	.1	.1	---	---	---	---	---	---	---	---	.1	3/	---	---	1.4	.6	S-M. 2/	2.8	.8	---	---
S-M. 2/	---	---	---	---	---	---	---	---	---	---	.1	3/	.1	3/	2.0	.9	6-S.L.M. 2/	2.6	.2	---	---
6-S.L.M. 2/	---	---	---	---	---	---	---	---	---	---	.2	.1	---	---	2.4	1.0	7-L.M. 2/	1.7	.1	---	---
7-L.M. 2/	---	---	---	---	---	---	---	---	---	---	.6	.1	---	---	1.7	.7					
Light Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	Yellow Stained	---	---	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
6-O.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-O.M. 2/	---	---	---	---
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-M. 2/	---	---	---	---
Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	Gray	.1	3/	13.5	1.9
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
6-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-O.M.	---	---	8.7	.9
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-M. 2/	.1	3/	4.8	1.0
Gray	---	---	.1	3/	---	---	.3	.2	.2	.2	.4	.2	4.7	1.9	---	---	No grade 4/ 2/	.2	.2	.4	3/
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
6-O.M.	---	---	---	---	---	---	.2	.2	---	---	.2	.1	3.8	1.5	---	---					
S-M. 2/	---	---	.1	3/	---	---	.2	.1	.2	.2	.2	.1	.9	.4	---	---					
Blue Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
6-O.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
No grade 4/ 2/	.2	.1	2.1	2.4	---	---	8.0	4.7	2.3	1.8	.1	3/	1.6	.6	.2	.1					

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

FLORIDA

Grade	1928		1929		1930		1931		1932		1933		1934		1935		Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent		1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	20.1	100.0	29.8	100.0	51.1	100.0	41.3	100.0	15.6	100.0	28.1	100.0	29.3	100.0	25.7	100.0	All grades 1/	27.7	100.0	32.1	100.0
Extra White	---	---	---	---	---	---	---	---	---	---	---	---	1.7	5.2	1.5	5.6	Extra White	---	---	---	---
Above S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	.2	.8	.1	.4	6-M.	---	---	---	---
6-M.	---	---	---	---	---	---	---	---	---	---	---	---	1.9	7.8	.7	2.6	S-L.M.	---	---	---	---
S-M.	---	---	---	---	---	---	---	---	---	---	---	---	1.5	6.2	.7	2.6	6-S.L.M.	---	---	---	---
6-S.L.M.	---	---	---	---	---	---	---	---	---	---	---	---	.1	.4	---	---	7-L.M.	---	---	---	---
7-L.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8-S.G.O. 2/	---	---	---	---
Below 7-L.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9-G.O. 2/	---	---	---	---
White	12.5	62.2	22.7	74.5	44.6	95.1	31.0	71.4	10.3	66.0	18.1	58.5	12.7	52.3	12.9	46.1	White	18.0	64.0	18.1	56.0
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1-M.F.	---	---	---	---
S-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
S-O.M.	---	---	---	---	1.7	3.5	.1	.2	---	---	.1	.4	---	---	---	---	6-M.	6.6	23.5	1.1	3.4
6-O.M.	2.9	14.4	7.1	23.9	23.9	46.8	6.2	14.3	2.8	17.9	5.3	22.0	5.6	23.1	2.1	7.9	S-M.	9.7	35.0	6.4	19.8
S-M.	5.7	28.4	12.1	40.6	18.3	35.8	20.6	46.1	6.1	39.1	7.8	32.4	6.2	25.5	5.0	20.5	6-S.L.M.	1.8	6.8	3.7	11.6
6-S.L.M.	3.2	15.9	2.6	8.7	3.3	6.4	4.6	10.6	1.4	9.0	.9	3.7	.8	3.5	2.3	8.6	7-L.M.	.2	.7	3.9	12.1
7-L.M.	.6	3.0	.3	1.0	.9	1.8	.1	.2	---	---	---	---	.1	.4	1.6	6.2	8-S.G.O. 2/	---	---	1.0	3.1
8-S.G.O. 2/	---	---	---	---	.4	.8	---	---	---	---	---	---	---	---	.6	2.2	9-G.O. 2/	---	---	---	---
9-G.O. 2/	---	---	---	---	.1	.2	---	---	---	---	---	---	---	---	.1	.4					
Spotted	1.5	7.3	1.6	5.5	2.5	4.9	12.3	28.6	5.3	34.0	10.0	41.5	7.9	32.5	12.1	46.1	Spotted	9.7	35.0	14.1	43.7
S-O.M.	.2	1.0	.1	.3	.1	.2	.5	.3	.2	1.3	1.4	5.8	.7	2.9	.1	.4	S-O.M.	.1	.4	.1	.3
6-O.M.	1.3	6.4	1.3	4.2	1.3	2.5	6.3	14.5	2.7	17.5	6.4	26.6	6.0	24.7	4.0	15.0	6-M.	5.6	20.2	4.4	13.7
S-M.	3.3	16.4	5.3	17.8	1.3	2.5	5.3	12.8	2.3	14.6	2.2	9.1	1.1	4.5	5.9	22.1	S-M.	3.8	13.7	7.1	22.0
6-S.L.M.	3.1	15.4	2.1	7.1	1.0	2.0	5.1	11.8	2.3	14.6	---	---	.1	.4	1.7	6.6	6-S.L.M. 2/	.2	.7	2.2	6.8
7-L.M. 2/	.8	4.0	.1	.3	.1	.2	.6	1.4	.1	.6	---	---	---	---	.1	.4	7-L.M. 2/	---	---	.3	.9
	.1	.5																			
Yellow Tinged	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	Tinged	---	---	---	---
S-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-M.	---	---	---	---
6-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-M. 2/	---	---	---	---
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-S.L.M. 2/	---	---	---	---
6-S.L.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7-L.M. 2/	---	---	---	---
7-L.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
Light Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	Yellow Stained	---	---	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
6-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-M. 2/	---	---	---	---
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-M. 2/	---	---	---	---
Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	Gray	---	---	---	---
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-O.M.	---	---	---	---
6-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6-M.	---	---	---	---
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-M. 2/	---	---	---	---
Gray	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	No grade 3/ 2/	---	---	.1	.3
S-O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
6-M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
Blue Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
S-O.M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
6-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
S-M. 2/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
No grade 3/ 2/	.1	.5	---	---	---	---	---	---	---	---	---	---	---	---	---	---					

See footnotes at end of table.

Table 6.- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

GEORGIA

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent
All grades 1/	1,053.2	100.0	1,339.8	100.0	1,597.5	100.0	1,393.7	100.0	861.8	100.0
Extra White	.4	3/	---	---	.2	3/	.1	3/	1.6	.2
Above 3-G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	.1	3/	---	---	.1	3/	---	---	---	---
5-M.	.1	3/	---	---	.1	3/	---	---	.5	.1
6-S.L.M.	.2	3/	---	---	---	---	.1	3/	1.0	.1
7-L.M.	---	---	---	---	---	---	---	---	.1	3/
Below 7-L.M. 4/	---	---	---	---	---	---	---	---	---	---
White	836.2	79.4	1,048.1	78.2	1,276.6	79.9	1,325.7	95.1	702.9	81.6
1-M.F.	.1	3/	---	---	---	---	---	---	---	---
2-S.G.M.	1.8	.2	.4	3/	1.1	.1	4.2	.3	.1	3/
3-G.M.	63.5	6.0	26.1	1.9	47.0	2.9	108.7	7.8	15.3	1.8
4-S.M.	308.3	29.3	280.4	20.9	471.8	29.5	512.1	36.7	228.2	26.5
5-M.	236.0	22.4	377.9	28.2	470.1	29.4	547.0	39.2	347.4	40.3
6-S.L.M.	153.9	14.6	189.3	14.1	189.2	11.9	143.1	10.3	95.7	11.1
7-L.M.	53.0	5.0	122.3	9.1	78.7	4.9	10.2	.7	13.6	1.6
8-S.G.O. 4/	15.8	1.5	41.6	3.1	16.1	1.0	.4	.1	2.1	.2
9-G.O. 4/	3.8	.4	10.1	.8	2.6	.2	---	---	.5	.1
Spotted	208.9	19.8	255.5	19.1	295.1	18.5	66.1	4.7	156.0	18.1
3-G.M.	20.0	1.9	5.0	.4	35.8	2.3	13.4	.9	12.2	1.4
4-S.M.	121.4	11.5	111.5	8.3	151.8	9.5	39.5	2.8	77.3	9.0
5-M.	58.6	5.6	97.7	7.3	81.3	5.1	12.0	.9	57.9	6.7
6-S.L.M. 4/	8.4	.8	36.1	2.7	20.9	1.3	1.0	.1	8.1	.9
7-L.M. 4/	.5	3/	5.2	.4	5.3	.3	.2	3/	.5	.1
Yellow Tinged	4.8	.5	20.1	1.5	23.1	1.4	1.1	.1	.8	.1
2-S.G.M.	.1	3/	---	---	.1	3/	---	---	---	---
3-G.M.	1.0	.1	.8	.1	3.9	.2	.3	3/	.1	3/
4-S.M.	2.4	.2	5.7	.4	10.9	.7	.6	.1	.6	.1
5-M. 4/	.9	.1	7.9	.6	5.2	.3	.1	3/	.1	3/
6-S.L.M. 4/	.4	3/	4.3	.3	2.5	.2	.1	3/	---	---
7-L.M. 4/	---	---	1.4	.1	.5	3/	---	---	---	---
Light Yellow Stained	.1	3/	.8	.1	.7	3/	.1	3/	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.2	3/	.3	3/	.1	3/	---	---
5-M. 4/	.1	3/	.6	3/	.4	3/	---	---	---	---
Yellow Stained	---	---	.4	3/	.2	3/	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.1	3/	.1	3/	---	---	---	---
5-M. 4/	---	---	.3	3/	.1	3/	---	---	---	---
Gray	.9	.1	7.7	.6	---	---	.6	.1	.4	3/
3-G.M.	.4	3/	.1	3/	---	---	---	---	.1	3/
4-S.M.	.5	3/	3.9	.3	---	---	.2	3/	.2	3/
5-M. 4/	---	---	3.7	.3	---	---	.4	.1	.1	3/
Blue Stained	.1	3/	1.0	.1	---	---	---	---	---	---
3-G.M. 4/	.1	3/	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.7	.1	---	---	---	---	---	---
5-M. 4/	---	---	.3	3/	---	---	---	---	---	---
No grade 4/ 6/	1.8	.2	6.2	.4	1.6	.1	---	---	.1	3/

Grade	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	1,093.4	100.0	974.9	100.0	1,052.7	100.0
Extra White	11.2	1.0	397.6	40.8	265.9	25.3
Above 3-G.M.	---	---	.1	3/	.1	3/
3-G.M.	4.0	.3	52.2	5.4	37.5	3.6
4-S.M.	2.9	.3	189.4	19.4	125.1	11.9
5-M.	1.2	.1	134.6	13.8	80.6	7.6
6-S.L.M.	2.0	.2	20.1	2.1	18.6	1.8
7-L.M.	1.1	.1	1.4	.1	3.9	.4
Below 7-L.M. 4/	---	---	---	---	.1	3/
White	742.5	67.8	418.2	42.9	580.0	55.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.3	3/	.1	3/	.1	3/
3-G.M.	34.8	3.2	1.9	.2	4.4	.4
4-S.M.	253.6	23.2	165.3	17.0	154.1	14.6
5-M.	298.4	27.3	210.6	21.6	236.3	22.5
6-S.L.M.	117.2	10.7	37.5	3.8	108.1	10.3
7-L.M.	35.1	3.2	2.6	.3	53.7	5.1
8-S.G.O. 4/	1.9	.2	.2	3/	17.3	1.6
9-G.O. 4/	.2	3/	---	---	6.0	.6
Spotted	334.7	30.6	157.7	16.2	201.2	19.1
3-G.M.	58.6	5.4	21.0	2.2	9.4	.9
4-S.M.	189.2	17.3	95.2	9.8	98.5	9.4
5-M.	75.8	6.9	38.1	3.9	68.5	6.5
6-S.L.M. 4/	10.4	.9	3.1	.3	19.0	1.8
7-L.M. 4/	.7	.1	.3	3/	5.8	.5
Yellow Tinged	4.8	.5	1.1	.1	1.6	.1
2-S.G.M.	---	---	---	---	---	---
3-G.M.	1.8	.2	.2	3/	.1	3/
4-S.M.	2.2	.2	.5	.1	.9	.1
5-M. 4/	.8	.1	.4	3/	.4	3/
6-S.L.M. 4/	---	---	---	---	.2	3/
7-L.M. 4/	---	---	---	---	---	---
Light Yellow Stained	.1	3/	---	---	.1	3/
3-G.M.	---	---	---	---	---	---
4-S.M. 4/	.1	3/	---	---	.1	3/
5-M. 4/	---	---	---	---	---	---
Yellow Stained	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---
Gray	.6	.1	.1	3/	.1	3/
3-G.M.	---	---	---	---	---	---
4-S.M.	.4	3/	.1	3/	.1	3/
5-M. 4/	.2	3/	---	---	---	---
Blue Stained	---	---	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---
No grade 4/ 6/	.5	3/	---	---	3.8	.4

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	1,086.5	100.0	1,473.1	100.0
Extra White	.2	3/	---	---
3-G.M.	---	---	---	---
4-S.M.	.1	3/	---	---
5-M.	.1	3/	---	---
6-S.L.M.	---	---	---	---
7-L.M.	---	---	---	---
8-S.G.O. 4/	---	---	---	---
9-G.O. 4/	---	---	---	---
White	838.3	77.2	1,113.7	75.6
1-M.F.	---	---	---	---
2-S.G.M.	.1	3/	.1	3/
3-G.M.	7.1	.7	10.1	.7
4-S.M.	250.8	23.1	169.5	11.5
5-M.	431.8	39.7	435.3	29.5
6-S.L.M.	126.1	11.6	320.5	21.8
7-L.M.	19.6	1.8	150.7	10.2
8-S.G.O. 4/	2.1	.2	24.3	1.6
9-G.O. 4/	.7	.1	3.2	.2
Spotted	241.9	22.3	346.6	23.5
3-G.M.	15.5	1.4	11.7	.8
4-S.M.	149.2	13.8	128.9	8.7
5-M.	70.5	6.5	170.5	11.6
6-S.L.M. 4/	5.7	.5	31.3	2.1
7-L.M. 4/	1.0	.1	4.2	.3
Tinged	4.3	.4	11.4	.8
3-G.M.	.2	3/	1.0	.1
4-S.M.	2.4	.2	4.2	.3
5-M. 4/	1.3	.1	4.5	.3
6-S.L.M. 4/	.2	3/	.7	3/
7-L.M. 4/	.2	3/	1.0	.1
Yellow Stained	.1	3/	.4	3/
3-G.M.	---	---	---	---
4-S.M. 4/	.1	3/	.2	3/
5-M. 4/	---	---	.2	3/
Gray	.1	3/	---	---
3-G.M.	---	---	---	---
4-S.M.	.1	3/	---	---
5-M. 4/	---	---	---	---
No grade 4/ 6/	1.6	.1	1.0	.1

See footnotes at end of table.

Table 6.- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

LOUISIANA

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent
All grades 1/	685.9	100.0	797.7	100.0	704.8	100.0	876.6	100.0	599.5	100.0
Extra White	.1	3/	---	---	---	---	1.6	.8	15.1	2.5
Above 3-G.M.	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	.1	3/
4-S.M.	.1	3/	---	---	---	---	---	---	5.8	1.0
5-M.	---	---	---	---	---	---	.3	3/	6.1	1.0
6-S.L.M.	---	---	---	---	---	---	.9	.1	2.5	.5
7-L.M.	---	---	---	---	---	---	.4	3/	.3	3/
Below 7-L.M. 4/	---	---	---	---	---	---	---	---	---	---
White	658.7	96.1	769.6	96.5	672.7	95.4	840.4	95.8	548.7	91.5
1-M.F.	.1	3/	.1	3/	---	---	---	---	---	---
2-S.G.M.	2.2	.5	.4	.1	.6	.1	.3	3/	.4	.1
3-G.M.	102.1	14.9	41.6	3.2	52.0	7.4	28.3	3.2	31.4	5.2
4-S.M.	279.5	40.8	263.1	33.0	236.0	33.4	263.6	30.1	225.7	37.6
5-M.	180.6	26.3	314.5	39.4	222.9	31.6	385.0	43.9	221.6	37.0
6-S.L.M.	75.5	11.1	129.1	16.2	120.8	17.0	124.9	14.2	56.5	9.5
7-L.M.	15.3	2.3	12.1	1.5	29.3	4.5	21.6	2.5	10.3	1.7
8-S.G.O. 4/	2.5	.4	6.6	.8	3.9	1.3	3.9	1.0	.7	.1
9-G.O. 4/	.1	3/	2.3	.3	2.6	.4	7.5	.9	.1	3/
Spotted	25.8	3.8	25.7	3.6	27.9	4.0	28.9	3.3	33.7	5.6
3-G.M.	3.7	.5	1.4	.2	3.2	.3	4.1	.3	7.6	1.3
4-S.M.	10.5	1.6	12.2	1.5	12.1	1.7	16.7	1.9	18.7	3.1
5-M.	3.9	1.5	10.1	1.3	9.4	1.3	5.7	.7	6.7	1.1
6-S.L.M. 4/	6.1	.3	1.9	.2	2.7	.4	1.1	.1	.6	.1
7-L.M. 4/	.6	.1	.1	3/	.5	.1	1.5	.1	.1	3/
Yellow Tinged	.1	3/	.2	3/	.7	.1	---	---	.9	.6
2-S.G.M.	.1	3/	---	---	.1	3/	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M.	---	---	.1	3/	.5	.1	---	---	.9	.2
5-M. 4/	---	---	.1	3/	.1	3/	---	---	---	---
6-S.L.M. 4/	---	---	---	---	---	---	---	---	---	---
7-L.M. 4/	---	---	---	---	---	---	---	---	---	---
Light Yellow Stained	---	---	.1	3/	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	.1	3/	---	---	---	---	---	---
Yellow Stained	---	---	.1	3/	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.1	3/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---
Gray	.3	3/	1.0	.1	1.1	.2	6.3	.3	.4	.1
3-G.M.	.1	3/	---	---	.1	3/	.2	3/	.1	3/
4-S.M.	.1	3/	.1	3/	.7	.1	1.1	.1	.8	3/
5-M. 4/	.1	3/	.9	.1	.3	3/	1.0	.1	.1	3/
Blue Stained	---	---	.4	.1	.2	3/	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.1	3/	---	---	---	---	---	---
5-M. 4/	---	---	.3	3/	.2	3/	---	---	---	---
No grade 4/ 6/	.9	.1	.6	.1	5.5	.3	5.4	.4	.7	.1

Grade	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	469.5	100.0	473.3	100.0	541.4	100.0
Extra White	81.3	17.3	240.1	50.7	120.8	22.3
Above 3-G.M.	---	---	.1	3/	---	---
3-G.M.	6.8	.6	30.9	6.5	.5	.1
4-S.M.	26.3	4.3	120.1	25.4	28.3	5.2
5-M.	36.3	7.7	79.4	16.5	55.5	9.9
6-S.L.M.	16.7	3.6	9.1	1.9	32.2	5.9
7-L.M.	6.7	.6	.5	.1	6.5	1.6
Below 7-L.M. 4/	---	---	---	---	---	---
White	273.2	58.2	188.3	38.5	369.1	68.6
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	.1	3/
3-G.M.	6.0	1.3	5.0	1.1	.7	.1
4-S.M.	104.0	22.2	63.7	13.9	62.1	11.5
5-M.	114.4	24.4	75.1	15.9	209.0	38.6
6-S.L.M.	40.6	8.6	30.5	6.4	88.7	16.4
7-L.M.	7.0	1.3	4.7	1.0	8.2	1.5
8-S.G.O. 4/	1.1	.2	1.1	.6	.3	.1
9-G.O. 4/	.1	3/	.2	3/	---	---
Spotted	114.5	24.4	50.5	10.7	51.4	9.5
3-G.M.	7.2	1.5	4.5	1.0	.6	.1
4-S.M.	61.6	13.1	29.0	6.1	30.6	5.7
5-M.	40.3	8.6	14.5	3.1	18.3	3.4
6-S.L.M. 4/	4.5	1.0	1.3	.4	1.5	.3
7-L.M. 4/	.7	.2	.1	3/	.1	3/
Yellow Tinged	---	---	.1	3/	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	.1	3/	---	---
5-M. 4/	---	---	---	---	---	---
6-S.L.M. 4/	---	---	---	---	---	---
7-L.M. 4/	---	---	---	---	---	---
Light Yellow Stained	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---
Yellow Stained	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---
Gray	---	---	.3	.1	.1	3/
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	.2	3/	---	---
5-M. 4/	---	---	.1	3/	.1	3/
Blue Stained	---	---	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---
No grade 4/ 6/	.3	.1	---	---	---	---

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	742.6	100.0	1,050.6	100.0
Extra White	---	---	---	---
3-G.M.	---	---	---	---
4-S.M.	---	---	---	---
5-M.	---	---	---	---
6-S.L.M.	---	---	---	---
7-L.M.	---	---	---	---
8-S.G.O. 4/	---	---	---	---
9-G.O. 4/	---	---	---	---
White	636.3	85.7	797.3	75.9
1-M.F.	---	---	---	---
2-S.G.M.	.1	3/	---	---
3-G.M.	18.6	2.5	6.9	.7
4-S.M.	177.9	24.0	117.9	11.2
5-M.	257.0	34.6	271.9	25.9
6-S.L.M.	144.9	19.3	238.8	22.7
7-L.M.	35.0	4.7	129.7	12.3
8-S.G.O. 4/	2.6	.4	27.1	2.6
9-G.O. 4/	.2	3/	5.0	.5
Spotted	105.6	14.2	251.7	24.0
3-G.M.	3.1	.7	3.7	.4
4-S.M.	59.3	8.0	106.0	10.1
5-M.	38.5	5.1	106.6	10.1
6-S.L.M. 4/	2.9	.4	31.0	3.0
7-L.M. 4/	.1	3/	4.4	.4
Tinged	.1	3/	.6	3/
3-G.M.	---	---	---	---
4-S.M.	---	---	.1	3/
5-M. 4/	.1	3/	---	---
6-S.L.M. 4/	---	---	---	---
7-L.M. 4/	---	---	.1	3/
Yellow Stained	---	---	---	---
3-G.M.	---	---	---	---
4-S.M. 4/	---	---	---	---
5-M. 4/	---	---	---	---
Gray	.5	.1	---	---
3-G.M.	---	---	---	---
4-S.M.	.2	3/	---	---
5-M. 4/	.3	3/	---	---
No grade 4/ 6/	.1	3/	1.4	.1

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

MISSISSIPPI

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	1,462.0	100.0	1,876.0	100.0	1,458.5	100.0	1,719.4	100.0	1,161.2	100.0	1,132.2	100.0	1,121.3	100.0	1,226.3	100.0
Extra White	.1	3/	.2	3/	—	—	—	—	.3	3/	372.3	32.9	728.7	65.0	555.2	45.3
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	9.8	.9	.1	3/	—	—
3-G.M.	.1	3/	.1	3/	—	—	—	—	—	—	68.9	6.1	112.9	10.1	92.1	7.5
4-S.M.	—	—	.1	3/	—	—	—	—	—	—	158.9	14.0	384.2	34.3	308.0	25.1
5-M.	—	—	—	—	—	—	—	—	—	—	106.3	9.4	175.5	15.6	127.9	10.5
6-S.L.M.	—	—	—	—	—	—	—	—	.2	3/	27.2	2.4	51.2	4.6	25.6	2.1
7-L.M.	—	—	—	—	—	—	—	—	.1	3/	.6	.1	4.9	.4	1.5	.1
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/	.1	3/
White	1,409.6	96.5	1,709.7	91.1	1,416.9	97.1	1,677.2	97.5	1,021.9	88.1	632.4	55.9	272.9	24.3	560.5	45.7
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	2.4	.2	.2	3/	.7	3/	.3	3/	.1	3/	.5	3/	—	—	.1	3/
3-G.M.	231.5	15.9	252.0	13.4	171.8	11.8	103.5	6.0	31.0	2.7	28.6	2.5	5.4	.5	10.1	.8
4-S.M.	646.7	44.2	600.5	32.0	536.2	36.8	803.5	46.7	348.2	30.0	298.6	26.4	99.9	8.9	254.0	20.7
5-M.	364.2	24.9	522.4	27.8	478.2	32.8	503.6	29.3	434.9	37.5	232.0	20.5	115.7	10.3	211.5	17.3
6-S.L.M.	106.0	7.2	199.2	10.6	165.8	11.5	133.9	7.8	165.8	14.3	67.3	6.0	51.4	4.6	75.6	6.0
7-L.M.	33.1	2.3	86.5	4.6	50.7	3.5	47.2	2.7	31.8	2.7	5.0	.4	6.0	.5	10.2	.8
8-S.G.O. 4/	17.0	1.2	37.6	2.0	13.5	.9	50.9	3.0	7.6	.7	.4	3/	.5	.1	.8	.1
9-G.O. 4/	5.4	.4	10.4	.6	3.5	.2	33.7	2.0	2.5	.2	—	—	—	—	—	—
Spotted	46.7	3.2	162.9	8.7	39.9	2.7	36.1	2.1	137.6	11.9	126.6	11.2	112.7	10.0	105.5	8.6
3-G.M.	3.2	.2	13.4	.7	3.7	.3	6.6	.4	6.8	.6	10.4	.9	7.1	.6	5.3	.4
4-S.M.	27.0	1.9	86.4	4.6	17.5	1.2	22.5	1.3	86.1	7.4	91.2	8.1	72.6	6.5	63.5	5.2
5-M.	13.6	.9	51.0	2.7	13.8	.9	5.2	.3	40.3	3.5	24.0	2.1	30.9	2.7	29.5	2.4
6-S.L.M. 4/	2.6	.2	10.3	.6	4.3	.3	1.1	.1	4.1	.4	.9	.1	2.1	.2	6.9	.6
7-L.M. 4/	.3	3/	1.5	.1	.6	3/	.7	3/	.3	3/	.1	3/	—	—	.4	3/
Yellow Tinged	.3	3/	.4	3/	.5	3/	.1	3/	.5	3/	.1	3/	.2	3/	.6	3/
2-S.G.M.	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	.1	3/	—	—	—	—	—	—
4-S.M.	.1	3/	.2	3/	.2	3/	.1	3/	.3	3/	.1	3/	.1	3/	.3	3/
5-M. 4/	.1	3/	—	—	.2	3/	—	—	.1	3/	—	—	—	—	.2	3/
6-S.L.M. 4/	—	—	—	—	.1	3/	—	—	—	—	—	—	—	—	—	—
7-L.M. 4/	—	—	.1	3/	—	—	—	—	—	—	—	—	.1	3/	.1	3/
Light Yellow Stained	.2	3/	.2	3/	.1	3/	—	—	.1	3/	—	—	—	—	—	—
3-G.M.	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	.1	3/	.1	3/	—	—	.1	3/	—	—	—	—	—	—
Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gray	3.8	.2	.5	3/	.1	3/	.1	3/	.3	3/	.4	3/	.8	.1	4.5	.4
3-G.M.	—	—	.1	3/	—	—	—	—	—	—	—	—	—	—	1.0	.1
4-S.M.	1.9	.1	—	—	—	—	.1	3/	.2	3/	.2	3/	.5	.1	2.9	.2
5-M. 4/	1.9	.1	.4	3/	.1	3/	—	—	.1	3/	.2	3/	.3	3/	.6	3/
Blue Stained	.1	3/	.3	3/	—	—	—	—	—	—	—	—	—	—	.1	3/
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/
5-M. 4/	—	—	.3	3/	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	1.2	.1	1.2	.1	1.0	.1	5.9	.3	.5	3/	.4	3/	—	—	—	—

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	1,862.5	100.0	2,561.5	100.0
Extra White	.1	3/	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	.1	3/	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	1,586.9	85.2	2,277.8	88.9
1-M.F.	.1	3/	—	—
2-S.G.M.	1.2	.1	.1	3/
3-G.M.	146.2	7.8	43.1	1.7
4-S.M.	524.4	28.2	355.8	13.9
5-M.	498.0	26.7	709.7	27.7
6-S.L.M.	312.2	16.8	651.8	25.4
7-L.M.	90.0	4.8	306.9	12.0
8-S.G.O. 4/	9.0	.5	141.0	5.5
9-G.O. 4/	4.6	.2	69.4	2.7
Spotted	253.1	13.6	263.5	10.3
3-G.M.	35.2	1.9	9.6	.4
4-S.M.	164.4	8.9	139.0	5.4
5-M.	47.2	2.5	87.9	3.4
6-S.L.M. 4/	3.2	.2	21.8	.9
7-L.M. 4/	.5	3/	5.5	.2
Tinged	.9	3/	3.1	.1
3-G.M.	—	—	—	—
4-S.M.	.3	3/	.7	3/
5-M. 4/	.1	3/	1.0	3/
6-S.L.M. 4/	.2	3/	.8	3/
7-L.M. 4/	.3	3/	.6	3/
Yellow Stained	.2	3/	.1	3/
3-G.M.	.1	3/	—	—
4-S.M. 4/	.1	3/	.1	3/
5-M. 4/	—	—	—	—
Gray	17.9	1.0	.8	3/
3-G.M.	.8	3/	—	—
4-S.M.	10.2	.5	—	—
5-M. 4/	6.9	.4	.8	3/
No grade 4/ 6/	3.4	.2	16.5	.6

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

MISSOURI

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	146.9	100.0	220.9	100.0	153.3	100.0	280.4	100.0	300.7	100.0	237.9	100.0	230.4	100.0	182.8	100.0
Extra White	—	—	—	—	—	—	—	—	4.1	1.4	26.4	11.1	123.2	53.5	49.8	27.2
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	.9	.4	.6	.3
4-S.M.	—	—	—	—	—	—	—	—	—	—	.5	.2	28.2	12.2	14.0	7.7
5-M.	—	—	—	—	—	—	—	—	.1	3/	7.5	3.2	57.5	25.0	25.2	13.8
6-S.L.M.	—	—	—	—	—	—	—	—	3.7	1.2	14.0	5.9	30.7	13.3	9.0	4.9
7-L.M.	—	—	—	—	—	—	—	—	.3	.1	4.4	1.8	5.7	2.5	1.0	.5
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.2	.1	—	—
White	126.5	86.1	191.9	86.9	148.2	96.7	266.0	94.9	279.5	92.9	143.3	60.3	76.6	33.2	104.2	57.0
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	1.6	1.1	1.3	.6	5.5	3.6	.8	.3	.4	.1	—	—	.1	3/	—	—
4-S.M.	20.9	14.2	33.1	15.0	37.3	24.3	27.5	9.8	28.0	9.3	6.1	2.6	11.4	4.9	6.0	3.3
5-M.	29.1	19.8	70.6	32.0	64.1	41.8	76.7	27.4	112.2	37.3	33.3	14.0	30.2	13.1	19.2	10.5
6-S.L.M.	27.8	18.9	24.6	11.1	20.8	13.6	72.2	25.8	77.2	25.7	72.4	30.4	19.6	8.5	29.2	16.0
7-L.M.	7.8	5.3	19.0	8.6	13.2	8.6	23.3	8.3	19.8	6.6	25.1	10.6	4.9	2.1	14.8	8.1
8-S.G.O. 4/	17.2	11.7	30.7	13.9	6.3	4.1	40.2	14.3	21.8	7.2	4.7	2.0	5.1	2.2	16.5	9.0
9-G.O. 4/	22.1	15.1	12.6	5.7	1.0	.7	25.3	9.0	20.1	6.7	1.7	.7	5.3	2.3	17.9	9.8
Spotted	12.8	8.7	18.3	8.3	3.0	2.0	9.2	3.3	7.8	2.6	53.5	22.5	24.9	10.8	18.1	9.9
3-G.M.	.1	.1	.1	3/	.1	3/	.5	.2	.2	.1	.1	3/	.2	.1	—	—
4-S.M.	2.6	1.7	2.5	1.2	.9	.6	3.2	1.1	1.4	.4	10.7	4.5	6.1	2.5	.9	.5
5-M.	5.7	3.9	3.3	1.5	1.0	.7	2.2	.8	1.8	.6	21.7	9.1	9.6	4.2	4.8	2.6
6-S.L.M. 4/	2.2	1.5	5.0	2.3	.9	.6	.9	.3	.3	.1	12.0	5.1	5.0	2.2	5.4	3.0
7-L.M. 4/	2.2	1.5	7.3	3.3	.1	3/	2.4	.9	4.1	1.4	9.3	3.9	4.0	1.7	7.0	3.8
Yellow Tinged	.1	.1	.9	.4	—	—	.1	3/	—	—	.3	.1	.2	.1	2.2	1.2
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/	.5	.3
6-S.L.M. 4/	.1	.1	.2	.1	—	—	.1	3/	—	—	—	—	—	—	.8	.4
7-L.M. 4/	—	—	.7	.3	—	—	—	—	—	—	.3	.1	—	—	.9	.5
Light Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.4	.2
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.4	.2
Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.2	.1
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.2	.1
Gray	—	—	—	—	.1	3/	—	—	—	—	—	—	—	—	.1	.1
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	.1	3/	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.1	.1
Blue Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	7.5	5.1	9.8	4.4	2.0	1.3	5.1	1.8	9.3	3.1	14.1	5.9	5.5	2.4	7.8	4.3

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	301.3	100.0	390.2	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	241.3	80.1	224.2	57.5
1-M.F.	—	—	—	—
2-S.G.M.	—	—	—	—
3-G.M.	3.9	1.3	.3	.1
4-S.M.	16.4	5.5	23.9	6.1
5-M.	42.8	14.2	94.0	24.1
6-S.L.M.	112.2	37.2	80.0	20.5
7-L.M.	52.5	17.4	8.8	2.3
8-S.G.O. 4/	12.3	4.1	10.7	2.7
9-G.O. 4/	1.2	.4	6.5	1.7
Spotted	58.9	19.6	96.0	24.6
3-G.M.	—	—	.7	.2
4-S.M.	13.6	4.5	14.2	3.6
5-M.	33.7	11.2	27.3	7.0
6-S.L.M. 4/	10.7	3.6	21.7	5.6
7-L.M. 4/	.9	.3	32.1	8.2
Tinged	.3	.1	33.9	8.7
3-G.M.	—	—	—	—
4-S.M.	—	—	.9	.2
5-M. 4/	.1	3/	1.3	.3
6-S.L.M. 4/	.1	3/	6.4	1.7
7-L.M. 4/	.1	3/	25.3	6.5
Yellow Stained	—	—	.9	.2
3-G.M.	—	—	—	—
4-S.M. 4/	—	—	—	—
5-M. 4/	—	—	.9	.2
Gray	.7	.2	—	—
3-G.M.	—	—	—	—
4-S.M.	.4	.1	—	—
5-M. 4/	.3	.1	—	—
No grade 4/ 6/	.1	3/	35.2	9.0

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

NEW MEXICO

Grade	1928		1929		1930		1931		1932		1933		1934		1935		Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent		1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	82.8	100.0	86.5	100.0	95.8	100.0	93.8	100.0	67.8	100.0	86.1	100.0	83.7	100.0	70.2	100.0	All grades 1/	108.0	100.0	153.3	100.0
Extra White	45.4	83.2	58.3	67.6	81.8	85.5	81.9	86.9	38.9	57.6	70.3	81.6	82.1	98.1	51.6	73.6	Extra White	3.7	3.5	—	—
Above S-O.M	.5	.9	.5	.6	.2	.2	.2	.2	.2	.2	—	—	1.2	1.4	—	—	S-O.M	2.0	1.9	—	—
S-O.M	17.5	31.5	19.4	22.5	30.7	32.1	14.0	14.9	6.7	10.0	40.0	46.4	46.2	55.2	17.5	24.7	S-M	1.7	1.6	—	—
S-M	25.4	30.9	19.9	23.1	30.1	31.4	48.1	44.9	22.5	34.9	28.6	33.2	31.0	37.1	30.4	43.5	S-L.M	—	—	—	—
S-L.M	22.0	26.8	13.0	17.4	14.5	15.1	15.1	15.3	5.5	8.2	1.9	2.0	3.1	3.7	3.7	5.5	T-L.M	—	—	—	—
S-S.L.M	2.4	2.9	3.4	3.9	2.1	2.2	4.2	4.5	.2	.2	—	—	.5	.6	.2	.3	S-S.G.O. 2/	—	—	—	—
T-L.M	1.1	1.3	.2	.2	.5	.5	1.0	1.1	.2	.2	—	—	.1	.1	—	—	S-G.O. 2/	—	—	—	—
Below T-L.M. 3/	—	—	—	—	4.0	4.2	1.9	2.0	.5	.7	—	—	—	—	—	—					
White	7.9	9.6	1.6	1.9	—	—	1.6	1.7	1.1	1.6	.4	.5	.7	.8	4.3	6.1	White	68.8	89.8	118.7	77.8
1-M.F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 M.F	—	—	—	—
S-S.G.M	—	—	1.8	1.9	—	—	—	—	—	—	—	—	—	—	—	—	S-S.G.M	.4	.4	—	—
S-G.M	—	—	—	—	—	—	—	—	—	—	.1	.1	.2	.2	.1	.1	S-G.M	11.9	11.0	59.9	39.9
S-O.M	1.8	1.5	—	—	—	—	—	—	—	—	.3	.4	.5	.6	2.5	3.5	S-O.M	59.4	87.0	58.8	42.8
S-M	2.5	3.0	—	—	—	—	—	—	.2	.3	.3	.4	.5	.6	2.5	3.5	S-M	9.8	9.2	11.0	7.2
S-L.M	.5	.5	—	—	—	—	—	—	.2	.3	—	—	.2	.2	.2	.3	S-L.M	.5	.5	1.5	1.0
S-S.L.M	—	—	—	—	—	—	.5	.5	—	—	—	—	—	—	.5	.6	S-S.L.M	—	—	.2	.1
T-L.M	—	—	—	—	—	—	.4	.4	—	—	—	—	—	—	.2	.3	T-L.M	.2	.2	.2	.1
S-S.G.O. 2/	2.9	4.8	—	—	—	—	.2	.2	—	—	—	—	—	—	.4	.6	S-S.G.O. 2/	—	—	.1	.1
S-G.O. 2/	—	—	—	—	—	—	.2	.2	—	—	—	—	—	—	—	—	S-G.O. 2/	—	—	—	—
Spotted	4.4	5.2	15.2	17.6	13.5	14.1	7.5	8.0	21.0	31.2	11.3	13.1	.5	.6	12.3	17.5	Spotted	21.1	29.6	38.5	21.1
S-O.M	.2	.2	.1	.1	.6	.6	—	—	4.9	7.3	2.5	2.9	—	—	.4	.6	S-O.M	7.3	9.5	1.9	1.2
S-M	2.5	3.0	4.9	5.7	7.7	8.1	5.5	5.7	15.3	19.8	4.0	4.6	.5	.6	4.9	7.0	S-M	17.4	16.6	11.9	7.7
S-L.M	1.5	1.8	9.0	10.4	3.6	3.7	2.0	2.1	2.3	3.4	1.1	1.3	.2	.2	2.2	3.1	S-L.M	2.7	3.5	7.0	4.6
S-S.L.M. 3/	.2	.2	1.1	1.3	1.0	1.0	.2	.2	.5	.7	.7	.8	—	—	1.7	2.4	S-S.L.M	.2	.2	4.2	2.7
T-L.M. 3/	—	—	.1	.1	.7	.7	—	—	—	—	—	—	—	—	.1	.1	T-L.M	1.2	1.1	7.5	4.9
Yellow Tinged	.2	.1	4.2	4.8	.1	.1	—	—	.2	.2	4.1	4.8	—	—	1.7	2.4	Tinged	7.4	7.1	1.8	1.2
S-O.O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	.8	.8	—	—
S-O.M	—	—	.1	.1	—	—	—	—	.1	.1	.9	1.0	—	—	—	—	S-M	.9	.8	.1	.1
S-M	—	—	1.5	1.7	—	—	—	—	.1	.1	1.0	1.2	—	—	.1	.1	S-L.M	2.2	2.4	.6	.4
S-L.M	.1	.1	2.0	2.3	—	—	—	—	—	—	1.2	1.4	—	—	.9	1.0	T-L.M	3.5	3.2	1.0	.6
S-S.L.M. 3/	—	—	.4	.5	.1	.1	—	—	—	—	.4	.5	—	—	.7	1.0					
T-L.M. 3/	—	—	.2	.2	—	—	—	—	—	—	—	—	—	—	.2	.2	Yellow Stained	—	—	—	—
Light Yellow Stained	—	—	2.6	3.0	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	—	—	—	—
S-O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-M	—	—	—	—
S-M	—	—	.8	.9	—	—	—	—	—	—	—	—	—	—	—	—	S-L.M	—	—	—	—
S-L.M	—	—	1.8	2.1	—	—	—	—	—	—	—	—	—	—	—	—					
Yellow Stained	—	—	1.9	2.2	—	—	—	—	—	—	—	—	—	—	—	—	Gray	—	—	—	—
S-O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	—	—	—	—
S-M	—	—	.2	.2	—	—	—	—	—	—	—	—	—	—	—	—	S-M	—	—	—	—
S-L.M	—	—	1.7	2.0	—	—	—	—	—	—	—	—	.3	.4	.2	.3					
Gray	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	No grade 4/ 5/	.8	.8	.8	.5
S-O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-L.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
Blue Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-O.M. 3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-M. 3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-L.M. 3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
No grade 4/ 5/	1.8	1.9	2.9	3.9	—	—	3.8	3.4	6.3	9.4	—	—	.4	.5	.2	.4					

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

NORTH CAROLINA

Grade	1928		1929		1930		1931		1932		1933		1934		1935		Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent		1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	869.1	100.0	767.0	100.0	800.6	100.0	771.2	100.0	680.3	100.0	690.5	100.0	640.9	100.0	573.3	100.0	All grades 1/	606.7	100.0	780.6	100.0
Extra White	.3	1/	—	—	—	—	—	—	2.5	.4	24.0	3.4	222.6	34.7	70.6	12.2	Extra White	—	—	—	—
Above S-O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	—	—	—	—
S-O.M	—	—	—	—	—	—	—	—	—	—	2.9	.4	11.5	1.8	10.7	1.8	S-M	—	—	—	—
S-M	.1	1/	—	—	—	—	—	—	.1	1/	4.6	.7	91.4	14.2	31.9	5.6	S-L.M	—	—	—	—
S-L.M	.1	1/	—	—	—	—	—	—	.6	.1	9.1	1.3	103.2	16.1	21.3	3.7	T-L.M	—	—	—	—
T-L.M	.1	1/	—	—	—	—	—	—	1.4	.2	6.4	.9	15.4	2.4	4.0	.7	S-S.G.O. 2/	—	—	—	—
S-S.L.M	.1	1/	—	—	—	—	—	—	.2	1/	.6	.1	1.1	.2	.7	.1	S-G.O. 2/	—	—	—	—
T-L.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
Below T-L.M. 3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
White	608.7	72.4	641.5	83.7	702.6	87.8	718.6	93.2	618.9	90.9	486.7	70.4	345.0	53.8	361.4	62.7	White	475.0	78.3	631.6	80.9
1-M.F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1-M.F	—	—	—	—
S-S.G.M	—	—	.1	1/	.1	1/	.6	.1	—	—	.1	1/	—	—	—	—	S-S.G.M	.1	1/	—	—
S-G.M	.3	1/	.1	1/	.1	1/	—	—	—	—	—	—	—	—	—	—	S-G.M	3.5	.6	7.0	.9
S-O.M	13.7	1.6	8.7	1.1	13.9	1.7	25.1	3.3	13.6	2.0	20.2	2.9	.3	1/	2.5	.4	S-O.M	107.4	17.7	76.0	9.7
S-M	233.5	26.6	167.2	21.8	232.9	29.1	230.0	29.8	216.3	31.8	172.0	24.9	65.2	10.2	93.4	16.1	S-M	230.1	37.9	253.6	32.5
S-L.M	278.0	31.4	292.6	38.2	324.3	40.5	351.0	45.5	294.0	43.2	235.7	34.1	182.1	28.4	175.8	30.4	S-L.M	112.1	18.5	229.5	29.4
S-S.L.M	104.8	12.0	141.3	18.4	98.0	12.2	104.8	14.1	60.9	12.6	54.8	7.9	21.2	12.7	77.5	13.4	T-L.M	16.8	2.8	62.0	8.0
S-S.L.M	20.6	2.4	26.2	3.4	23.3	2.7	3.1	.4	8.1	1.2	3.7	.5	14.3	2.2	12.7	2.2	S-S.G.O. 2/	3.6	.6	3.3	.4
T-L.M	2.9	.3	3.3	.4	3.6	.5	—	—	.6	.1	.2	1/	1.6	.2	1.3	.2	S-G.O. 2/	1.4	.2	—	—
S-S.G.O. 2/	1.3	.1	2.1	.3	.3	1/	—	—	—	—	—	—	.3	1/	.2	1/					
S-G.O. 2/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
Spotted	222.6	25.6	115.4	15.0	92.1	11.5	50.1	6.5	52.6	7.8	178.0	25.8	69.7	10.9	144.6	24.5	Spotted	112.2	18.5	141.7	18.4
S-O.M	20.9	2.4	8.7	1.1	18.2	2.3	10.5	1.4	3.7	.5	21.4	3.1	5.8	.9	5.7	1.0	S-O.M	1.7	.3	2.0	.3
S-M	195.0	16.7	61.6	8.0	51.5	6.4	31.7	4.1	26.3	3.9	113.9	16.5	39.9	6.2	71.7	12.4	S-M	56.3	9.6	51.9	6.6
S-L.M	53.0	6.1	43.3	5.6	19.8	2.0	7.4	.9	20.8	3.1	34.7	5.0	22.5	3.5	58.3	10.0	S-L.M	52.2	7.0	82.0	10.5
S-S.L.M	3.7	.4	5.4	.7	5.2	.7	.7	.1	2.0	.3	3.9	.6	1.7	.3	5.6	1.0	S-L.M	5.7	.9	7.2	.9
T-L.M	.2	1/	1.2	.2	1.0	.1	—	—	—	—	.1	1/	.1	1/	.3	.1	T-L.M	4.3	.7	.6	.1
Yellow Tinged	5.0	.6	1.7	.2	4.2	.5	.4	.1	.8	.1	1.0	.2	1.3	.2	1.6	.3	Tinged	13.6	2.2	5.1	.7
S-S.O.M	—	—	—	—	—	—	—	—	—	—	.4	.1	.1	1/	.3	.1	S-O.M	.1	1/	.2	1/
S-O.M	1.5	.2	.2	1/	1.2	.2	.1	1/	.1	1/	.5	.1	.6	.1	2.5	.4	S-M	2.4	.4	2.3	.3
S-M	2.4	.3	.9	.1	1.1	.1	.2	1/	.1	1/	.1	1/	.1	1/	.1	1/	S-L.M	4.0	.7	2.0	.3
S-L.M	.8	.1	1.0	.1	1.1	.1	.1	1/	—	—	.1	1/	.5	.1	.7	.1	S-S.L.M	1.2	.3	—	—
S-S.L.M	.2	1/	.5	.1	.6	.1	—	—	—	—	—	—	—	—	.1	1/	T-L.M	3.9	.6	—	—
T-L.M	.1	1/	1.1	.2	.3	1/	—	—	—	—	—	—	—	—	—	—					
Light Yellow Stained	.4	1/	.2	1/	.3	1/	.1	1/	—	—	—	—	.2	1/	—	—	Yellow Stained	.7	.1	—	—
S-O.M	.1	1/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	—	—	—	—
S-M	.1	1/	—	—	.3	1/	.1	1/	—	—	—	—	.1	1/	—	—	S-M	.7	.1	—	—
S-L.M	.2	1/	.2	1/	.3	1/	.1	1/	—	—	—	—	.1	1/	—	—					
Yellow Stained	.4	1/	—	—	.2	1/	—	—	—	—	—	—	—	—	—	—	Gray	—	—	—	—
S-O.M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S-O.M	—	—	—	—
S-M	.2	1/	—	—	.1	1/	—	—	—	—	—	—	—	—	—	—	S-M	—	—	—	—
S-L.M	.2	1/	—	—	.1	1/	—	—	—	—	—	—	—	—	—	—					
Gray	8.5	1.0	1.3	.2	—	—	1.6	.2	5.6	.8	.4	.1	1.8	.3	—	—	No grade 4/ 6/	5.2	.9	.2	1/
S-O.M	2.0	.2	—	—	—	—	—	—	.7	.1	—	—	—	—	—	—					
S-M	6.2	.7	1.2	.2	—	—	1.0	.1	3.2	.5	.2	1/	1.1	.2	—	—					
S-L.M	.1	1/	.1	1/	—	—	.6	.1	1.7	.2	.2	1/	.7	.1	—	—					
Blue Stained	1.1	.1	—	—	.1	1/	—	—	—	—	—	—	—	—	—	—					
S-O.M 1/	.2	1/	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-M 1/	.7	.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
S-L.M 1/	.2	1/	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
No grade 4/ 6/	1.7	.2	2.6	.4	.2	1/	—	—	.1	1/	.4	.1	.2	1/	.1	1/					

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

OKLAHOMA

Grade	1928 1,000 bales	1928 Percent	1929 1,000 bales	1929 Percent	1930 1,000 bales	1930 Percent	1931 1,000 bales	1931 Percent	1932 1,000 bales	1932 Percent	1933 1,000 bales	1933 Percent	1934 1,000 bales	1934 Percent	1935 1,000 bales	1935 Percent
All grades 1/	1,187.0	100.0	1,125.6	100.0	856.8	100.0	1,235.9	100.0	1,072.0	100.0	1,235.8	100.0	329.9	100.0	562.7	100.0
Extra White	.1	3/	—	—	—	—	.3	3/	34.8	3.3	57.2	4.6	94.7	28.7	6.8	1.2
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	1.6	.2	4.2	.3	7.5	2.3	.7	.1
4-S.M.	.1	3/	—	—	—	—	.1	3/	9.0	.8	16.0	1.3	24.5	7.4	4.1	.7
5-M.	—	—	—	—	—	—	—	—	13.5	1.3	17.0	1.4	21.4	6.5	1.2	.2
6-S.L.M.	—	—	—	—	—	—	.1	3/	7.9	.7	12.3	1.0	15.9	4.8	.3	.1
7-L.M.	—	—	—	—	—	—	.1	3/	2.8	.3	7.7	.6	25.3	7.7	.5	.1
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/	—	—
White	1,026.0	86.4	984.1	87.4	760.3	88.7	1,047.5	84.8	823.7	76.8	330.2	26.7	106.5	32.3	314.8	55.9
1-M.F.	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	.7	.1	.1	3/	.1	3/	.1	3/	.1	3/	.1	3/	—	—	.1	3/
3-G.M.	125.7	10.6	9.9	.9	17.1	2.0	69.6	5.6	24.5	2.3	5.9	.5	1.1	.3	3.5	.6
4-S.M.	453.7	38.2	125.6	11.1	209.7	24.5	370.0	30.0	286.9	26.8	80.6	6.5	15.8	4.8	48.1	8.5
5-M.	175.4	14.8	307.2	27.3	258.3	30.1	186.7	15.1	326.2	30.4	100.1	8.1	24.9	7.6	70.5	12.5
6-S.L.M.	117.1	9.9	292.8	26.0	195.6	22.8	147.7	12.0	142.3	13.3	91.7	7.4	25.4	7.7	70.9	12.6
7-L.M.	80.3	6.7	209.6	18.6	75.2	8.8	174.6	14.1	37.6	3.5	38.5	3.1	26.7	8.1	83.1	14.8
8-S.G.O. 4/	60.6	5.1	36.6	3.3	4.1	.5	91.8	7.4	5.8	.5	11.5	.9	12.3	3.7	34.3	6.1
9-G.O. 4/	12.4	1.0	2.3	.2	.2	3/	7.0	.6	.3	3/	1.8	.2	.3	.1	4.3	.8
Spotted	106.2	9.1	92.6	8.2	92.5	10.8	177.2	14.3	210.8	19.7	845.0	68.4	126.3	38.3	162.8	28.9
3-G.M.	3.9	.3	.1	3/	4.3	.5	5.2	.4	16.5	1.5	90.8	7.4	2.8	.9	5.6	1.0
4-S.M.	28.7	2.4	9.5	.8	21.3	2.5	41.7	3.4	102.4	9.6	410.7	33.2	33.4	10.1	41.4	7.4
5-M.	19.9	1.7	24.8	2.2	33.4	3.9	58.6	4.7	59.1	5.5	252.2	20.4	47.6	14.4	30.3	5.4
6-S.L.M. 4/	22.5	1.9	37.1	3.3	27.5	3.2	50.0	4.0	22.6	2.1	72.8	5.9	35.6	10.8	45.9	8.1
7-L.M. 4/	33.2	2.8	21.1	1.9	6.0	.7	21.7	1.8	10.2	1.0	18.5	1.5	6.9	2.1	39.6	7.0
Yellow Tinged	5.8	.5	37.3	3.3	3.8	.4	9.6	.8	2.4	.2	2.5	.2	1.3	.4	58.2	10.4
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	.1	3/	—	—	—	—	.4	3/	.4	3/	—	—	—	—	—	—
4-S.M.	.2	3/	.7	.1	.2	3/	.7	.1	1.2	.1	.6	3/	.1	3/	.5	.1
5-M. 4/	.3	3/	5.3	.5	1.2	.1	2.3	.2	.4	3/	1.1	.1	.4	.1	7.1	1.3
6-S.L.M. 4/	1.5	.1	14.7	1.3	2.1	.2	5.0	.4	.4	3/	.7	.1	.4	.1	23.2	4.1
7-L.M. 4/	3.7	.3	16.6	1.4	.3	3/	1.2	.1	—	—	.1	3/	.4	.1	27.4	4.9
Light Yellow Stained	.1	3/	2.1	.2	—	—	.2	3/	.1	3/	.2	3/	—	—	4.9	.9
3-G.M.	—	—	—	—	—	—	.1	3/	—	—	.1	3/	—	—	—	—
4-S.M. 4/	.1	3/	.1	3/	—	—	.1	3/	.1	3/	—	—	—	—	.2	3/
5-M. 4/	—	—	2.0	.2	—	—	—	—	—	—	.1	3/	—	—	4.7	.9
Yellow Stained	—	—	2.5	.2	—	—	—	—	—	—	—	—	—	—	.4	.1
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	2.5	.2	—	—	—	—	—	—	—	—	—	—	.4	.1
Gray	.2	3/	.1	3/	.1	3/	.1	3/	.1	3/	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	.1	3/	—	—	—	—	—	—	—	—
5-M. 4/	.2	3/	.1	3/	.1	3/	—	—	.1	3/	—	—	—	—	—	—
Blue Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	46.6	3.9	6.9	.6	.1	3/	1.0	.1	.1	3/	.7	.1	1.1	.3	14.8	2.6

Grade	1936 1,000 bales	1936 Percent	1937 1,000 bales	1937 Percent
All grades 1/	289.7	100.0	756.4	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	206.6	71.3	439.7	58.1
1-M.F.	—	—	—	—
2-S.G.M.	.1	3/	.1	3/
3-G.M.	13.1	4.5	1.6	.2
4-S.M.	43.8	15.1	45.4	6.0
5-M.	39.0	13.5	117.6	15.5
6-S.L.M.	38.9	13.4	117.5	15.5
7-L.M.	43.1	14.9	102.3	13.5
8-S.G.O. 4/	25.9	9.0	47.4	6.3
9-G.O. 4/	2.7	.9	7.8	1.0
Spotted	78.8	27.2	305.2	40.3
3-G.M.	2.8	1.0	.9	.1
4-S.M.	23.2	8.0	93.3	12.3
5-M.	26.2	9.0	122.0	16.1
6-S.L.M. 4/	18.8	6.5	56.6	7.5
7-L.M. 4/	7.8	2.7	32.4	4.3
Tinged	3.7	1.3	7.6	1.0
3-G.M.	—	—	—	—
4-S.M.	.7	.3	.3	3/
5-M. 4/	1.7	.6	.8	.1
6-S.L.M. 4/	.9	.3	2.1	.3
7-L.M. 4/	.4	.1	4.4	.6
Yellow Stained	—	—	—	—
3-G.M.	—	—	—	—
4-S.M. 4/	—	—	—	—
5-M. 4/	—	—	—	—
Gray	—	—	.1	3/
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	.1	3/
No grade 4/ 6/	.6	.2	3.8	.5

See footnotes at end of table.

Table 8 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

SOUTH CAROLINA

Grade	1928 1,000 bales	1928 Percent	1929 1,000 bales	1929 Percent	1930 1,000 bales	1930 Percent	1931 1,000 bales	1931 Percent	1932 1,000 bales	1932 Percent	1933 1,000 bales	1933 Percent	1934 1,000 bales	1934 Percent	1935 1,000 bales	1935 Percent
All grades 1/	744.4	100.0	833.1	100.0	1,015.3	100.0	1,010.2	100.0	722.2	100.0	728.0	100.0	684.6	100.0	738.7	100.0
Extra White	.2	3/	—	—	—	—	—	—	2.3	.3	6.6	.9	289.2	42.3	81.4	11.0
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/
3-G.M.	—	—	—	—	—	—	—	—	—	—	.1	3/	12.4	1.8	3.9	.5
4-S.M.	—	—	—	—	—	—	—	—	.1	3/	1.2	.2	139.3	20.4	34.2	4.6
5-M.	.1	3/	—	—	—	—	—	—	.4	.1	2.5	.3	124.0	18.1	31.4	4.3
6-S.L.M.	—	—	—	—	—	—	—	—	1.7	.2	2.7	.4	12.8	1.9	9.5	1.3
7-L.M.	.1	3/	—	—	—	—	—	—	.1	3/	.1	3/	.7	.1	2.2	.3
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.1	3/
White	486.4	65.4	606.7	72.8	839.6	82.7	959.4	95.0	622.9	86.2	446.2	61.6	280.8	41.0	471.1	63.8
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	.3	3/	—	—	.3	3/	.7	.1	—	—	—	—	—	—	—	—
3-G.M.	19.9	2.7	3.3	.4	21.1	2.1	39.6	3.9	10.3	1.4	4.8	.7	.3	3/	.9	.1
4-S.M.	167.9	22.6	134.3	16.1	271.5	26.7	373.4	37.0	210.6	29.2	107.4	14.7	83.2	12.2	84.2	11.4
5-M.	166.3	22.3	277.9	33.4	383.2	37.7	450.4	44.6	327.0	45.2	248.2	34.1	164.7	24.1	222.5	30.1
6-S.L.M.	87.9	11.8	130.5	15.7	134.3	13.2	93.5	9.2	69.8	9.7	79.2	10.9	27.6	4.0	123.6	16.7
7-L.M.	34.3	4.6	46.1	5.5	25.9	2.6	1.7	.2	5.0	.7	7.7	1.1	3.8	.5	35.0	4.8
8-S.G.O. 4/	7.2	1.0	12.9	1.5	3.0	.3	.1	3/	.2	3/	.8	.1	1.0	.1	4.5	.6
9-G.O. 4/	2.6	.3	1.7	.2	.3	3/	—	—	—	—	.1	3/	.2	3/	.4	.1
Spotted	249.9	33.6	213.1	25.6	168.8	16.6	49.8	4.9	95.0	13.2	271.2	37.3	113.8	16.6	184.3	24.9
3-G.M.	17.7	2.4	3.8	.5	23.1	2.3	12.0	1.2	3.3	.5	16.6	2.3	9.7	1.4	3.4	.5
4-S.M.	142.8	19.2	109.2	13.1	103.4	10.2	28.6	2.8	48.2	6.7	163.4	22.5	77.0	11.3	83.9	11.3
5-M.	68.4	9.2	80.1	9.6	34.6	3.4	8.4	.8	39.8	5.5	83.6	11.5	26.2	3.8	82.0	11.1
6-S.L.M. 4/	20.1	2.7	18.3	2.2	6.7	.6	.8	.1	3.5	.5	7.4	1.0	.9	.1	14.0	1.9
7-L.M. 4/	.9	.1	1.7	.2	1.0	.1	—	—	.2	3/	.2	3/	—	—	1.0	.1
Yellow Tinged	4.0	.5	10.5	1.3	6.5	.6	.7	.1	1.4	.2	.8	.1	.4	3/	1.2	.2
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	.6	.1	.7	.1	1.1	.1	.2	3/	.1	3/	.1	3/	.1	3/	—	—
4-S.M.	2.1	.3	5.6	.7	3.2	.3	.4	.1	.7	.1	.6	.1	.1	3/	.7	.1
5-M. 4/	.9	.1	3.2	.4	1.4	.1	.1	3/	.6	.1	.1	3/	.2	3/	.5	.1
6-S.L.M. 4/	.3	3/	.9	.1	.6	.1	—	—	—	—	—	—	—	—	—	—
7-L.M. 4/	.1	3/	.1	3/	.2	3/	—	—	—	—	—	—	—	—	—	—
Light Yellow Stained	.3	3/	.3	3/	.2	3/	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.1	3/	.2	3/	.1	3/	—	—	—	—	—	—	—	—	—	—
5-M. 4/	.2	3/	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—
Yellow Stained	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.1	3/	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gray	1.8	.2	1.8	.2	—	—	.3	3/	.6	.1	.3	3/	.3	3/	—	—
3-G.M.	.6	.1	—	—	—	—	—	—	.1	3/	—	—	—	—	—	—
4-S.M.	1.0	.1	.7	.1	—	—	.2	3/	.4	.1	.3	3/	.1	3/	—	—
5-M. 4/	.2	3/	.9	.1	—	—	.1	3/	.1	3/	—	—	.2	3/	—	—
Blue Stained	—	—	.4	3/	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	.3	3/	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	.1	3/	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	1.7	.2	.4	3/	.8	3/	—	—	—	—	.9	.1	.1	3/	.7	.1

Grade	1936 1,000 bales	1936 Percent	1937 1,000 bales	1937 Percent
All grades 1/	804.2	100.0	996.2	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	643.5	80.0	726.4	72.9
1 M.F.	—	—	—	—
2-S.G.M.	—	—	—	—
3-G.M.	4.0	.5	1.3	.1
4-S.M.	192.5	23.9	57.7	5.8
5-M.	327.7	40.7	284.6	28.6
6-S.L.M.	90.9	11.3	297.0	29.8
7-L.M.	20.1	2.5	80.3	8.1
8-S.G.O. 4/	5.3	.7	5.5	.5
9-G.O. 4/	3.0	.4	—	—
Spotted	149.0	18.5	265.6	26.7
3-G.M.	4.6	.6	3.2	.3
4-S.M.	86.4	10.7	85.7	8.6
5-M.	48.2	5.9	158.4	15.9
6-S.L.M. 4/	5.3	.7	17.8	1.8
7-L.M. 4/	4.5	.6	.5	.1
Tinged	7.2	.9	3.8	.4
3-G.M.	.1	3/	.1	3/
4-S.M.	1.2	.1	1.3	.1
5-M. 4/	1.4	.2	2.3	.2
6-S.L.M. 4/	1.7	.2	.1	3/
7-L.M. 4/	2.8	.4	—	—
Yellow Stained	.1	3/	—	—
3-G.M.	—	—	—	—
4-S.M. 4/	—	—	—	—
5-M. 4/	.1	3/	—	—
Gray	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	—	—
No grade 4/ 6/	4.4	.6	.4	3/

See footnotes at end of table.

Table 6 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

TENNESSEE

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	423.5	100.0	504.3	100.0	371.4	100.0	578.0	100.0	467.5	100.0	428.9	100.0	395.7	100.0	315.6	100.0
Extra White	.1	3/	.1	3/	---	---	---	---	.6	.1	45.0	10.5	230.3	58.1	101.7	32.2
Above 3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	1.6	.4	13.4	3.4	10.0	3.2
4-S.M.	---	---	.1	3/	---	---	---	---	---	---	15.4	4.3	109.7	27.7	52.5	16.6
5-M.	.1	3/	---	---	---	---	---	---	---	---	19.8	4.6	79.0	19.9	33.6	10.6
6-S.L.M.	---	---	---	---	---	---	---	---	.3	3/	4.5	1.1	25.2	6.4	5.3	1.7
7-L.M.	---	---	---	---	---	---	---	---	.3	3/	.4	.1	2.9	.7	.3	.1
Below 7-L.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	.1	3/	---	---
White	362.0	85.5	431.6	85.6	349.0	94.0	558.0	96.5	394.2	84.3	311.9	72.7	118.8	29.9	105.5	33.5
1-M.F.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	1.9	.4	.2	3/	.2	.1	.1	3/	---	---	---	---	---	---	---	---
3-G.M.	41.5	9.8	30.0	5.9	41.9	11.3	20.6	3.6	2.0	.4	3.7	.9	.4	.1	.8	.3
4-S.M.	135.6	32.1	215.2	42.7	162.5	43.7	218.1	37.7	117.9	25.2	112.4	26.2	38.3	9.6	37.0	11.7
5-M.	112.2	26.5	119.3	23.7	108.0	29.1	210.0	36.3	195.9	41.9	144.1	33.6	56.6	14.3	32.1	10.2
6-S.L.M.	43.5	10.3	27.7	5.5	22.3	6.0	73.0	12.6	50.8	10.9	45.6	10.6	18.3	4.6	20.9	6.6
7-L.M.	10.5	2.5	23.9	4.7	8.9	2.4	17.1	3.0	13.5	3.0	3.9	.9	3.4	.9	5.5	1.7
8-S.G.O. 4/	11.7	2.8	13.2	2.6	4.2	1.1	12.3	2.1	5.6	1.5	1.5	.4	1.0	.2	5.2	1.6
9-G.O. 4/	4.7	1.1	1.9	.4	1.0	.3	6.8	1.2	5.2	1.1	.4	.1	.5	.2	4.3	1.4
Spotted	59.0	13.9	67.5	13.4	20.1	5.4	16.3	2.9	69.1	14.8	67.5	15.8	47.5	12.0	77.3	24.5
3-G.M.	.7	.2	1.5	.4	2.1	.6	.9	.2	1.4	.3	2.2	.5	1.4	.4	.8	.3
4-S.M.	17.4	4.1	16.4	3.3	6.5	1.7	3.8	.7	37.1	8.0	36.6	8.6	26.7	6.7	19.1	6.1
5-M.	26.5	6.2	22.4	4.4	7.1	1.9	3.7	.6	15.9	3.4	23.2	5.4	14.6	3.7	29.5	9.3
6-S.L.M. 4/	9.1	2.1	19.9	3.9	3.6	1.0	3.9	.7	7.0	1.5	2.9	.7	2.8	.7	16.8	5.3
7-L.M. 4/	5.3	1.3	7.0	1.4	.8	.2	4.0	.7	7.7	1.6	2.6	.6	2.0	.5	11.1	3.5
Yellow Tinged	.7	.2	2.6	.5	1.5	.4	.7	.1	.5	.1	.4	.1	.1	3/	22.6	7.2
2-S.O.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.3	.1
4-S.M.	.5	.1	---	---	.2	.1	.1	3/	.1	3/	.1	3/	.1	3/	4.5	1.4
5-M. 4/	.3	.1	.4	.1	.6	.1	.1	3/	.2	3/	.1	3/	---	---	7.3	2.3
6-S.L.M. 4/	.1	3/	1.0	.2	.3	.1	.2	3/	.1	3/	.1	3/	---	---	4.5	1.4
7-L.M. 4/	---	---	1.2	.2	.2	.1	.3	.1	.1	3/	.1	3/	---	---	6.2	2.0
Light Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.2	.4
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.1	3/
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.1	.4
Yellow Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.1	3/
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	.1	3/
Gray	.2	3/	.1	3/	---	---	.1	3/	.1	3/	.1	3/	---	---	---	---
3-G.M.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M.	.1	3/	---	---	---	---	.1	3/	---	---	.1	3/	---	---	---	---
5-M. 4/	.1	3/	.1	3/	---	---	---	---	.1	3/	---	---	---	---	---	---
Blue Stained	---	---	.2	3/	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---
No grade 4/ 5/	1.5	.4	2.2	.4	.8	.2	2.9	.5	3.0	.7	4.0	.9	---	---	6.9	2.2

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	422.2	100.0	633.3	100.0
Extra White	---	---	---	---
3-G.M.	---	---	---	---
4-S.M.	---	---	---	---
5-M.	---	---	---	---
6-S.L.M.	---	---	---	---
7-L.M.	---	---	---	---
8-S.G.O. 4/	---	---	---	---
9-G.O. 4/	---	---	---	---
White	343.5	81.4	422.7	66.7
1-M.F.	---	---	---	---
2-S.O.M.	.1	3/	---	---
3-G.M.	5.7	1.4	3.2	.5
4-S.M.	69.1	16.4	75.3	11.9
5-M.	173.9	41.2	135.9	21.5
6-S.L.M.	81.2	19.2	135.9	21.5
7-L.M.	10.5	2.5	29.0	4.6
8-S.G.O. 4/	2.7	.6	32.4	5.1
9-G.O. 4/	.5	.1	11.0	1.7
Spotted	76.5	18.2	174.7	27.6
3-G.M.	2.4	.6	1.6	.3
4-S.M.	50.5	12.0	39.7	6.3
5-M.	20.5	4.9	67.1	10.6
6-S.L.M. 4/	2.1	.5	38.1	6.0
7-L.M. 4/	1.0	.2	28.2	4.4
Tinged	.8	.2	24.4	3.9
3-G.M.	.1	3/	---	---
4-S.M.	.3	.1	2.2	.3
5-M. 4/	.1	3/	5.4	.9
6-S.L.M. 4/	.2	3/	6.1	1.0
7-L.M. 4/	.1	3/	10.7	1.7
Yellow Stained	---	---	.6	.1
3-G.M.	---	---	---	---
4-S.M. 4/	---	---	.1	3/
5-M. 4/	---	---	.5	.1
Gray	.5	.1	---	---
3-G.M.	.1	3/	---	---
4-S.M.	.4	.1	---	---
5-M. 4/	---	---	---	---
No grade 4/ 5/	.6	.1	10.9	1.7

See footnotes at end of table.

Table 5 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

TEXAS

Grade	1928 1,000 bales	1928 Per-cent	1929 1,000 bales	1929 Per-cent	1930 1,000 bales	1930 Per-cent	1931 1,000 bales	1931 Per-cent	1932 1,000 bales	1932 Per-cent	1933 1,000 bales	1933 Per-cent	1934 1,000 bales	1934 Per-cent	1935 1,000 bales	1935 Per-cent
All grades 1/	4,941.5	100.0	3,803.2	100.0	3,886.1	100.0	5,065.5	100.0	4,307.4	100.0	4,220.3	100.0	2,314.9	100.0	2,849.7	100.0
Extra White	72.7	1.3	91.6	2.4	53.5	1.4	119.2	2.4	191.9	4.5	409.5	9.7	1,144.6	49.4	128.0	4.5
Above 3-G.M.	---	---	---	---	.3	3/	---	---	.3	3/	---	---	6.8	.3	---	---
3-G.M.	18.7	.4	28.4	.7	9.1	.2	5.5	.1	13.3	.3	62.7	1.5	399.3	17.3	21.1	.7
4-S.M.	27.1	.5	25.0	.7	24.9	.7	28.5	.6	36.9	.9	149.2	3.5	546.9	23.5	44.0	1.6
5-M.	19.0	.4	23.0	.6	13.5	.3	16.4	.3	43.5	1.1	117.3	2.8	156.2	6.7	38.6	1.4
6-S.L.M.	4.6	.1	10.5	.3	3.8	.1	41.4	.8	73.1	1.7	51.3	1.5	23.3	1.0	17.4	.6
7-L.M.	3.3	.1	4.6	.1	.6	3/	26.1	.5	22.4	.3	18.3	.4	11.2	.5	5.9	.2
Below 7-L.M. 4/	---	---	---	---	1.5	3/	1.3	3/	.1	3/	.3	3/	.7	3/	---	---
White	4,278.8	86.6	3,303.5	86.9	3,588.2	92.3	4,436.5	87.5	2,887.4	67.0	2,394.2	56.7	808.2	34.9	1,870.0	65.6
1-M.F.	.3	3/	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---
2-S.O.M.	29.4	.5	8.1	.2	9.1	.2	1.5	3/	.5	3/	.9	3/	.4	3/	.1	3/
3-G.M.	803.6	15.3	254.1	6.7	407.8	10.5	395.7	7.8	100.0	2.3	144.9	3.4	92.1	4.0	7.1	.2
4-S.M.	1,615.9	32.7	1,074.8	28.3	1,406.4	36.2	1,885.6	37.2	863.4	20.1	893.8	21.2	405.6	17.5	322.2	11.3
5-M.	1,115.9	22.5	1,224.2	32.2	1,021.1	26.3	1,293.5	25.6	1,195.4	27.7	877.8	20.8	205.7	8.9	807.9	28.4
6-S.L.M.	485.4	9.8	508.7	13.4	540.1	13.9	505.8	10.0	541.6	12.6	365.3	8.7	71.0	3.1	435.5	15.3
7-L.M.	148.5	3.0	168.1	4.4	168.1	4.3	231.6	4.6	137.8	3.2	84.1	2.0	26.5	1.1	208.4	7.3
8-S.G.O. 4/	55.4	1.5	50.7	1.3	32.5	.8	103.2	2.0	38.1	.9	21.2	.5	5.1	.3	71.2	2.5
9-G.O. 4/	13.1	.3	14.7	.4	3.3	.1	16.6	.3	7.6	.2	4.2	.1	.5	3/	17.6	.6
Spotted	466.2	9.4	336.7	8.9	233.3	6.0	493.3	9.7	1,198.8	27.8	1,410.5	33.4	351.3	13.2	761.5	26.7
3-G.M.	48.7	1.0	10.3	.3	31.0	.8	46.5	.9	127.7	3.0	228.6	5.4	63.1	2.7	14.4	.5
4-S.M.	144.2	2.9	99.5	2.6	80.0	2.1	172.0	3.4	317.2	11.9	735.9	17.4	164.0	7.1	247.2	8.7
5-M.	142.4	2.8	135.7	3.6	66.6	1.7	119.3	2.4	348.0	5.1	343.0	8.1	79.4	3.4	227.2	8.0
6-S.L.M. 4/	103.6	2.1	73.2	1.9	46.8	1.2	115.5	2.3	159.2	3.7	86.3	2.1	34.6	1.5	168.7	5.9
7-L.M. 4/	27.3	.6	17.7	.5	8.9	.2	37.0	.7	46.7	1.1	16.7	.4	10.2	.3	104.0	3.6
Yellow Tinged	14.6	.3	46.2	1.2	6.3	.2	9.7	.2	24.9	.6	4.0	.1	5.0	.3	84.3	3.0
2-S.O.M.	.1	3/	---	---	---	---	---	---	---	---	---	---	.1	3/	---	---
3-G.M.	.2	3/	.3	3/	.3	3/	.5	3/	1.7	3/	.4	3/	.5	3/	.2	3/
4-S.M.	.5	3/	5.7	.1	.9	3/	1.6	3/	6.0	.1	1.8	3/	1.0	3/	4.3	.2
5-M. 4/	2.2	3/	17.5	.5	2.5	.1	4.2	.1	7.1	.2	1.3	3/	3.5	.2	26.3	.9
6-S.L.M. 4/	6.6	.1	13.9	.4	2.0	.1	2.5	.1	5.9	.2	.3	3/	2.1	.1	37.1	1.3
7-L.M. 4/	4.7	.1	8.5	.2	.3	3/	.8	3/	1.2	3/	---	---	.5	3/	16.4	.6
Light Yellow Stained	.4	3/	10.3	.3	.3	3/	.2	3/	---	---	.2	3/	.1	3/	.7	3/
3-G.M.	.1	3/	.1	3/	---	---	---	---	---	---	.1	3/	---	---	---	---
4-S.M. 4/	.1	3/	1.5	3/	.1	3/	---	---	---	---	---	---	.1	3/	---	---
5-M. 4/	.2	3/	5.4	.2	.2	3/	.2	3/	---	---	.1	3/	---	---	.7	3/
Yellow Stained	.1	3/	5.3	.1	.1	3/	---	---	.1	3/	---	---	---	---	.1	3/
3-G.M.	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	.6	3/	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	4.7	.1	.1	3/	---	---	.1	3/	---	---	---	---	.1	3/
Gray	2.2	3/	.2	3/	3.1	.1	5.4	.1	1.7	3/	.3	3/	1.2	3/	.3	3/
3-G.M.	.2	3/	---	---	.3	3/	.2	3/	.1	3/	---	---	---	---	---	---
4-S.M.	.7	3/	---	---	2.3	.1	2.9	.1	.9	3/	.2	3/	.9	3/	.2	3/
5-M. 4/	1.3	3/	.2	3/	.5	3/	2.3	3/	.7	3/	.1	3/	.3	3/	.1	3/
Blue Stained	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3-G.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4-S.M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5-M. 4/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
No grade 4/ 6/	106.6	2.2	9.4	.2	1.0	3/	4.5	.1	2.5	.1	1.6	3/	1.5	.1	4.5	.2

Grade	1936 1,000 bales	1936 Per-cent	1937 1,000 bales	1937 Per-cent
All grades 1/	2,825.4	100.0	4,952.4	100.0
Extra White	8.1	.3	---	---
3-G.M.	1.0	3/	---	---
4-S.M.	4.4	.2	---	---
5-M.	---	---	---	---
6-S.L.M.	1.1	3/	---	---
7-L.M.	.7	3/	---	---
8-S.G.O. 4/	.5	3/	---	---
9-G.O. 4/	.1	3/	---	---
White	2,086.5	73.8	3,493.8	70.6
1-M.F.	---	---	---	---
2-S.O.M.	.2	3/	.3	3/
3-G.M.	104.1	3.7	100.8	2.0
4-S.M.	491.5	17.4	983.2	19.9
5-M.	633.6	22.4	1,319.9	26.6
6-S.L.M.	439.1	15.5	727.9	14.7
7-L.M.	298.9	10.6	270.7	5.5
8-S.G.O. 4/	107.4	3.8	78.7	1.6
9-G.O. 4/	11.3	.4	14.3	.3
Spotted	681.4	24.1	1,432.5	28.9
3-G.M.	15.6	.5	35.8	.7
4-S.M.	237.1	8.4	656.0	13.2
5-M.	265.1	9.4	473.9	9.6
6-S.L.M. 4/	115.7	4.1	171.8	3.5
7-L.M. 4/	47.9	1.7	95.0	1.9
Tinged	25.0	.9	15.5	.4
3-G.M.	.8	3/	.1	3/
4-S.M.	1.5	.1	.5	3/
5-M. 4/	3.5	.1	3.3	.1
6-S.L.M. 4/	7.3	.3	7.5	.2
7-L.M. 4/	11.7	.4	7.0	.1
Yellow Stained	.2	3/	.4	3/
3-G.M.	---	---	---	---
4-S.M. 4/	---	---	.1	3/
5-M. 4/	.2	3/	.3	3/
Gray	.4	3/	.2	3/
3-G.M.	---	---	---	---
4-S.M.	.3	3/	.1	3/
5-M. 4/	.1	3/	.1	3/
No grade 4/ 6/	24.0	.9	4.7	.1

See footnotes at end of table.

Table 8 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 —Continued

VIRGINIA

Grade	1928		1929		1930		1931		1932		1933		1934		1935	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	44.8	100.0	48.0	100.0	42.7	100.0	42.5	100.0	31.3	100.0	34.4	100.0	33.0	100.0	27.6	100.0
Extra White	—	—	—	—	—	—	—	—	—	—	.2	.6	8.9	27.0	1.2	4.3
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	—	—	—	—	—	—	1.7	5.2	.5	1.8
5-M.	—	—	—	—	—	—	—	—	—	—	.1	.3	6.6	20.0	.5	1.8
6-S.L.M.	—	—	—	—	—	—	—	—	—	—	.1	.3	.6	1.8	.2	.7
7-L.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White	37.8	84.4	44.3	92.3	41.6	97.4	40.9	96.3	28.4	90.7	24.9	72.4	19.0	57.6	18.6	67.4
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	1.2	2.7	.4	.8	.1	.2	—	—	—	—	.2	.6	—	—	—	—
4-S.M.	13.1	29.2	10.2	21.2	8.7	20.4	1.1	2.6	4.5	14.4	5.9	17.1	1.4	4.2	2.3	8.3
5-M.	17.4	38.9	26.1	54.4	21.0	49.2	27.1	63.8	16.8	53.7	13.9	40.4	12.3	37.3	10.6	38.4
6-S.L.M.	4.7	10.5	6.9	14.4	7.3	17.1	12.4	29.2	7.0	22.3	4.7	13.7	5.1	15.5	5.0	18.1
7-L.M.	.9	2.0	.7	1.5	4.3	10.1	.3	.7	.1	.3	.2	.6	.2	.6	.6	2.2
8-S.G.O. 4/	.3	.7	—	—	.2	.4	—	—	—	—	—	—	—	—	.1	.4
9-G.O. 4/	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spotted	6.1	13.6	3.3	6.9	1.1	2.6	1.5	3.5	2.9	9.3	9.3	27.0	4.8	14.5	7.8	28.3
3-G.M.	.4	.9	—	—	—	—	—	—	—	—	.1	.3	.3	.9	—	—
4-S.M.	3.5	7.8	1.8	3.8	.6	1.4	1.4	3.3	.7	2.3	5.0	14.5	2.7	8.1	3.3	12.0
5-M.	2.0	4.5	1.4	2.9	.4	1.0	.1	.2	2.1	6.7	3.9	11.3	1.7	5.2	3.9	14.1
6-S.L.M. 4/	.2	.4	.1	.2	.1	.2	—	—	.1	.3	.3	.9	.1	.3	.6	2.2
7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow Tinged	.4	.9	.1	.2	—	—	—	—	—	—	—	—	.3	.9	—	—
2-S.G.M.	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	.2	.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	.1	.2	.1	.2	—	—	—	—	—	—	—	—	.1	.3	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	.3	—	—
6-S.L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	.3	—	—
7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Light Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gray	.3	.7	.3	.6	—	—	.1	.2	—	—	—	—	—	—	—	—
3-G.M.	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	.2	.4	.1	.2	—	—	.1	.2	—	—	—	—	—	—	—	—
5-M. 4/	—	—	.2	.4	—	—	—	—	—	—	—	—	—	—	—	—
Blue Stained	.2	.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	.1	.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 6/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	30.5	100.0	40.2	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	22.7	74.4	33.2	82.6
1-M.F.	—	—	—	—
2-S.G.M.	—	—	—	—
3-G.M.	.1	.3	—	—
4-S.M.	3.0	9.8	.5	1.2
5-M.	15.3	50.2	6.1	15.2
6-S.L.M.	4.1	13.4	20.6	51.2
7-L.M.	.2	.7	5.7	14.2
8-S.G.O. 4/	—	—	.3	.8
9-G.O. 4/	—	—	—	—
Spotted	6.1	20.1	6.9	17.2
3-G.M.	.1	.3	—	—
4-S.M.	2.7	8.9	.7	1.8
5-M.	3.1	10.2	5.2	12.9
6-S.L.M. 4/	.2	.7	1.0	2.5
7-L.M. 4/	—	—	—	—
Tinged	1.0	3.2	.1	.2
3-G.M.	—	—	—	—
4-S.M.	.4	1.3	—	—
5-M. 4/	.4	1.3	.1	.2
6-S.L.M. 4/	.1	.3	—	—
7-L.M. 4/	.1	.3	—	—
Yellow Stained	.7	2.3	—	—
3-G.M.	—	—	—	—
4-S.M. 4/	.5	1.6	—	—
5-M. 4/	.2	.7	—	—
Gray	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	—	—
No grade 4/ 6/	—	—	—	—

See footnotes at end of table.

Table 8 .- Grade of American upland cotton ginned in the United States, by States, crops of 1928-37 -- Continued

ALL OTHER STATES 7/

Grade	1928		1929		1930		1931		1932		1933		1934		1935	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	6.2	100.0	8.9	100.0	6.4	100.0	11.7	100.0	14.0	100.0	13.8	100.0	14.4	100.0	7.4	100.0
Extra White	—	—	—	—	—	—	—	—	.1	.7	.9	6.5	9.2	64.0	2.2	29.7
Above 3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	—	—	—	—	.3	2.2	1.8	12.5	.8	10.8
5-M.	—	—	—	—	—	—	—	—	—	—	.5	3.6	3.7	25.7	1.1	14.8
6-S.L.M.	—	—	—	—	—	—	—	—	.1	.7	.1	.7	3.0	20.9	.3	4.1
7-L.M.	—	—	—	—	—	—	—	—	—	—	—	—	.6	4.2	—	—
Below 7-L.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	.1	.7	—	—
White	4.5	72.6	6.8	76.4	5.8	90.6	9.3	79.4	11.1	79.3	9.1	65.9	3.3	22.9	2.0	27.1
1-M.F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	.2	3.1	—	—	—	—	—	—	—	—	—	—
4-S.M.	.6	9.7	.5	5.6	2.0	31.2	1.8	15.4	2.1	13.0	1.7	12.2	.4	2.8	.2	2.7
5-M.	.8	12.9	2.5	28.1	2.5	39.1	3.1	26.5	5.0	35.7	5.3	38.4	.9	6.3	.3	4.1
6-S.L.M.	1.2	19.3	1.7	19.1	.6	9.4	2.5	21.3	2.2	15.7	1.5	10.9	.9	6.3	.4	5.4
7-L.M.	.3	8.1	.4	4.3	.2	3.1	.5	4.3	.4	2.9	.3	2.2	.4	2.8	.2	2.7
8-S.G.O. 4/	.5	8.1	1.0	11.2	.2	3.1	.2	1.7	.4	2.9	.1	.7	.2	1.3	.3	4.1
9-G.O. 4/	.9	14.5	.7	7.9	.1	1.6	1.2	10.2	1.0	7.1	.2	1.5	.5	3.4	.6	8.1
Spotted	.5	8.1	.8	9.0	.1	1.6	.4	3.5	1.7	12.1	3.1	22.5	1.7	11.8	2.1	28.4
3-G.M.	—	—	—	—	—	—	—	—	.1	.7	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	.1	.9	.5	3.6	1.3	10.9	.3	2.1	—	—
5-M.	.2	3.2	.2	2.2	—	—	.2	1.7	.5	3.6	.8	5.8	.8	4.2	.4	5.4
6-S.L.M. 4/	.2	3.2	.3	3.4	.1	1.6	.1	.9	.2	1.3	.2	1.3	.3	2.1	.5	6.8
7-L.M. 4/	.1	1.7	.3	3.4	—	—	—	—	.4	2.9	.6	4.3	.5	3.4	1.2	16.2
Yellow Tinged	—	—	.2	2.2	—	—	—	—	—	—	—	—	—	—	.6	8.1
2-S.G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-S.L.M. 4/	—	—	.1	1.1	—	—	—	—	—	—	—	—	—	—	.2	2.7
7-L.M. 4/	—	—	.1	1.1	—	—	—	—	—	—	—	—	—	—	.4	5.4
Light Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.1	1.3
3- G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.1	1.3
Yellow Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gray	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blue Stained	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-G.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-S.M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-M. 4/	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No grade 4/ 8/	1.2	19.3	1.1	12.4	.5	7.8	2.0	17.1	1.1	7.9	.7	5.1	.2	1.3	.4	5.4

Grade	1936		1937	
	1,000 bales	Per-cent	1,000 bales	Per-cent
All grades 1/	12.4	100.0	18.3	100.0
Extra White	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M.	—	—	—	—
6-S.L.M.	—	—	—	—
7-L.M.	—	—	—	—
8-S.G.O. 4/	—	—	—	—
9-G.O. 4/	—	—	—	—
White	10.4	83.9	13.6	73.8
1-M.F.	—	—	—	—
2-S.G.M.	—	—	—	—
3-G.M.	.1	.8	—	—
4-S.M.	.9	7.3	1.2	6.5
5-M.	1.8	14.5	5.1	27.8
6-S.L.M.	5.5	44.4	4.3	23.3
7-L.M.	1.5	12.1	1.3	7.0
8-S.G.O. 4/	.5	4.0	.7	3.8
9-G.O. 4/	.1	.8	1.0	5.4
Spotted	2.0	16.1	2.7	14.8
3-G.M.	—	—	—	—
4-S.M.	.8	6.4	.1	.5
5-M.	1.1	8.9	.9	4.9
6-S.L.M. 4/	.1	.8	.6	3.3
7-L.M. 4/	—	—	1.1	5.9
Tinged	—	—	.8	4.3
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	.1	.5
6-S.L.M. 4/	—	—	.1	.5
7-L.M. 4/	—	—	.6	3.3
Yellow Stained	—	—	.1	.5
3-G.M.	—	—	—	—
4-S.M. 4/	—	—	—	—
5-M. 4/	—	—	.1	.5
Gray	—	—	—	—
3-G.M.	—	—	—	—
4-S.M.	—	—	—	—
5-M. 4/	—	—	—	—
No grade 4/ 8/	—	—	1.3	7.0

1/ As reported by the Bureau of the Census.
2/ Included with Strict Good Middling, White.
3/ Less than 0.05 percent.
4/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
5/ Included with Strict Good Ordinary, White.
6/ Includes bales not otherwise classified above.
7/ Includes Illinois, Kansas, and Kentucky

Table 7.- Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included.)

State	Crop year	All staple lengths 1/		Shorter than 7/8 inch 2/		7/8 and 29/32 inch		15/16 and 31/32 inch		1 and 1-1/32 inches		1-1/16 and 1-3/32 inches		1-1/8 and 1-5/32 inches		1-3/16 and 1-7/32 inches		1-1/4 inches and longer	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
All States ..	1928	14,268.2	100.0	2,072.1	14.5	5,914.8	41.5	3,225.7	22.6	1,575.8	11.0	794.2	5.6	489.2	3.4	167.9	1.2	28.5	0.2
	1929	14,519.0	100.0	2,921.5	20.1	5,533.7	38.1	2,746.2	18.9	1,693.6	11.7	938.6	6.5	556.1	3.8	119.4	.8	7.9	.1
	1930	13,732.2	100.0	1,829.2	13.3	5,327.7	38.8	3,421.6	24.9	1,725.9	12.6	970.9	7.1	393.3	2.9	60.8	.4	2.8	3/
	1931	16,615.2	100.0	1,019.5	6.1	6,593.3	39.7	4,511.9	27.2	2,557.1	15.4	1,087.8	6.5	590.0	3.5	224.6	1.4	31.0	.2
	1932	12,701.3	100.0	837.7	6.6	4,786.5	37.7	3,671.0	28.9	1,822.0	14.3	871.8	6.9	622.1	4.9	84.5	.7	5.7	3/
	1933	12,654.3	100.0	539.1	4.3	4,504.4	35.6	3,992.2	31.6	2,004.3	15.8	824.1	6.5	640.3	5.1	143.8	1.1	6.1	3/
	1934	9,458.0	100.0	783.0	8.3	3,490.9	36.9	2,065.4	21.8	1,415.6	15.0	880.1	9.3	680.6	7.2	123.1	1.3	19.3	.2
	1935	10,402.7	100.0	1,320.1	12.7	3,235.1	31.1	2,628.1	25.3	1,682.2	16.2	866.5	8.3	554.0	5.3	102.6	1.0	14.1	.1
	1936	12,123.8	100.0	1,151.6	9.5	3,143.1	25.9	2,617.3	21.6	2,746.7	22.7	1,554.7	12.8	732.0	6.0	156.3	1.3	20.1	.2
	1937	18,237.1	100.0	1,834.6	10.1	5,235.0	28.7	5,038.7	27.6	3,542.4	19.4	1,638.5	9.0	842.2	4.6	90.2	.5	15.5	.1
Alabama	1928	1,096.6	100.0	264.2	24.1	762.6	69.5	49.8	4.5	17.6	1.6	1.8	.2	.5	3/	.1	3/	—	—
	1929	1,307.7	100.0	585.6	44.8	689.0	52.7	28.3	2.2	3.3	.2	1.4	.1	.1	3/	—	—	—	—
	1930	1,444.9	100.0	553.3	38.3	802.2	55.5	77.1	5.3	9.2	.6	2.5	.2	.6	3/	—	—	—	—
	1931	1,385.0	100.0	136.5	9.9	1,044.7	75.4	168.7	12.2	28.0	2.0	5.8	.4	1.3	.1	—	—	—	—
	1932	933.7	100.0	137.3	14.7	657.5	70.4	108.7	11.7	26.5	2.8	3.1	.3	.5	.1	.1	3/	—	—
	1933	951.1	100.0	82.5	8.7	694.2	73.0	132.1	13.9	35.9	3.8	4.9	.5	1.5	.1	—	—	—	—
	1934	936.1	100.0	196.2	21.0	574.0	61.3	111.7	11.9	47.7	5.1	5.1	.5	.9	.1	.5	.1	—	—
	1935	1,033.5	100.0	358.8	34.7	534.7	51.7	92.6	9.0	40.6	3.9	5.2	.5	1.5	.2	.1	3/	—	—
	1936	1,135.0	100.0	59.0	5.2	684.0	60.3	256.7	22.8	116.3	10.2	13.4	1.2	1.4	.1	1.6	.1	.6	.1
	1937	1,566.6	100.0	269.9	17.2	736.5	47.0	401.2	25.6	151.9	9.7	5.6	.4	1.1	.1	.3	3/	.1	3/
Arizona	1928	117.4	100.0	2.6	2.2	11.3	9.6	17.6	15.0	40.2	34.2	42.7	36.4	3.0	2.6	—	—	—	—
	1929	120.7	100.0	1.5	1.2	4.3	3.6	27.4	22.7	65.3	54.1	19.4	16.1	2.8	2.3	—	—	—	—
	1930	127.2	100.0	.3	.2	5.5	4.3	41.2	32.4	47.8	37.6	29.6	23.3	2.8	2.2	—	—	—	—
	1931	97.3	100.0	3.3	3.4	.6	.6	14.9	15.3	43.4	44.6	30.8	31.7	4.3	4.4	—	—	—	—
	1932	58.8	100.0	.1	.2	1.4	2.4	6.9	11.7	23.5	40.0	20.3	34.5	6.3	10.7	.3	.5	—	—
	1933	83.2	100.0	—	—	1.5	1.8	7.1	8.5	36.4	43.8	34.7	41.7	3.5	4.2	—	—	—	—
	1934	99.1	100.0	.1	.1	1.1	1.1	6.9	7.0	32.9	33.2	52.4	52.9	5.7	5.7	—	—	—	—
	1935	113.9	100.0	.3	.3	1.3	1.1	7.3	6.4	50.4	44.2	51.8	45.5	2.8	2.5	—	—	—	—
	1936	170.2	100.0	.1	.1	1.0	.6	6.9	4.0	62.8	36.9	89.5	52.6	9.9	5.8	—	—	—	—
	1937	299.2	100.0	—	—	—	—	1.1	.4	76.2	25.5	211.3	70.6	10.5	3.5	.1	3/	—	—
Arkansas	1928	1,216.2	100.0	127.0	10.4	359.4	29.6	290.5	23.9	223.6	18.4	130.6	10.7	65.9	5.4	16.9	1.4	2.3	.2
	1929	1,395.9	100.0	177.9	12.7	393.4	28.2	379.1	27.2	261.9	18.8	128.0	9.2	45.4	3.2	8.6	.6	1.6	.1
	1930	863.5	100.0	76.9	8.9	196.1	22.7	252.9	29.3	206.8	24.0	106.6	12.3	22.4	2.6	1.7	.2	.1	3/
	1931	1,836.1	100.0	20.9	1.1	307.4	16.7	549.6	29.9	614.2	33.5	247.0	13.5	81.4	4.4	14.9	.8	.7	3/
	1932	1,283.4	100.0	25.8	2.0	185.9	14.5	375.0	29.2	360.4	28.1	196.8	15.3	120.4	9.4	17.3	1.4	1.8	.1
	1933	1,014.6	100.0	7.8	.8	93.8	9.2	243.1	24.0	398.6	39.3	174.1	17.1	86.9	8.6	10.1	1.0	.2	3/
	1934	849.0	100.0	42.2	5.0	144.6	17.0	211.2	24.9	221.0	26.0	126.5	14.9	91.5	10.8	11.7	1.4	.3	3/
	1935	841.5	100.0	34.9	4.1	153.6	18.3	270.5	32.1	208.6	24.8	102.7	12.2	61.3	7.3	9.2	1.1	.7	.1
	1936	1,265.6	100.0	87.8	6.9	251.7	19.9	339.8	26.8	306.2	24.2	178.8	14.1	81.7	6.5	18.7	1.5	.9	.1
	1937	1,806.9	100.0	103.8	5.7	330.2	18.3	651.2	36.0	499.6	27.6	161.4	8.9	54.3	3.0	7.1	.4	1.3	.1
California	1928	171.0	100.0	2.8	1.6	20.5	12.0	29.3	17.1	47.6	27.9	60.0	35.1	10.8	6.3	—	—	—	—
	1929	254.1	100.0	.8	.3	5.0	2.0	17.1	6.7	119.6	47.1	104.2	41.0	7.4	2.9	—	—	—	—
	1930	256.3	100.0	—	—	1.7	.7	13.9	5.4	41.2	16.1	160.0	62.4	39.2	15.3	.3	.1	—	—
	1931	171.2	100.0	8.9	5.2	.1	.1	2.4	1.4	25.6	15.0	98.0	57.2	33.9	19.8	2.3	1.3	—	—
	1932	124.4	100.0	—	—	2.2	1.8	3.9	3.1	13.4	10.8	57.9	46.5	46.8	37.6	.2	.2	—	—
	1933	210.7	100.0	—	—	.2	.1	2.9	1.4	48.3	22.9	123.2	58.5	36.1	17.1	—	—	—	—
	1934	251.5	100.0	.1	3/	1.8	.7	1.5	.6	12.2	4.9	139.6	55.5	96.3	38.3	—	—	—	—
	1935	232.7	100.0	—	—	.2	.1	4.3	1.8	37.8	16.2	133.0	57.2	57.4	24.7	—	—	—	—
	1936	436.3	100.0	.2	3/	.9	.2	8.6	2.0	66.5	15.2	225.0	51.6	134.1	30.7	1.0	.2	—	—
	1937	723.0	100.0	—	—	.1	3/	—	—	25.1	3.5	310.7	43.0	384.2	53.1	2.9	.4	—	—
Florida	1928	20.1	100.0	2.3	11.4	14.5	72.2	2.6	12.9	.4	2.0	.2	1.0	.1	.5	—	—	—	—
	1929	29.8	100.0	11.1	37.3	17.2	57.7	1.2	4.0	.2	.7	.1	.3	—	—	—	—	—	—
	1930	51.1	100.0	10.1	19.8	34.9	68.3	5.8	11.3	.3	.6	—	—	—	—	—	—	—	—
	1931	43.4	100.0	2.9	6.7	33.9	78.1	6.1	14.1	.4	.9	.1	.2	—	—	—	—	—	—
	1932	15.6	100.0	2.3	14.8	12.5	80.1	.7	4.5	.1	.6	—	—	—	—	—	—	—	—
	1933	24.1	100.0	1.4	5.8	19.8	82.2	2.5	10.4	.3	1.2	.1	.4	—	—	—	—	—	—
	1934	24.3	100.0	1.6	6.6	19.5	80.2	2.7	11.1	.4	1.7	.1	.4	—	—	—	—	—	—
	1935	26.7	100.0	5.7	21.3	20.2	75.7	.6	2.2	.1	.4	.1	.4	—	—	—	—	—	—
	1936	27.7	100.0	.8	2.9	20.6	74.3	4.9	17.7	1.3	4.7	.1	.4	—	—	—	—	—	—
	1937	32.3	100.0	2.3	7.1	23.4	72.5	5.4	16.7	1.2	3.7	—	—	—	—	—	—	—	—
Georgia	1928	1,053.2	100.0	129.5	12.3	743.9	70.6	144.1	13.7	28.3	2.7	5.4	.5	1.4	.1	.6	.1	—	—
	1929	1,339.8	100.0	282.2	21.0	918.8	68.6	113.7	8.5	21.3	1.6	3.6	.3	.2	3/	—	—	—	—
	1930	1,597.5	100.0	237.1	14.8	1,096.8	68.7	218.4	13.7	36.3	2.3	7.3	.4	1.4	.1	.2	3/	—	—
	1931	1,393.7	100.0	69.4	5.0	1,015.6	72.9	242.1	17.4	54.8	3.9	10.4	.7	1.3	.1	—	—	.1	3/
	1932	861.8	100.0	43.1	5.0	592.8	68.8	163.1	18.9	53.9	6.3	6.7	.8	1.9	.2	.3	3/	—	—
	1933	1,093.4	100.0	59.8	5.5	733.9	67.1	202.9	18.6	80.6	7.4	14.5	1.3	1.4	.1	.3	3/	—	—
	1934	974.9	100.0	37.4	3.8	527.8	54.1	206.1	21.4	164.2	16.8	36.2	3.7	1.1	.1	.1	3/	—	—
	1935	1,052.7	100.0	104.5	9.9	438.8	41.7	245.7	23.3	224.7	21.4	35.7	3.4	2.8	.3	.4	3/	.1	3/
	1936	1,086.5	100.0	28.4	2.6	435.9	40.1	255.1	23.5	330.8	30.4	35.4	3.3	.8	.1	.1	3/	—	—
	1937	1,473.1	100.0	68.8	4.7	539.1	36.6	498.9	33.9	351.1	23.8	14.0	.9	.8	.1	.4	3/	—	—
Louisiana	1928	685.9	100.0	88.3	12.9	203.1	29.7	178.6	26.0	127.6	18.6	52.1	7.6	27.7	4.0	7.8	1.1	.7	.1
	1929	797.7	100.0	110.6	13.9	205.5	25.8	212.7	26.7	170.4	21.3	63.7	8.0	29.6	3.7	5.0	.6	.2	3/
	1930	704.8	100.0	91.3	13.0	160.1	22.7	167.4	23.8	186.8	26.5	67.2	9.5	28.0	4.0	3.8	.5	.2	3/
	1931	876.6	100.0	58.6	6.7	157.3	17.9	203.6	23.2	283.0	32.3	133.1	15.2	35.4	4.0	5.3	.6	.3	3/
	1932	599.5	100.0	62.1	10.4	131.0	21.8	152.6	25.4	156.4	26.1	68.7	11.5	26.2	4.4	2.4	.4	.1	3/
	1933	469.3	100.0	12.2	2.6	89.2	19.0	125.1	26.7	130.6	27.8	71.8	15.3	38.4	8.2	2.0	.4	—	—
	1934	473.3	100.0	50.1	10.6	99.0	20.9	129.7	27.4	102.0	21.5	68.2	14.4	22.7	4.8	1.5	.3	.1	3/
	1935	541.4	100.0	16.5	3.1	80.0	14.8	144.1	26.6	169.0	31.2	86.2	15.9	44.3	8.2	1.3	.2	—	—
	1936	742.6	100.0	45.3	6.1	76.8	10.3	120.7	16.3	241.0	32.5	177.6	23.9	64.2	8.6	15.3	2.1	1.7	.2
	1937	1,050.6	100.0	81.7	7.8	123.4	11.7	317.2	30.2	389.8	37.1	117.4	11.2	19.4	1.8	1.7	.2	—	—

See footnotes at end of table.

Table 7.- Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37 — Continued

State	Crop year	All staple lengths 1/		Shorter than 7/8 inch 2/		7/8 and 29/32 inch		15/16 and 31/32 inch		1 and 1-1/32 inches		1-1/16 and 1-3/32 inches		1-1/8 and 1-5/32 inches		1-3/16 and 1-7/32 inches		1-1/4 inches and longer	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
Mississippi	1928	1,462.0	100.0	254.3	17.4	258.9	17.7	111.9	7.7	127.8	8.7	259.8	17.8	305.9	20.9	121.7	8.3	21.7	1.5
	1929	1,876.0	100.0	189.7	10.1	352.3	18.8	227.0	12.1	202.7	10.8	388.9	20.7	412.4	22.0	97.7	5.2	5.3	.3
	1930	1,458.5	100.0	114.9	7.9	299.2	20.5	264.5	18.1	209.4	14.4	312.9	21.5	216.6	14.8	39.4	2.7	1.6	.1
	1931	1,719.4	100.0	65.4	3.8	285.4	16.6	238.0	13.8	234.8	13.7	311.0	18.1	366.1	21.4	188.7	11.0	28.0	1.6
	1932	1,161.2	100.0	32.2	2.8	148.6	12.8	162.3	14.0	170.9	14.7	271.5	23.4	328.2	28.2	45.3	3.9	2.2	.2
	1933	1,132.2	100.0	12.6	1.1	125.2	11.1	156.6	13.8	153.1	13.5	158.3	14.0	404.7	35.7	116.4	10.3	5.3	.5
	1934	1,121.3	100.0	27.3	2.4	97.4	8.7	145.3	13.0	169.8	15.2	188.7	16.8	387.1	34.5	89.6	8.0	16.1	1.4
	1935	1,226.3	100.0	82.0	6.7	130.7	10.7	225.0	18.4	152.6	12.4	236.1	19.3	318.1	25.9	73.9	6.0	7.9	.6
	1936	1,862.5	100.0	75.1	4.0	105.2	5.7	211.0	11.3	471.2	25.3	501.0	26.9	380.4	20.4	106.0	5.7	12.6	.7
	1937	2,561.8	100.0	54.5	2.1	153.3	6.0	579.0	22.6	841.9	32.9	521.0	20.3	324.6	12.7	74.3	2.9	13.2	.5
Missouri	1928	146.9	100.0	8.8	6.0	30.2	20.6	52.2	35.5	39.3	26.7	14.3	9.7	1.7	1.2	.4	.3	—	—
	1929	220.9	100.0	3.1	1.4	57.5	26.0	88.4	40.0	56.2	25.5	13.7	6.2	1.8	.8	.2	.1	—	—
	1930	153.3	100.0	11.2	7.3	56.0	36.5	55.6	36.3	22.4	14.6	7.1	4.6	1.0	.7	—	—	—	—
	1931	280.4	100.0	2.6	.9	85.9	30.6	128.0	45.7	53.9	19.2	9.5	3.4	.5	.2	—	—	—	—
	1932	300.7	100.0	2.0	.7	52.1	17.3	114.9	38.2	107.7	35.8	23.0	7.7	1.0	.3	—	—	—	—
	1933	237.9	100.0	3.1	1.3	38.8	16.3	94.1	39.6	90.3	38.0	11.5	4.8	.1	3/	—	—	—	—
	1934	230.4	100.0	8.2	3.6	54.7	23.7	82.1	35.6	60.3	26.2	22.3	9.7	2.4	1.0	.3	.1	.1	3/
	1935	182.8	100.0	12.3	6.7	44.4	24.3	63.9	35.0	44.7	24.4	16.3	8.9	.9	.5	—	—	.3	.2
	1936	301.3	100.0	38.6	12.8	81.2	26.9	88.2	29.3	69.5	23.1	22.6	7.5	1.2	.4	—	—	—	—
	1937	390.2	100.0	32.9	8.4	96.4	24.7	152.2	39.0	98.2	25.2	9.9	2.5	.4	.1	.1	3/	.1	3/
New Mexico	1928	82.2	100.0	4.9	6.0	6.2	7.5	8.6	10.4	22.1	26.9	34.0	41.4	6.4	7.8	—	—	—	—
	1929	86.3	100.0	4.8	5.6	2.7	3.1	6.3	7.3	40.2	46.6	27.7	32.1	4.6	5.3	—	—	—	—
	1930	95.8	100.0	.5	.5	1.3	1.4	7.8	8.1	35.6	37.2	42.5	44.4	8.0	8.3	.1	.1	—	—
	1931	93.8	100.0	5.1	5.4	1.4	1.5	13.7	14.6	36.7	39.1	31.4	33.5	5.5	5.9	—	—	—	—
	1932	67.5	100.0	2.1	3.1	2.6	3.8	3.4	5.0	23.6	35.0	25.1	37.2	10.7	15.9	—	—	—	—
	1933	86.1	100.0	—	—	1.1	1.3	8.8	10.2	36.0	41.8	36.7	42.6	3.5	4.1	—	—	—	—
	1934	83.7	100.0	.3	.4	.1	.1	.8	1.0	16.2	19.3	47.3	56.5	19.0	22.7	—	—	—	—
	1935	70.2	100.0	1.0	1.4	2.2	3.1	2.9	4.1	7.4	10.6	46.9	66.8	9.8	14.0	—	—	—	—
	1936	105.0	100.0	1.4	1.3	.7	.6	6.3	6.0	36.1	34.4	53.2	50.7	7.3	7.0	—	—	—	—
	1937	153.8	100.0	1.4	.9	4.2	2.7	2.9	1.9	25.7	16.7	103.1	67.1	16.2	10.5	.3	.2	—	—
North Carolina .	1928	869.3	100.0	87.1	10.0	605.5	69.7	129.7	14.9	30.5	3.5	9.0	1.0	4.9	.6	2.2	.3	.4	3/
	1929	767.0	100.0	81.9	10.7	479.4	62.5	151.2	19.7	45.7	6.0	7.0	.9	1.5	.2	.3	3/	—	—
	1930	800.6	100.0	40.4	5.0	410.2	51.2	236.5	29.6	81.6	10.2	25.6	3.2	5.6	.7	.7	.1	—	—
	1931	771.2	100.0	7.8	1.0	340.1	44.1	264.6	34.3	126.0	16.3	28.5	3.7	3.8	.5	.4	.1	—	—
	1932	680.3	100.0	7.8	1.2	227.8	33.4	223.6	32.9	160.4	23.6	47.5	7.0	11.0	1.6	2.1	.3	.1	3/
	1933	690.5	100.0	21.8	3.2	277.5	40.2	226.7	32.8	138.4	20.1	23.8	3.4	2.0	.3	.3	3/	—	—
	1934	640.9	100.0	7.8	1.2	170.3	26.6	189.5	29.6	206.6	32.2	59.2	9.2	5.0	.8	2.2	.3	.3	3/
	1935	579.3	100.0	26.1	4.5	155.4	26.8	166.5	28.7	193.4	33.4	24.5	4.2	6.3	1.1	4.4	.8	2.7	.5
	1936	606.7	100.0	3.8	.6	77.2	12.7	175.7	29.0	284.0	46.8	55.8	9.2	5.6	.9	3.5	.6	1.1	.2
	1937	780.6	100.0	10.1	1.3	125.9	16.1	306.2	39.2	302.5	38.8	29.0	3.7	4.4	.6	1.8	.2	.7	.1
Oklahoma	1928	1,187.0	100.0	162.3	13.7	421.7	35.5	395.5	33.3	172.3	14.5	25.3	2.1	8.2	.7	1.6	.1	.1	3/
	1929	1,125.6	100.0	321.5	28.6	500.1	44.4	207.9	18.5	67.1	6.0	22.6	2.0	6.1	.5	.3	3/	—	—
	1930	856.8	100.0	126.7	14.8	348.6	40.7	295.1	34.4	71.6	8.4	12.2	1.4	2.5	.3	.1	3/	—	—
	1931	1,235.9	100.0	137.9	11.2	557.4	45.1	414.5	33.5	110.8	9.0	14.0	1.1	1.3	.1	—	—	—	—
	1932	1,072.0	100.0	91.9	8.6	535.8	50.0	386.1	36.0	52.4	4.9	5.2	.5	.5	3/	.1	3/	—	—
	1933	1,235.8	100.0	73.5	5.9	391.4	31.7	590.2	47.7	147.0	11.9	25.8	2.1	7.2	.6	.7	.1	—	—
	1934	329.9	100.0	62.4	18.9	212.4	64.4	50.7	15.4	4.3	1.3	.1	3/	—	—	—	—	—	—
	1935	562.7	100.0	107.9	19.2	280.3	49.8	137.4	24.4	31.5	5.6	5.3	.9	.3	.1	—	—	—	—
	1936	289.7	100.0	85.8	29.6	152.6	52.7	39.8	13.8	9.3	3.2	2.1	.7	.1	3/	—	—	—	—
	1937	756.4	100.0	164.0	21.7	375.2	49.6	176.6	23.3	34.2	4.5	6.0	.8	.4	.1	—	—	—	—
South Carolina .	1928	744.4	100.0	51.8	7.0	409.9	55.0	144.9	19.5	68.5	9.2	33.9	4.6	23.4	3.1	9.6	1.3	2.4	.3
	1929	833.1	100.0	93.1	11.2	440.4	52.9	157.4	18.9	81.0	9.7	42.6	5.1	14.4	1.7	3.7	.4	.5	.1
	1930	1,015.3	100.0	26.9	2.6	426.0	42.0	288.6	28.4	140.1	13.8	83.9	8.3	38.4	3.8	10.6	1.0	.8	.1
	1931	1,010.2	100.0	12.0	1.2	395.6	39.1	315.2	31.2	169.8	16.8	67.8	6.7	36.0	3.6	12.0	1.2	1.8	.2
	1932	722.2	100.0	2.8	.4	181.2	25.1	225.6	31.2	169.5	23.5	81.8	11.3	44.0	6.1	15.8	2.2	1.5	.2
	1933	728.0	100.0	9.4	1.3	263.4	36.2	207.9	28.6	134.8	18.5	58.9	8.1	39.6	5.4	13.5	1.8	.5	.1
	1934	684.6	100.0	2.1	.3	141.2	20.6	190.4	27.8	218.3	31.9	84.0	12.3	29.3	4.3	17.0	2.5	2.3	.3
	1935	738.7	100.0	10.9	1.5	131.8	17.8	222.1	30.1	257.1	34.8	72.4	9.8	29.1	3.9	13.0	1.8	2.3	.3
	1936	804.2	100.0	1.7	.2	45.7	5.7	205.3	25.5	412.7	51.3	101.8	12.7	24.0	3.0	9.8	1.2	3.2	.4
	1937	996.2	100.0	2.9	.3	123.0	12.4	455.7	45.7	372.0	37.3	35.3	3.5	6.1	.6	1.1	.1	.1	3/
Tennessee	1928	423.5	100.0	88.0	20.8	173.0	40.9	108.0	25.5	42.1	9.9	10.4	2.5	1.4	.3	.5	.1	.1	3/
	1929	504.3	100.0	80.0	15.9	173.4	34.4	163.8	32.5	74.9	14.8	10.3	2.0	1.6	.3	.3	.1	—	—
	1930	371.4	100.0	59.7	16.1	128.1	34.5	123.8	33.3	48.0	12.9	11.0	3.0	.8	.2	—	—	—	—
	1931	578.0	100.0	39.9	6.9	218.6	37.8	211.3	36.6	93.5	16.2	11.7	2.0	2.5	.4	.5	.1	—	—
	1932	467.5	100.0	12.4	2.7	115.9	24.8	175.3	37.5	134.7	28.8	24.6	5.3	4.3	.9	.3	3/	—	—
	1933	428.9	100.0	12.9	3.0	133.2	31.0	167.1	39.0	99.0	23.1	11.0	2.6	5.1	1.2	.5	.1	.1	3/
	1934	396.7	100.0	51.7	13.0	125.0	31.5	129.2	32.6	77.1	19.4	12.3	3.1	1.1	.3	.2	.1	.1	3/
	1935	315.6	100.0	76.2	24.1	83.1	26.3	93.0	29.5	47.3	15.0	13.2	4.2	2.4	.8	.3	.1	.1	3/
	1936	422.2	100.0	80.0	18.9	89.1	21.1	113.3	26.8	97.9	23.2	38.6	9.1	3.2	.8	.1	3/	—	—
	1937	633.3	100.0	97.6	15.4	116.2	18.3	249.5	39.4	157.0	24.8	12.9	2.0	.1	3/	—	—	—	—
Texas	1928	4,941.5	100.0	794.6	16.1	1,856.8	37.6	1,557.1	31.5	586.8	11.9	113.0	2.3	26.9	.5	5.8	.1	.5	3/
	1929	3,803.2	100.0	974.2	25.6	1,260.5	33.2	955.9	25.1	480.8	12.6	103.2	2.7	26.0	.7	2.4	.1	.2	3/
	1930	3,886.1	100.0	475.5	12.2	1,330.4	34.2	1,363.2	35.1	586.3	15.1	101.0	2.6	25.7	.7	3.9	.1	.1	3/
	1931	5,068.8	100.0	446.5	8.8	2,123.4	41.9	1,719.3	33.9	678.3	13.4	86.9	1.7	13.9	.3	.4	3/	.1	3/
	1932	4,307.4	100.0	414.3	9.6	1,918.6	44.5	1,554.8	36.1	362.3	8.4	37.5	.9	19.7	.5	.2	3/	—	—
	1933	4,220.3	100.0	240.4	5.7	1,615.3	38.3	1,811.9	42.9	466.8	11.1	73.8	1.8	10.1	.2	—	—	—	—
	1934	2,314.9	100.0	295.0	12.7	1,298.7	56.1	593.0	25.6	72.7	3.2	37.0	1.6	18.5	.8	—	—	—	—
	1935	2,849.7	100.0	482.3	16.9	1,167.2	41.0	936.1	32.8	211.0	7.4	36.1	1.3	17.0	.6	—	—	—	—
	1936	2,825.4	100.0	643.6	22.8	1,110.6	39.3	762.0	27.0	233.0	8.2	58.1	2.1	17.9	.6	.2	3/	—	—
	1937	4,952.4	100.0	944.3	19.1	2,469.6	49.9	1,214.9	24.5	203.9	4.1	99.9	2.0	19.7	.4	.1	3/	—	—

See footnotes at end of table.

Table 7 .- Staple length of American upland cotton ginned in the United States, by States, crops of 1928-37

State	Crop year	All staple lengths 1/		Shorter than 7/8 inch 2/		7/8 and 29/32 inch		15/16 and 31/32 inch		1 and 1-1/32 inches		1-1/16 and 1-3/32 inches		1-1/8 and 1-5/32 inches		1-3/16 and 1-7/32 inches		1-1/4 inches and longer	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
Virginia	1928	44.8	100.0	2.8	6.3	37.1	82.8	4.7	10.5	0.2	0.4	—	—	—	—	—	—	—	—
	1929	48.0	100.0	3.3	6.9	34.1	71.0	9.7	20.2	.8	1.7	0.1	0.2	—	—	—	—	—	—
	1930	42.7	100.0	3.9	9.1	29.6	69.3	8.4	19.7	.7	1.7	.1	.2	—	—	—	—	—	—
	1931	42.5	100.0	1.7	4.0	22.9	53.9	16.2	38.1	1.7	4.0	—	—	—	—	—	—	—	—
	1932	31.3	100.0	1.5	4.8	19.4	62.0	8.7	27.8	1.5	4.8	.2	.6	—	—	—	—	—	—
	1933	34.4	100.0	1.7	4.9	25.2	73.3	6.6	19.2	.9	2.6	—	—	—	—	—	—	—	—
	1934	33.0	100.0	.5	1.5	23.0	69.7	7.4	22.4	1.9	5.8	.2	.6	—	—	—	—	—	—
	1935	27.6	100.0	.2	.7	9.9	35.9	13.3	48.2	4.0	14.5	.2	.7	—	—	—	—	—	—
	1936	30.5	100.0	—	—	8.1	26.5	17.6	57.7	4.6	15.1	.2	.7	—	—	—	—	—	—
	1937	40.2	100.0	.2	.5	17.2	42.8	20.0	49.8	2.7	6.7	.1	.2	—	—	—	—	—	—
All other 4/ ...	1928	6.2	100.0	.8	12.9	.2	3.2	.6	9.7	.9	14.5	1.7	27.4	1.0	16.1	0.7	11.3	0.3	4.9
	1929	8.9	100.0	.2	2.2	.1	1.1	1.1	12.4	2.2	24.7	2.1	23.7	2.2	24.7	.9	10.1	.1	1.1
	1930	6.4	100.0	.5	7.8	1.0	15.6	1.4	21.9	1.8	28.1	1.4	21.9	.3	4.7	—	—	—	—
	1931	11.7	100.0	.1	.9	3.0	25.6	3.7	31.6	2.2	18.8	1.8	15.4	.8	6.8	.1	.9	—	—
	1932	14.0	100.0	—	—	1.2	8.6	5.4	38.5	4.8	34.3	1.9	13.6	.6	4.3	.1	.7	—	—
	1933	13.8	100.0	—	—	.7	5.1	6.6	47.8	5.3	38.4	1.0	7.2	.2	1.5	—	—	—	—
	1934	14.4	100.0	—	—	.3	2.1	5.2	36.1	8.0	55.5	.9	6.3	—	—	—	—	—	—
	1935	7.4	100.0	.5	6.8	1.3	17.5	2.8	37.8	2.0	27.1	.8	10.8	—	—	—	—	—	—
	1936	12.4	100.0	—	—	1.8	14.5	3.4	27.4	5.5	44.4	1.5	12.1	.2	1.6	—	—	—	—
	1937	18.5	100.0	.2	1.1	1.3	7.0	6.7	36.2	9.4	50.8	.9	4.9	—	—	—	—	—	—

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

4/ Includes Illinois, Kansas, and Kentucky.

Table 8.- Average staple length 1/ of American upland cotton ginned in the United States, by States and districts 2/ thereof, crop of 1937

State and district 2/	Sixteenth inches	State and district 2/	Sixteenth inches
United States	15.55	New Mexico	17.29
Alabama	14.79	North Carolina	15.81
District 1	14.85	District 1	15.61
District 2	14.83	District 2	16.27
District 3	14.87	District 3	15.89
District 4	14.73	District 4	15.80
District 5	14.93	Oklahoma	14.63
District 6	14.78	District 1	14.54
Arizona	17.27	District 2	14.76
Arkansas	15.77	District 3	14.96
District 1	13.69	District 4	14.64
District 2	14.76	District 5	14.22
District 3	15.09	South Carolina	15.84
District 4	16.07	District 1	15.79
District 5	15.84	District 2	15.95
California	18.00	District 3	15.89
Florida	14.67	District 4	15.68
Georgia	15.30	Tennessee	15.30
District 1	15.76	District 1	15.47
District 2	15.69	District 2	13.74
District 3	14.87	District 3	14.78
District 4	14.93	Texas	14.71
Louisiana	15.88	District 1-N	14.68
District 1	14.74	District 1-S	14.31
District 2	15.77	District 2	14.56
District 3	16.27	District 3	14.26
District 4	15.34	District 4	14.69
Mississippi	16.65	District 5	14.44
District 1	17.37	District 6	17.64
District 2	16.11	District 7	14.62
District 3	15.69	District 8	15.23
		District 9	15.08
		District 10	15.32
		Virginia	15.13
Missouri	15.39	All other 3/	16.01

1/ Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in sixteenths of an inch (for example, 15/16 = 15.5), summating, and dividing by the total number of bales. In making the calculations, the midpoints of the groups "shorter than 7/8 inch" and "1-1/4 inches and longer" were considered to be 13.5 and 20.5, respectively. Averages can be converted to inches by dividing by 16.

Regulations provide that fractions of less than a thirty-second of an inch are to be disregarded by Government classers in their staple-length designations. (United States Department of Agriculture, Bureau of Agricultural Economics. Service and Regulatory Announcements No. 92, page 9 and Handbook for Licensed Classers, September 1936).

2/ Boundaries of districts are shown in figures

3/ Includes Illinois, Kansas, and Kentucky.

Table 9 .- Average staple length of American upland cotton ginned in the United States, by States, crops of 1928-37

State	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches	Six-teenth inches
United States	15.18	15.11	15.22	15.44	15.45	15.55	15.58	15.47	15.77	15.55
Alabama	14.54	14.08	14.19	14.58	14.54	14.65	14.53	14.34	14.93	14.79
Arizona	16.51	16.37	16.36	16.64	16.90	16.88	17.05	16.91	17.09	17.27
Arkansas	15.62	15.46	15.67	16.08	16.24	16.43	16.17	15.99	15.94	15.77
California	16.52	16.85	17.37	17.34	17.66	17.41	17.80	17.54	17.61	18.00
Florida	14.60	14.19	14.43	14.60	14.41	14.58	14.59	14.33	14.75	14.67
Georgia	14.59	14.41	14.55	14.73	14.80	14.82	15.13	15.18	15.42	15.30
Louisiana	15.46	15.48	15.61	15.96	15.71	16.10	15.74	16.18	16.43	15.88
Mississippi	16.45	16.51	16.27	16.92	16.94	17.29	17.28	16.82	17.03	16.65
Missouri	15.68	15.62	15.25	15.44	15.83	15.79	15.69	15.57	15.37	15.39
New Mexico	16.64	16.63	16.99	16.61	16.97	16.88	17.50	17.30	17.03	17.29
North Carolina	14.69	14.75	15.08	15.29	15.58	15.31	15.76	15.65	16.07	15.81
Oklahoma	15.09	14.60	14.92	14.94	14.89	15.24	14.49	14.69	14.43	14.63
South Carolina	15.16	15.02	15.49	15.55	15.98	15.70	16.10	16.04	16.36	15.84
Tennessee	14.84	15.04	15.03	15.20	15.62	15.45	15.19	15.02	15.35	15.30
Texas	14.99	14.86	15.14	15.08	14.98	15.16	14.77	14.87	14.79	14.71
Virginia	14.55	14.67	14.65	14.92	14.85	14.69	14.84	15.29	15.40	15.13
All other 2/	17.08	17.37	16.05	15.96	16.19	16.02	16.16	15.68	16.09	16.01

1/ See footnote 1, table 8
2/ Includes Illinois, Kansas and Kentucky.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

UNITED STATES

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	18,237.1	8,257.2	4,894.7	3,011.9	1,466.8	606.5
White	13,881.0	6,673.1	3,914.4	2,152.6	819.8	321.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.7	.6	.1	---	---	---
3-G.M.	555.6	202.2	240.0	112.6	.8	---
4-S.M.	2,655.3	1,876.6	481.8	264.1	29.5	3.3
5-M.	4,872.9	3,093.8	1,193.1	456.9	113.4	15.7
6-S.L.M.	3,704.4	1,226.9	1,484.0	778.7	160.1	52.7
7-L.M.	1,456.2	237.9	466.2	445.1	258.7	48.3
8-S.G.O. 3/.....	486.4	30.4	45.9	84.5	208.9	116.7
9-G.O. 3/.....	149.5	2.7	5.5	10.7	48.4	84.4
Spotted	4,091.9	1,571.7	975.9	825.5	545.7	173.1
3-G.M.	81.3	51.3	23.6	5.3	1.0	.1
4-S.M.	1,584.8	873.9	414.4	222.4	65.4	10.7
5-M.	1,665.7	562.2	453.6	452.3	169.9	25.7
6-S.L.M. 3/.....	510.2	75.6	76.6	116.6	187.1	54.3
7-L.M. 3/.....	251.9	8.7	7.7	28.9	124.3	82.3
Tinged	162.7	9.0	3.4	31.0	65.7	43.6
3-G.M.	1.7	1.1	.2	.4	---	---
4-S.M.	17.4	3.6	.9	9.1	3.4	.4
5-M. 3/.....	35.8	3.7	1.9	12.2	14.9	3.1
6-S.L.M. 3/.....	33.5	.4	.4	4.5	17.6	10.6
7-L.M. 3/.....	64.3	.2	---	4.8	29.8	29.5
Yellow Stained	3.7	.2	.1	.5	1.5	1.4
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	.6	.2	---	.2	.2	---
5-M. 3/.....	3.1	---	.1	.3	1.3	1.4
Gray	15.4	.1	.2	---	5.2	9.9
3-G.M.	---	---	---	---	---	---
4-S.M.	7.0	.1	.2	---	4.3	2.4
5-M. 3/.....	8.4	---	---	---	.9	7.5
No grade 3/ 4/.....	92.4	3.1	.7	2.3	28.9	57.4

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ALABAMA

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,566.6	867.0	476.2	178.9	38.3	6.2
White	1,196.7	701.8	375.5	106.1	12.2	1.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.1	.1	---	---	---	---
3-G.M.	8.6	6.7	1.9	---	---	---
4-S.M.	222.4	174.7	43.3	4.4	---	---
5-M.	544.0	342.2	172.6	27.3	1.8	.1
6-S.L.M.	323.7	144.3	124.5	50.5	4.0	.4
7-L.M.	88.3	31.8	30.2	21.0	4.8	.5
8-S.C.O. 3/.....	9.1	1.9	2.8	2.8	1.5	.1
9-G.O. 3/.....	.5	.1	.2	.1	.1	---
Spotted	347.8	161.0	99.6	67.2	16.9	3.1
3-G.M.	7.0	5.5	1.5	---	---	---
4-S.M.	125.6	73.6	39.3	12.2	.5	---
5-M.	178.1	70.0	53.0	47.6	6.9	.6
6-S.L.M. 3/.....	33.9	11.2	5.3	7.1	8.1	2.2
7-L.M. 3/.....	3.2	.7	.5	.3	1.4	.3
Tinged	20.6	3.7	1.1	5.2	8.8	1.7
3-G.M.	.3	.3	---	---	---	---
4-S.M.	3.7	1.1	.3	1.6	.7	---
5-M. 3/.....	10.8	2.0	.8	3.3	4.7	.8
6-S.L.M. 3/.....	3.4	.3	.3	.2	1.9	.7
7-L.M. 3/.....	2.3	---	---	.1	1.5	.7
Yellow Stained	.9	---	---	.4	.2	.3
3-G.M. 3/.....	---	---	---	---	---	---
4-S.M. 3/.....	.1	---	---	.1	---	---
5-M. 3/.....	.8	---	---	.3	.2	.3
No grade 3/ 4/.....	.7	.5	---	---	.2	---

ARIZONA

All grades 2/....	299.2	32.8	57.0	69.2	97.5	42.7
White	197.4	32.3	56.5	61.9	22.8	23.9
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	50.9	12.0	21.6	17.0	.4	---
4-S.M.	83.6	17.1	25.6	31.2	8.8	.9
5-M.	38.2	2.4	7.7	12.3	9.4	6.4
6-S.L.M.	20.0	.7	.7	.9	3.0	14.7
7-L.M.	3.6	.1	.9	.4	.8	1.4
8-S.G.O. 3/.....	.7	---	.1	.1	.2	.3
9-G.O. 3/.....	.4	---	---	---	.2	.2
Spotted	101.7	.5	.5	7.3	74.7	18.7
3-G.M.	1.6	.1	.1	.9	.4	---
4-S.M.	45.7	.1	.4	5.7	32.2	7.3
5-M.	42.9	.3	---	.5	32.9	9.2
6-S.L.M. 3/.....	10.5	---	---	.2	8.4	1.9
7-L.M. 3/.....	1.1	---	---	---	.8	.3
Tinged	.1	---	---	---	---	.1
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/.....	---	---	---	---	---	---
6-S.L.M. 3/.....	.1	---	---	---	---	.1
7-L.M. 3/.....	---	---	---	---	---	---

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ARKANSAS

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,808.9	732.2	529.9	278.4	189.5	76.9
White	1,511.0	667.5	480.5	206.6	120.6	46.4
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	9.5	9.0	.5	---	---	---
4-S.M.	166.5	166.3	16.1	1.9	.2	---
5-M.	534.6	373.2	143.2	16.7	1.4	.5
6-S.L.M.	457.9	100.5	251.5	96.5	8.5	.9
7-L.M.	195.9	7.8	63.2	73.1	47.6	4.0
8-S.G.O. 3/.....	97.9	.6	3.8	15.4	50.5	27.6
9-G.O. 3/.....	28.5	.1	.2	2.2	12.4	13.6
Spotted	280.7	74.5	49.1	66.9	56.1	12.1
3-G.M.	1.3	1.0	.1	.2	---	---
4-S.M.	69.1	39.7	15.2	13.3	.8	.1
5-M.	106.2	30.2	28.9	34.7	10.5	.9
6-S.L.M. 3/.....	51.4	3.3	4.5	16.7	23.4	3.5
7-L.M. 3/.....	33.7	.3	.4	4.0	21.4	7.6
Tinged	21.1	---	---	3.5	9.3	8.3
3-G.M.	---	---	---	---	---	---
4-S.M.	1.0	---	---	.8	.2	---
5-M. 3/.....	2.8	---	---	1.5	1.1	.2
6-S.L.M. 3/.....	5.1	---	---	.7	2.6	1.8
7-L.M. 3/.....	12.2	---	---	.5	5.4	6.3
Yellow Stained	.5	---	---	---	.1	.2
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	---	---	---	---	---	---
5-M. 3/.....	.5	---	---	---	.1	.2
Gray	.8	---	.2	---	---	.6
3-G.M.	---	---	---	---	---	---
4-S.M.	.2	---	.2	---	---	---
5-M. 3/.....	.6	---	---	---	---	.6
No grade 3/ 4/.....	15.0	.2	.1	.2	3.2	11.3

CALIFORNIA

All grades 2/....	723.0	40.4	232.9	245.2	137.2	67.3
White	663.1	39.6	230.0	242.1	105.1	46.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	272.4	26.1	170.3	76.0	---	---
4-S.M.	189.5	13.1	57.1	107.6	11.7	---
5-M.	104.6	.5	2.4	51.9	49.5	.3
6-S.L.M.	71.6	.1	.1	6.6	39.5	25.7
7-L.M.	16.9	---	.1	---	2.2	14.6
8-S.G.O. 3/.....	6.1	---	---	---	.3	5.8
9-G.O. 3/.....	1.8	---	---	---	.1	1.7
Spotted	46.0	.6	2.9	3.1	26.9	10.5
3-G.M.	.3	.2	.1	---	---	---
4-S.M.	13.6	.4	2.6	2.5	5.7	2.6
5-M.	21.6	---	.2	.8	16.7	3.9
6-S.L.M. 3/.....	9.4	---	---	---	6.1	3.3
7-L.M. 3/.....	1.1	---	---	---	.4	.7
Gray	13.5	---	---	---	5.1	8.4
3-G.M.	---	---	---	---	---	---
4-S.M.	6.7	---	---	---	4.3	2.4
5-M. 3/.....	6.8	---	---	---	.8	6.0
No grade 3/ 4/.....	.4	---	---	---	.1	.3

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

FLORIDA

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	32.3	27.4	4.2	0.5	0.1	0.1
White	18.1	15.9	2.1	.1	---	---
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	1.1	1.1	---	---	---	---
5-M.	6.4	5.3	.1	---	---	---
6-S.L.M.	5.7	5.1	.5	.1	---	---
7-L.M.	3.9	2.8	1.1	---	---	---
8-S.G.O. 3/.....	1.0	.6	.4	---	---	---
9-G.O. 3/.....	---	---	---	---	---	---
Spotted	14.1	11.4	2.1	.4	.1	.1
3-G.M.	.1	.1	---	---	---	---
4-S.M.	4.4	4.4	---	---	---	---
5-M.	7.1	5.7	1.0	.2	.1	.1
6-S.L.M. 3/.....	2.2	1.0	1.0	.2	---	---
7-L.M. 3/.....	.3	.2	.1	---	---	---
No grade 3/ 4/.....	.1	.1	---	---	---	---

GEORGIA

All grades 2/....	1,473.1	881.5	367.0	164.9	50.5	9.2
White	1,113.7	703.8	286.9	94.7	25.0	3.3
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.1	.1	---	---	---	---
3-G.M.	10.1	7.7	2.2	.1	.1	---
4-S.M.	169.5	134.2	28.8	5.4	.8	.3
5-M.	435.3	326.3	82.0	20.6	5.2	1.2
6-S.L.M.	320.5	173.9	100.0	37.5	8.2	.9
7-L.M.	150.7	53.8	60.7	27.8	7.7	.7
8-S.G.O. 3/.....	24.3	6.8	12.0	3.0	2.3	.2
9-G.O. 3/.....	3.2	1.0	1.2	.3	.7	---
Spotted	346.6	174.2	79.1	66.2	22.1	5.0
3-G.M.	11.7	9.3	1.9	.4	.1	---
4-S.M.	128.9	81.4	29.6	15.6	2.3	---
5-M.	170.5	72.3	40.1	42.8	12.8	2.5
6-S.L.M. 3/.....	31.3	10.2	6.4	7.0	6.1	1.6
7-L.M. 3/.....	4.2	1.0	1.1	.4	.8	.9
Tinged	11.4	3.0	.7	5.6	3.3	.8
3-G.M.	1.0	.7	.1	.2	---	---
4-S.M.	4.2	1.4	.2	2.0	.6	---
5-M. 3/.....	4.5	.8	.5	1.2	2.1	.1
6-S.L.M. 3/.....	.7	---	.1	.1	.5	---
7-L.M. 3/.....	1.0	.1	---	.1	.1	.7
Yellow Stained	.4	.1	---	.1	.1	.1
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	.2	.1	---	.1	---	---
5-M. 3/.....	.2	---	---	---	.1	.1
No grade 3/ 4/.....	1.0	.4	.3	.3	---	---

See footnotes at end of table.

Table10.- Grade of American upland cotton ginned in the United States during specified periods,1/ by States, crop of 1937 - Continued

LOUISIANA

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	1,050.6	667.9	250.2	89.0	32.8	10.7
White	797.3	485.3	195.8	78.8	28.9	8.5
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	6.9	6.6	.3	---	---	---
4-S.M.	117.9	110.1	6.9	.7	.1	.1
5-M.	271.9	229.2	36.4	5.0	1.0	.3
6-S.L.M.	236.8	119.2	88.3	27.1	3.8	.4
7-L.M.	129.7	19.0	57.9	36.4	15.6	.8
8-S.G.O. 3/.....	27.1	1.0	5.7	8.7	7.4	4.3
9-G.O. 3/.....	5.0	.2	.3	.9	1.0	2.6
Spotted	251.7	181.8	54.4	10.1	3.9	1.5
3-G.M.	3.7	3.1	.6	---	---	---
4-S.M.	106.0	92.6	12.5	.9	.1	---
5-M.	106.6	73.0	27.6	4.6	1.0	.4
6-S.L.M. 3/.....	31.0	12.5	12.4	3.7	2.1	.3
7-L.M. 3/.....	4.4	.7	1.3	.9	.7	.8
Tinged	.2	.1	---	---	---	.1
3-G.M.	---	---	---	---	---	---
4-S.M.	.1	.1	---	---	---	---
5-M. 3/.....	---	---	---	---	---	---
6-S.L.M. 3/.....	---	---	---	---	---	---
7-L.M. 3/.....	.1	---	---	---	---	.1
No grade 3/ 4/.....	1.4	.7	---	.1	---	.6

MISSISSIPPI

All grades 2/....	2,861.8	1,214.1	690.8	328.8	185.7	142.4
White	2,277.8	1,059.0	624.7	306.0	167.5	120.6
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.1	.1	---	---	---	---
3-G.M.	43.1	40.4	2.6	.1	.1	---
4-S.M.	355.8	303.1	47.3	4.3	.9	.2
5-M.	709.7	511.5	172.4	22.1	3.2	.5
6-S.L.M.	651.8	188.8	303.1	141.0	17.8	1.1
7-L.M.	306.9	14.5	95.6	114.9	71.4	10.6
8-S.G.O. 3/.....	141.0	.6	3.7	20.7	62.0	54.0
9-G.O. 3/.....	69.4	---	.2	2.9	12.1	54.2
Spotted	263.5	154.9	66.0	21.9	15.4	5.3
3-G.M.	9.6	5.8	3.4	.4	---	---
4-S.M.	139.0	94.8	35.6	7.5	1.0	.1
5-M.	87.9	48.7	23.2	10.7	4.9	.4
6-S.L.M. 3/.....	21.5	5.4	3.3	2.9	8.1	1.8
7-L.M. 3/.....	5.5	.2	.5	.4	1.4	3.0
Tinged	3.1	.1	---	.6	1.3	1.1
3-G.M.	---	---	---	---	---	---
4-S.M.	.7	.1	---	.2	.4	---
5-M. 3/.....	1.0	---	---	.3	.4	.3
6-S.L.M. 3/.....	.8	---	---	.1	.4	.3
7-L.M. 3/.....	.6	---	---	---	.1	.8
Yellow Stained	.1	---	---	---	.1	---
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	.1	---	---	---	.1	---
5-M. 3/.....	---	---	---	---	---	---
Gray	.8	---	---	---	---	.8
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	---	---	---	---	---	---
5-M. 3/.....	.8	---	---	---	---	.8
No grade 3/ 4/.....	16.5	.1	.1	.3	1.4	14.6

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods,1/ by States, crop of 1937 - Continued

MISSOURI

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	390.2	100.1	110.7	76.9	72.0	30.5
White	224.2	88.8	102.7	20.7	10.2	1.8
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	.3	.3	---	---	---	---
4-S.M.	23.9	19.8	4.0	.1	---	---
5-M.	94.0	56.0	36.5	1.4	---	.1
6-S.L.M.	80.0	12.1	58.3	9.4	.2	---
7-L.M.	8.8	.6	3.9	3.5	.8	---
8-S.G.O. 3/.....	10.7	---	---	4.4	5.7	.6
9-G.O. 3/.....	6.5	---	---	1.9	3.5	1.1
Spotted	96.0	11.0	8.0	48.3	26.6	2.1
3-G.M.	.7	.5	---	.2	---	---
4-S.M.	14.2	6.4	3.0	4.7	.1	---
5-M.	27.3	3.4	4.6	18.2	1.1	---
6-S.L.M. 3/.....	21.7	.6	.4	12.6	7.9	.2
7-L.M. 3/.....	32.1	.1	---	12.6	17.5	1.9
Tinged	33.9	---	---	6.9	19.7	7.3
3-G.M.	---	---	---	---	---	---
4-S.M.	.9	---	---	.9	---	---
5-M. 3/.....	1.3	---	---	1.1	.2	---
6-S.L.M. 3/.....	6.4	---	---	1.6	4.5	.3
7-L.M. 3/.....	25.3	---	---	3.3	15.0	7.0
Yellow Stained	.9	---	---	---	.6	.3
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	---	---	---	---	---	---
5-M. 3/.....	.9	---	---	---	.6	.3
No grade 3/ 4/.....	35.2	.3	---	1.0	14.9	19.0

NEW MEXICO

All grades 2/....	153.8	17.5	44.9	57.8	26.0	7.6
White	118.7	17.4	44.1	51.6	5.4	.2
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	39.9	11.1	13.6	15.2	---	---
4-S.M.	65.8	6.0	26.8	30.9	2.1	---
5-M.	11.0	.3	3.6	5.3	1.8	---
6-S.L.M.	1.5	---	.1	.2	1.2	---
7-L.M.	.2	---	---	---	.2	---
8-S.G.O. 3/.....	.2	---	---	---	.1	.1
9-G.O. 3/.....	.1	---	---	---	---	.1
Spotted	32.5	.1	.8	6.2	18.9	6.5
3-G.M.	1.9	---	.1	1.5	.3	---
4-S.M.	11.9	.1	.7	3.7	7.4	---
5-M.	7.0	---	---	.9	5.6	.5
6-S.L.M. 3/.....	4.2	---	---	.1	2.7	1.4
7-L.M. 3/.....	7.5	---	---	---	2.9	4.6
Tinged	1.8	---	---	---	1.7	.1
3-G.M.	---	---	---	---	---	---
4-S.M.	.1	---	---	---	---	.1
5-M. 3/.....	.6	---	---	---	.6	---
6-S.L.M. 3/.....	1.0	---	---	---	1.0	---
7-L.M. 3/.....	.1	---	---	---	.1	---
No grade 3/ 4/.....	.6	---	---	---	---	.6

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods,1/ by States, crop of 1937 - Continued

NORTH CAROLINA

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	780.6	217.9	290.6	200.5	59.1	12.5
White	651.6	191.4	241.6	146.4	42.8	9.4
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	7.0	5.2	1.6	.2	---	---
4-S.M.	76.0	42.6	23.8	7.4	1.2	.8
5-M.	255.8	98.2	95.2	45.0	12.6	2.6
6-S.L.M.	229.5	42.4	101.1	67.1	16.6	2.1
7-L.M.	62.0	2.7	19.3	25.8	11.0	3.5
8-S.G.O. 3/.....	3.3	.1	.6	1.2	1.2	.2
9-G.O. 3/.....	---	---	---	---	---	---
Spotted	143.7	26.3	48.2	51.5	15.3	2.4
3-G.M.	2.0	1.2	.6	.2	---	---
4-S.M.	51.9	13.9	18.9	16.7	2.3	.1
5-M.	82.0	10.7	27.6	32.2	10.3	1.2
6-S.L.M. 3/.....	7.2	.4	1.1	2.4	2.6	.7
7-L.M. 3/.....	.6	.1	---	---	.1	.4
Tinged	5.1	---	.6	2.6	1.0	.7
3-G.M.	.2	---	---	.2	---	---
4-S.M. 3/.....	2.3	---	.2	1.4	.6	.3
5-M. 3/.....	2.6	---	.6	1.0	.6	.4
6-S.L.M. 3/.....	---	---	---	---	---	---
7-L.M. 3/.....	---	---	---	---	---	---
No grade 3/ 4/.....	.2	.2	---	---	---	---

OKLAHOMA

All grades 2/....	756.4	232.9	247.7	170.7	83.9	21.2
White	439.7	165.2	155.1	80.4	35.5	3.5
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.1	.1	---	---	---	---
3-G.M.	1.6	1.4	.1	.1	---	---
4-S.M.	46.4	25.6	17.1	2.5	---	---
5-M.	117.6	55.6	51.4	10.1	.5	---
6-S.L.M.	117.5	41.2	50.1	23.9	2.3	---
7-L.M.	102.3	30.9	27.8	31.8	11.6	.2
8-S.G.O. 3/.....	47.4	9.6	6.0	11.0	16.7	2.1
9-G.O. 3/.....	7.8	.6	.6	1.0	4.4	1.2
Spotted	305.2	67.4	92.4	89.6	44.9	10.9
3-G.M.	.9	.5	.3	---	.1	---
4-S.M.	93.3	28.6	37.6	25.7	1.2	---
5-M.	122.0	24.9	42.9	44.7	9.1	.4
6-S.L.M. 3/.....	56.6	9.5	10.0	15.0	18.6	3.5
7-L.M. 3/.....	32.4	3.7	1.6	4.2	15.7	7.2
Tinged	7.6	.2	.2	.6	2.0	4.6
3-G.M.	---	---	---	---	---	---
4-S.M.	.3	---	.1	.2	---	---
5-M. 3/.....	.6	.1	.1	.3	.3	---
6-S.L.M. 3/.....	2.1	.1	---	.1	1.1	.6
7-L.M. 3/.....	4.4	---	---	---	.6	3.8
Gray	.1	---	---	---	.1	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/.....	.1	---	---	---	.1	---
No grade 3/ 4/.....	3.8	.1	---	.1	1.4	2.2

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
SOUTH CAROLINA						
All grades 2/....	996.2	414.6	356.7	166.6	47.7	10.6
White	726.4	322.0	258.7	106.7	32.3	7.7
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	1.3	1.0	.2	.1	---	---
4-S.M.	57.7	42.8	10.9	2.5	.7	.6
5-M.	264.6	167.1	90.6	24.4	9.6	2.7
6-S.L.M.	297.0	101.6	124.9	54.4	13.8	2.3
7-L.M.	80.3	18.0	30.6	23.3	6.6	1.6
8-S.G.O. 3/.....	5.5	1.5	1.3	1.0	1.4	.3
9-G.O. 3/.....	---	---	---	---	---	---
Spotted	265.6	91.6	97.7	58.9	14.5	2.9
3-G.M.	3.2	2.5	.6	.1	---	---
4-S.M.	85.7	40.8	32.7	11.3	.8	.1
5-M.	158.4	44.2	59.0	42.2	10.6	2.4
6-S.L.M. 3/.....	17.6	4.0	5.3	5.1	3.0	.4
7-L.M. 3/.....	.6	.1	.1	.2	.1	---
Tinged	3.8	.7	.2	2.0	.9	---
3-G.M.	.1	.1	---	---	---	---
4-S.M.	1.3	.4	.1	.7	.1	---
5-M. 3/.....	2.3	.2	.1	1.3	.7	---
6-S.L.M. 3/.....	.1	---	---	---	.1	---
7-L.M. 3/.....	---	---	---	---	---	---
No grade 3/ 4/.....	.4	.3	.1	---	---	---
TENNESSEE						
All grades 2/....	633.3	151.7	203.3	137.8	106.7	33.8
White	422.7	132.5	174.6	64.6	40.1	10.9
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	3.2	2.4	.8	---	---	---
4-S.M.	75.3	57.1	17.3	.8	.1	---
5-M.	135.9	66.2	61.9	8.2	.4	.2
6-S.L.M.	136.9	7.6	85.8	39.5	2.9	.1
7-L.M.	29.0	.2	8.6	12.5	7.4	.3
8-S.G.O. 3/.....	32.4	---	.2	3.3	22.2	6.7
9-G.O. 3/.....	11.0	---	---	.3	7.1	3.6
Spotted	174.7	19.1	28.7	67.5	48.8	10.6
3-G.M.	1.6	1.1	.2	.2	---	.1
4-S.M.	39.7	12.2	12.7	13.0	1.6	.2
5-M.	67.1	5.1	13.4	37.6	10.5	.6
6-S.L.M. 3/.....	38.1	.7	2.2	14.0	16.4	2.8
7-L.M. 3/.....	28.2	---	.2	2.8	18.3	6.9
Tinged	24.4	---	---	5.6	12.2	6.6
3-G.M.	---	---	---	---	---	---
4-S.M.	2.2	---	---	1.2	1.0	---
5-M. 3/.....	5.4	---	---	2.1	3.1	.2
6-S.L.M. 3/.....	6.1	---	---	1.6	2.9	1.6
7-L.M. 3/.....	10.7	---	---	.7	5.2	4.8
Yellow Stained	.6	---	---	---	.3	.3
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	.1	---	---	---	.1	---
5-M. 3/.....	.5	---	---	---	.2	.3
No grade 3/ 4/.....	10.9	.1	---	.1	5.3	5.4

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
TEXAS						
All grades 2/....	4,962.4	2,649.4	1,012.7	829.2	331.7	129.4
White	3,495.8	2,051.4	666.9	574.9	168.5	34.1
1-M.F.	---	---	---	---	---	---
2-S.G.M.	.3	.2	.1	---	---	---
3-G.M.	100.8	72.3	24.6	3.8	.2	---
4-S.M.	983.2	761.3	154.5	64.3	2.9	.2
5-M.	1,319.9	865.2	232.3	206.4	16.3	.7
6-S.L.M.	727.9	289.0	183.6	215.8	36.2	3.3
7-L.M.	270.7	55.0	64.1	72.2	69.7	9.7
8-S.G.O. 3/.....	78.7	7.7	7.2	12.5	36.9	14.4
9-G.O. 3/.....	14.3	.7	.6	.9	6.3	5.8
Spotted	1,432.5	596.5	346.2	254.0	156.3	80.5
3-G.M.	35.8	20.4	14.1	1.2	.1	---
4-S.M.	666.0	384.7	173.3	89.4	7.4	.2
5-M.	473.9	175.3	131.8	131.6	35.6	2.1
6-S.L.M. 3/.....	171.8	16.5	24.6	29.1	70.9	30.7
7-L.M. 3/.....	86.0	1.6	1.9	2.7	42.3	47.5
Tinged	18.8	1.2	.4	.2	5.2	11.8
3-G.M.	.1	---	.1	---	---	---
4-S.M.	.6	.5	---	.1	---	---
5-M. 3/.....	3.5	.6	.3	---	1.0	1.6
6-S.L.M. 3/.....	7.6	---	---	.1	2.6	4.9
7-L.M. 3/.....	7.0	.1	---	---	1.6	5.3
Yellow Stained	.4	.1	.1	---	---	.2
3-G.M.	---	---	---	---	---	---
4-S.M. 3/.....	.1	.1	---	---	---	---
5-M. 3/.....	.3	---	.1	---	---	.2
Gray	.2	.1	---	---	---	.1
3-G.M.	---	---	---	---	---	---
4-S.M.	.1	.1	---	---	---	---
5-M. 3/.....	.1	---	---	---	---	.1
No grade 3/ 4/.....	4.7	.1	.1	.1	1.7	2.7
VIRGINIA						
All grades 2/....	40.2	5.1	13.5	14.0	5.6	2.0
White	33.2	4.7	12.4	11.0	3.8	1.3
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	---	---	---	---
4-S.M.	.5	.2	.2	.1	---	---
5-M.	6.1	1.6	2.7	1.2	.5	.1
6-S.L.M.	20.6	2.2	7.8	7.7	2.1	.8
7-L.M.	5.7	.7	1.6	2.0	1.0	.4
8-S.G.O. 3/.....	.8	---	.1	---	.2	---
9-G.O. 3/.....	---	---	---	---	---	---
Spotted	6.9	.4	1.1	3.0	1.7	.7
3-G.M.	---	---	---	---	---	---
4-S.M.	.7	.1	.2	.4	---	---
5-M.	5.2	.2	.8	2.6	1.2	.5
6-S.L.M. 3/.....	1.0	.1	.1	.1	.5	.2
7-L.M. 3/.....	---	---	---	---	---	---
Tinged	.1	---	---	---	.1	---
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	---	---	---
5-M. 3/.....	.1	---	---	---	.1	---
6-S.L.M. 3/.....	---	---	---	---	---	---
7-L.M. 3/.....	---	---	---	---	---	---

See footnotes at end of table.

Table 10.- Grade of American upland cotton ginned in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ALL OTHER STATES 5/

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/....	18.5	4.7	6.4	3.5	2.6	1.4
White	13.6	4.3	6.3	1.8	.9	.3
1-M.F.	---	---	---	---	---	---
2-S.G.M.	---	---	---	---	---	---
3-G.M.	---	---	.1	---	---	---
4-S.M.	1.2	1.1	.1	---	---	---
5-M.	5.1	3.0	2.1	---	---	---
6-S.L.M.	4.3	.2	3.6	.5	.1	---
7-L.M.	1.3	---	.5	.7	.3	---
8-S.G.O. 3/.....	.7	---	---	.4	.3	---
9-G.O. 3/.....	1.0	---	---	.2	.6	.3
Spotted	2.7	.4	.1	1.4	.6	.2
3-G.M.	---	---	---	---	---	---
4-S.M.	.1	---	.1	---	---	---
5-M.	.9	.2	---	.6	.1	---
6-S.L.M. 3/.....	.6	.2	---	.4	.5	.2
7-L.M. 3/.....	1.1	---	---	.4	---	---
Tinged	.8	---	---	.2	.2	.4
3-G.M.	---	---	---	---	---	---
4-S.M.	---	---	---	.1	---	---
5-M. 3/.....	.1	---	---	---	---	.1
6-S.L.M. 3/.....	.1	---	---	.1	.2	.3
7-L.M. 3/.....	.6	---	---	---	---	---
Yellow Stained	.1	---	---	---	.1	---
3-G.M. 3/.....	---	---	---	---	---	---
4-S.M. 3/.....	---	---	---	---	.1	---
5-M. 3/.....	.1	---	---	---	---	---
No grade 3/ 4/.....	1.3	---	---	.1	.7	.5

1/ Periods are those used by the Bureau of the Census.
2/ As reported by the Bureau of the Census.
3/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
4/ Includes bales not otherwise classified above.
5/ Includes Illinois, Kansas, and Kentucky.

Table 11.- Grade of American-Egyptian cotton ginned in the United States during specified periods, 1/ crop of 1937

(Quantities are given in running bales)

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 2/	11.0	1.8	3.5	2.7	1.6	1.4
1 and 1 1/2	7.2	1.4	2.9	2.2	.7	---
2 and 2 1/2	2.9	.4	.6	.5	.8	.6
3 and 3 1/2	.7	---	---	---	.1	.6
4 and 4 1/2	.2	---	---	---	---	.2
5	---	---	---	---	---	---
Below 5	---	---	---	---	---	---

1/ Periods are those used by the Bureau of the Census.
2/ As reported by the Bureau of the Census.

Table 12.- Grade 1/ of Sea-Island cotton ginned in the United States during specified periods, 2/ crop of 1937

(Quantities are given in running bales)

Grade	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades 3/	4.0	1.1	2.1	0.5	0.3	---
1	.7	.3	.3	.1	---	---
2	1.2	.4	.7	---	.1	---
3	1.1	.3	.6	.1	.1	---
4	.7	.1	.4	.1	.1	---
5	.2	---	.1	.1	---	---
6	---	---	---	---	---	---
Below 6	.1	---	---	.1	---	---

1/ In classing for grade the standards for Sea-Island cotton in effect from Oct. 25, 1918 - Jan. 22, 1925 were used as a guide.
2/ Periods are those used by the Bureau of the Census.
3/ As reported by the Bureau of the Census.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

UNITED STATES

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	18,237.1	8,257.2	4,894.7	3,011.9	1,466.8	606.5
Shorter than 7/8 3/...	1,834.6	738.3	508.3	323.3	166.1	98.6
7/8 and 29/32	5,235.0	2,516.7	1,326.9	863.8	416.8	110.8
15/16 and 31/32	5,038.7	2,301.8	1,336.4	853.4	384.5	162.6
1 and 1-1/32	3,542.4	1,773.6	987.7	449.1	211.7	120.3
1-1/16 and 1-3/32	1,638.5	573.5	409.5	329.9	218.7	106.9
1-1/8 and 1-5/32	842.2	281.0	300.9	186.8	66.5	7.0
1-3/16 and 1-7/32	90.2	62.7	20.1	5.0	2.1	.3
1-1/4 and longer	15.5	9.6	4.9	.6	.4	---
ALABAMA						
All lengths 2/....	1,566.6	867.0	476.2	178.9	38.3	6.2
Shorter than 7/8 3/...	269.9	149.1	87.5	26.9	6.0	.4
7/8 and 29/32	736.5	399.1	216.8	91.8	24.9	3.9
15/16 and 31/32	401.2	204.7	135.8	51.9	7.1	1.7
1 and 1-1/32	151.9	108.9	34.5	8.0	.3	.2
1-1/16 and 1-3/32	5.6	4.6	.8	.2	---	---
1-1/8 and 1-5/32	1.1	.5	.5	.1	---	---
1-3/16 and 1-7/32	.3	---	.3	---	---	---
1-1/4 and longer	.1	.1	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

ARIZONA

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	299.2	32.8	57.0	69.2	97.5	42.7
Shorter than 7/8 3/...	---	---	---	---	---	---
7/8 and 29/32	---	---	---	---	---	---
15/16 and 31/32	1.1	---	---	.3	.3	.5
1 and 1-1/32	76.2	4.1	5.3	17.8	31.8	17.2
1-1/16 and 1-3/32	211.3	28.0	44.5	49.6	64.3	24.9
1-1/8 and 1-5/32	10.5	.7	7.1	1.5	1.1	.1
1-3/16 and 1-7/32	.1	---	.1	---	---	---
1-1/4 and longer	---	---	---	---	---	---
ARKANSAS						
All lengths 2/....	1,808.9	732.2	529.9	278.4	189.5	78.9
Shorter than 7/8 3/...	103.8	33.3	36.6	22.9	9.6	1.4
7/8 and 29/32	330.2	114.2	106.6	54.8	42.4	12.2
15/16 and 31/32	651.2	244.5	181.4	108.5	82.5	34.3
1 and 1-1/32	499.6	242.0	142.8	59.7	34.1	21.0
1-1/16 and 1-3/32	161.4	76.6	37.7	22.3	16.5	8.3
1-1/8 and 1-5/32	54.3	20.4	20.1	8.9	3.2	1.7
1-3/16 and 1-7/32	7.1	1.1	4.1	1.0	.9	---
1-1/4 and longer	1.3	.1	.6	.3	.3	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

CALIFORNIA

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	723.0	40.4	232.9	245.2	137.2	67.3
Shorter than 7/8 3/...	---	---	---	---	---	---
7/8 and 29/32	.1	---	---	---	.1	---
15/16 and 31/32	---	---	---	---	---	---
1 and 1-1/32	25.1	1.2	1.7	2.2	8.1	11.9
1-1/16 and 1-3/32	310.7	24.5	57.5	96.4	77.9	54.4
1-1/8 and 1-5/32	384.2	14.7	172.0	145.8	50.7	1.0
1-3/16 and 1-7/32	2.9	---	1.7	.8	.4	---
1-1/4 and longer	---	---	---	---	---	---

FLORIDA

All lengths 2/....	32.3	27.4	4.2	0.5	0.1	0.1
Shorter than 7/8 3/...	2.3	2.0	.3	---	---	---
7/8 and 29/32	23.4	19.5	3.3	.4	.1	.1
15/16 and 31/32	5.4	4.8	.5	.1	---	---
1 and 1-1/32	1.2	1.1	.1	---	---	---
1-1/16 and 1-3/32	---	---	---	---	---	---
1-1/8 and 1-5/32	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

GEORGIA

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	1,473.1	881.5	367.0	164.9	50.5	9.2
Shorter than 7/8 3/...	68.8	34.3	24.5	8.4	1.6	---
7/8 and 29/32	539.1	359.0	112.0	44.7	19.5	3.9
15/16 and 31/32	498.9	253.4	126.3	87.2	27.1	4.9
1 and 1-1/32	351.1	221.7	102.4	24.4	2.2	.4
1-1/16 and 1-3/32	14.0	11.9	1.8	.2	.1	---
1-1/8 and 1-5/32	.8	.8	---	---	---	---
1-3/16 and 1-7/32	.4	.4	---	---	---	----
1-1/4 and longer	---	---	---	---	---	---

LOUISIANA

All lengths 2/....	1,050.6	667.9	250.2	89.0	32.8	10.7
Shorter than 7/8 3/...	81.7	53.3	23.5	4.2	.4	.3
7/8 and 29/32	123.4	77.8	29.5	10.5	4.5	1.1
15/16 and 31/32	317.2	169.5	83.1	41.1	17.1	6.4
1 and 1-1/32	389.8	254.7	94.4	28.1	9.8	2.8
1-1/16 and 1-3/32	117.4	95.0	16.9	4.5	.9	.1
1-1/8 and 1-5/32	19.4	16.0	2.7	.6	.1	---
1-3/16 and 1-7/32	1.7	1.6	.1	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

MISSISSIPPI

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	2,561.8	1,214.1	690.8	328.8	185.7	142.4
Shorter than 7/8 3/...	54.5	24.5	18.5	9.3	2.0	.2
7/8 and 29/32	153.3	62.6	49.7	22.4	12.1	6.5
15/16 and 31/32	579.0	214.1	171.4	82.2	50.2	61.1
1 and 1-1/32	841.9	391.3	192.3	120.6	81.4	56.3
1-1/16 and 1-3/32	521.0	241.1	162.6	71.8	31.2	14.3
1-1/8 and 1-5/32	324.6	213.3	79.9	19.6	8.0	3.8
1-3/16 and 1-7/32	74.3	58.3	12.4	2.7	.7	.2
1-1/4 and longer	13.2	8.9	4.0	.2	.1	---

MISSOURI

All lengths 2/....	390.2	100.1	110.7	76.9	72.0	30.5
Shorter than 7/8 3/...	32.9	8.0	9.8	4.0	8.1	3.0
7/8 and 29/32	96.4	21.3	20.2	14.5	27.9	12.5
15/16 and 31/32	152.2	34.7	36.7	35.3	31.4	14.1
1 and 1-1/32	98.2	31.8	40.1	20.9	4.5	.9
1-1/16 and 1-3/32	9.9	4.1	3.8	2.0	---	---
1-1/8 and 1-5/32	.4	.2	.1	.1	---	---
1-3/16 and 1-7/32	.1	---	---	---	.1	---
1-1/4 and longer	.1	---	---	.1	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

NEW MEXICO

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	153.8	17.5	44.9	57.8	26.0	7.6
Shorter than 7/8 3/...	1.4	---	---	.5	.7	.2
7/8 and 29/32	4.2	---	.1	1.5	1.9	.7
15/16 and 31/32	2.9	---	---	.2	.8	1.9
1 and 1-1/32	25.7	2.7	3.7	8.6	6.6	4.1
1-1/16 and 1-3/32	103.1	13.3	33.7	40.6	14.9	.6
1-1/8 and 1-5/32	16.2	1.5	7.3	6.3	1.1	---
1-3/16 and 1-7/32	.3	---	.1	.1	---	.1
1-1/4 and longer	---	---	---	---	---	---

NORTH CAROLINA

All lengths 2/....	780.6	217.9	290.6	200.5	59.1	12.5
Shorter than 7/8 3/...	10.1	2.6	3.3	3.3	.5	.4
7/8 and 29/32	125.9	29.2	39.0	35.6	17.0	5.1
15/16 and 31/32	306.2	55.5	106.8	108.0	32.2	3.6
1 and 1-1/32	302.5	110.5	131.0	51.2	9.0	.8
1-1/16 and 1-3/32	29.0	17.4	7.8	1.4	.2	2.2
1-1/8 and 1-5/32	4.4	1.7	1.5	.6	.2	.4
1-3/16 and 1-7/32	1.8	.5	.9	.4	---	---
1-1/4 and longer	.7	.4	.3	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

OKLAHOMA

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	756.4	232.9	247.7	170.7	83.9	21.2
Shorter than 7/8 3/...	164.0	66.6	39.4	29.6	17.1	11.3
7/8 and 29/32	375.2	113.8	123.0	88.3	44.9	5.2
15/16 and 31/32	176.6	46.7	67.7	39.5	18.4	4.3
1 and 1-1/32	34.2	5.5	13.4	11.5	3.4	.4
1-1/16 and 1-3/32	6.0	.3	3.9	1.7	.1	---
1-1/8 and 1-5/32	.4	---	.3	.1	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

SOUTH CAROLINA

All lengths 2/....	996.2	414.6	366.7	166.6	47.7	10.6
Shorter than 7/8 3/...	2.9	.9	1.1	.9	---	---
7/8 and 29/32	123.0	31.4	38.4	29.6	18.8	4.8
15/16 and 31/32	455.7	152.2	174.2	100.7	24.0	4.6
1 and 1-1/32	372.0	201.4	131.7	33.1	4.6	1.2
1-1/16 and 1-3/32	35.3	24.1	9.1	1.9	.2	---
1-1/8 and 1-5/32	6.1	3.8	1.8	.4	.1	---
1-3/16 and 1-7/32	1.1	.7	.4	---	---	---
1-1/4 and longer	.1	.1	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

TENNESSEE

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	633.3	151.7	203.3	137.8	106.7	33.8
Shorter than 7/8 3/...	97.6	34.9	38.9	16.1	5.7	2.0
7/8 and 29/32	116.2	28.9	31.6	19.2	27.8	8.7
15/16 and 31/32	249.5	46.5	64.0	57.1	61.0	20.9
1 and 1-1/32	157.0	39.2	63.3	40.5	11.8	2.2
1-1/16 and 1-3/32	12.9	2.2	5.4	4.9	.4	---
1-1/8 and 1-5/32	.1	---	.1	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

TEXAS

All lengths 2/....	4,952.4	2,649.4	1,012.7	829.2	331.7	129.4
Shorter than 7/8 3/...	944.3	328.8	224.9	197.0	114.4	79.2
7/8 and 29/32	2,469.6	1,258.1	552.3	443.1	171.2	44.9
15/16 and 31/32	1,214.9	872.0	179.1	133.1	28.3	2.4
1 and 1-1/32	203.9	153.4	25.1	20.8	3.8	.8
1-1/16 and 1-3/32	99.9	29.6	23.8	32.4	12.0	2.1
1-1/8 and 1-5/32	19.7	7.4	7.5	2.8	2.0	---
1-3/16 and 1-7/32	.1	.1	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

See footnotes at end of table.

Table 13.- Staple length of American upland cotton in the United States during specified periods, 1/ by States, crop of 1937 - Continued

VIRGINIA

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/....	40.2	5.1	13.5	14.0	5.6	2.0
Shorter than 7/8 3/...	.2	---	---	.1	---	.1
7/8 and 29/32	17.2	1.7	4.3	7.3	2.9	1.0
15/16 and 31/32	20.0	2.4	7.8	6.3	2.6	.9
1 and 1-1/32	2.7	.9	1.4	.3	.1	---
1-1/16 and 1-3/32	.1	.1	---	---	---	---
1-1/8 and 1-5/32	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---
ALL OTHER STATES 4/						
All lengths 2/....	18.5	4.7	6.4	3.5	2.5	1.4
Shorter than 7/8 3/...	.2	---	---	.1	---	.1
7/8 and 29/32	1.3	.1	.1	.1	.8	.2
15/16 and 31/32	6.7	.7	1.6	1.9	1.5	1.0
1 and 1-1/32	9.4	3.2	4.5	1.4	.2	.1
1-1/16 and 1-3/32	.9	.7	.2	---	---	---
1-1/8 and 1-5/32	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---

1/ Periods are those used by the Bureau of the Census.
2/ As reported by the Bureau of the Census.
3/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
4/ Includes Illinois, Kansas, and Kentucky.

Table 14 .- Staple length of American-Egyptian cotton ginned in the United States, during specified periods, 1/ crop of 1937

(Quantities are given in running bales.)

Staple length (inches)	Total crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/.	11.0	1.8	3.5	2.7	1.6	1.4
Shorter than 1½.....	.2	---	---	---	---	.2
1½ and 1-17/32.....	2.8	.7	.6	.4	.3	.8
1-9/16 and 1-19/32..	6.5	1.1	2.1	1.8	1.1	.4
1-5/8 to 1-23/32....	1.5	---	.8	.5	.2	---
1-3/4 and longer....	---	---	---	---	---	---

1/ Periods are those used by the Bureau of the Census.
2/ As reported by the Bureau of the Census.

Table 15 .- Staple length of Sea-Island Cotton ginned in the United States during specified periods, 1/ crop of 1937

(Quantities are given in running bales.)

Staple length (inches)	Total Crop	Ginnings during specified period				
		Prior to Oct. 1	October	November	Dec. 1-Jan. 15	After Jan. 15
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All lengths 2/.	4.0	1.1	2.1	0.5	0.3	---
Shorter than 1½.....	---	---	---	---	---	---
1½ and 1-17/32.....	.5	---	.3	.2	---	---
1-9/16 and 1-19/32..	1.0	.3	.4	.1	.2	---
1-5/8 and 1-21/32...	1.6	.4	.9	.2	.1	---
1-11/16 and 1-23/32.	.5	.2	.3	---	---	---
1-3/4 and longer	.4	.2	.2	---	---	---

1/ Periods are those used by the Bureau of the Census.
2/ As reported by the Bureau of the Census.

Table 16.- Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1937 (fig. 1)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5		District 6	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 1,566.6	100.0	303.3	100.0	317.2	100.0	123.9	100.0	691.3	100.0	63.6	100.0	67.3	100.0
Shorter than 7/8 2/...	269.9	17.2	59.0	19.5	52.4	16.5	9.8	7.9	136.1	19.7	5.2	8.2	7.4	11.0
7/8 and 29/32	736.6	47.0	115.3	38.0	143.0	45.1	67.8	54.7	337.8	48.8	33.6	52.8	39.0	57.9
15/16 and 31/32	401.2	25.6	92.9	30.6	91.7	28.9	37.2	30.0	145.8	21.1	17.8	28.0	15.8	23.5
1 and 1-1/32	151.9	9.7	35.1	11.6	27.8	8.8	9.0	7.3	68.9	10.0	6.4	10.1	4.7	7.0
1-1/16 and 1-3/32	5.6	.4	.9	.3	1.1	.3	.1	.1	2.6	.4	.5	.8	.4	.6
1-1/8 and 1-5/32	1.1	.1	.1	3/	.8	.3	---	---	.1	3/	.1	.1	---	---
1-3/16 and 1-7/32	.3	3/	---	---	.3	.1	---	---	---	---	---	---	---	---
1-1/4 and longer	.1	3/	---	---	.1	3/	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



FIGURE 1

Table 17.- Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1937 (fig.2)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 1,808.9	100.0	19.5	100.0	201.7	100.0	206.8	100.0	1,245.3	100.0	135.6	100.0
Shorter than 7/8 2/..	103.8	5.7	16.1	82.6	35.5	17.6	7.5	3.6	42.7	3.4	2.0	1.5
7/8 and 29/32	330.2	18.3	3.1	15.9	89.8	44.5	83.9	40.6	142.6	11.5	10.8	8.0
15/16 and 31/32	651.2	36.0	.3	1.5	65.9	32.7	101.7	49.2	415.7	33.4	67.6	49.8
1 and 1-1/32	499.6	27.6	---	---	10.2	5.1	12.9	6.2	427.2	34.3	49.3	36.3
1-1/16 and 1-3/32 ...	161.4	8.9	---	---	.3	.1	.8	.4	154.8	12.4	5.5	4.1
1-1/8 and 1-5/32	54.3	3.0	---	---	---	---	---	---	53.9	4.3	.4	.3
1-3/16 and 1-7/32 ...	7.1	.4	---	---	---	---	---	---	7.1	.6	---	---
1-1/4 and longer	1.3	.1	---	---	---	---	---	---	1.3	.1	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of future contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.



FIGURE 2

Table 18.- Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1937 (fig. 3)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 1,473.1	100.0	122.6	100.0	594.4	100.0	125.9	100.0	630.2	100.0
Shorter than 7/8 2/..	68.8	4.7	.8	.6	7.8	1.3	11.0	8.7	49.2	7.8
7/8 and 29/32	539.1	36.6	17.3	14.1	107.0	18.0	73.1	58.0	341.7	54.2
15/16 and 31/32	498.9	33.9	55.8	45.5	252.5	42.5	28.1	22.3	162.5	25.8
1 and 1-1/32	351.1	23.8	46.9	38.3	220.9	37.2	12.7	10.1	70.6	11.2
1-1/16 and 1-3/32 ...	14.0	.9	1.8	1.5	6.0	1.0	.6	.5	5.6	.9
1-1/8 and 1-5/32	.8	.1	---	---	.2	3/	.2	.2	.4	.1
1-3/16 and 1-7/32 ...	.4	3/	---	---	---	---	.2	.2	.2	3/
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



FIGURE 3

Table 19.- Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1937 (fig. 4)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 1,050.6	100.0	202.2	100.0	100.9	100.0	696.0	100.0	51.5	100.0
Shorter than 7/8 2/...	81.7	7.8	59.6	29.5	.5	.5	17.5	2.5	4.1	7.9
7/8 and 29/32	123.4	11.7	64.8	32.1	5.7	5.7	42.6	6.1	10.3	20.0
15/16 and 31/32	317.2	30.2	49.8	24.6	62.6	62.0	177.3	25.5	27.5	53.4
1 and 1-1/32	389.8	37.1	25.5	12.6	30.5	30.2	324.7	46.7	9.1	17.7
1-1/16 and 1-3/32	117.4	11.2	2.5	1.2	1.6	1.6	112.8	16.2	.5	1.0
1-1/8 and 1-5/32	19.4	1.8	---	---	---	---	19.4	2.8	---	---
1-3/16 and 1-7/32	1.7	.2	---	---	---	---	1.7	.2	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.



FIGURE 4

Table 20.- Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1937 (fig. 5)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 2,561.8	100.0	1,364.3	100.0	435.6	100.0	761.9	100.0
Shorter than 7/8 2/....	54.5	2.1	.3	3/	8.6	2.0	45.6	6.0
7/8 and 29/32	153.3	6.0	10.0	.7	29.6	6.8	113.7	14.9
15/16 and 31/32	579.0	22.6	139.4	10.2	144.4	33.1	295.2	38.7
1 and 1-1/32	841.9	32.9	372.4	27.3	202.4	46.5	267.1	35.1
1-1/16 and 1-3/32	521.0	20.3	438.3	32.1	43.8	10.1	38.9	5.1
1-1/8 and 1-5/32	324.6	12.7	317.0	23.2	6.3	1.4	1.3	.2
1-3/16 and 1-7/32	74.3	2.9	73.7	5.4	.5	.1	.1	3/
1-1/4 and longer	13.2	.5	13.2	1.0	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



FIGURE 5

Table 21.- Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1937 (fig. 6).

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 780.6	100.0	291.3	100.0	60.5	100.0	368.3	100.0	60.5	100.0
Shorter than 7/8 2/...	10.1	1.3	6.6	2.3	.2	.3	3.1	.8	.2	.3
7/8 and 29/32	125.9	16.1	69.6	23.9	6.2	10.2	42.8	11.6	7.3	12.1
15/16 and 31/32	306.2	39.2	116.3	39.9	13.7	22.6	147.2	40.0	29.0	47.9
1 and 1-1/32	302.5	38.8	87.8	30.1	32.4	53.6	160.3	43.5	22.0	36.4
1-1/16 and 1-3/32	29.0	3.7	7.7	2.6	5.3	8.8	14.1	3.8	1.9	3.1
1-1/8 and 1-5/32	4.4	.6	2.3	.8	1.3	2.2	.7	.2	.1	.2
1-3/16 and 1-7/32	1.8	.2	.8	.3	.9	1.5	.1	3/	---	---
1-1/4 and longer	.7	.1	.2	.1	.5	.8	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



FIGURE 6

Table 22.- Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1937 (fig. 7)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4		District 5	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths [1]	756.4	100.0	368.3	100.0	293.8	100.0	40.1	100.0	18.9	100.0	35.3	100.0
Shorter than 7/8 [2]	164.0	21.7	120.6	32.8	27.9	9.5	1.9	4.8	2.2	11.6	11.4	32.3
7/8 and 29/32	375.2	49.6	150.6	40.9	169.3	57.6	20.7	51.6	12.3	65.1	22.3	63.2
15/16 and 31/32	176.6	23.3	66.0	17.9	90.2	30.7	14.8	36.9	4.0	21.2	1.6	4.5
1 and 1-1/32	34.2	4.5	25.2	6.8	6.1	2.1	2.5	6.2	.4	2.1	---	---
1-1/16 and 1-3/32	6.0	.8	5.5	1.5	.3	.1	.2	.5	---	---	---	---
1-1/8 and 1-5/32	.4	.1	.4	.1	---	---	---	---	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---	---	---	---	---	---	---
1-1-4 and longer	---	---	---	---	---	---	---	---	---	---	---	---

[1] As reported by the Bureau of the Census.
[2] Untenderable in settlement of future contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.



FIGURE 7

Table 23.- Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1937 (fig. 8)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3		District 4	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 996.2	100.0	473.2	100.0	89.0	100.0	379.3	100.0	54.7	100.0
Shorter than 7/8 2/..	2.9	.3	2.0	.4	.2	.2	.5	.1	.2	.4
7/8 and 29/32	123.0	12.4	66.2	14.0	5.4	6.1	42.6	11.2	8.8	16.1
15/16 and 31/32	455.7	45.7	216.9	45.8	43.9	49.3	167.7	44.2	27.2	49.7
1 and 1-1/32	372.0	37.3	171.3	36.2	34.4	38.7	148.5	39.2	17.8	32.5
1-1/16 and 1-3/32 ...	35.3	3.5	14.9	3.2	3.8	4.3	15.9	4.2	.7	1.3
1-1/8 and 1-5/32	6.1	.6	1.6	.3	1.0	1.1	3.5	.9	---	---
1-3/16 and 1-7/32 ...	1.1	.1	.3	.1	.3	.3	.5	.1	---	---
1-1/4 and longer	.1	3/	---	---	---	---	.1	3/	---	---

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.



FIGURE 8

Table 24.- Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1937 (fig. 9)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1		District 2		District 3	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 633.3	100.0	524.1	100.0	31.5	100.0	77.7	100.0
Shorter than 7/8 2/....	97.6	15.4	49.3	9.4	26.6	84.4	21.7	27.9
7/8 and 29/32	116.2	18.3	89.4	17.1	2.9	9.2	23.9	30.8
15/16 and 31/32	249.5	39.4	226.3	43.2	1.5	4.8	21.7	27.9
1 and 1-1/32	157.0	24.8	146.9	28.0	.4	1.3	9.7	12.5
1-1/16 and 1-3/32	12.9	2.0	12.1	2.3	.1	.3	.7	.9
1-1/8 and 1-5/32	.1	3/	.1	3/	---	---	---	---
1-3/16 and 1-7/32	---	---	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.



FIGURE 9

Table 25.- Staple length of American upland cotton ginned in designated districts of Texas, crop of 1937 (fig.10)

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Staple length (inches)	Total		District 1-N		District 1-S		District 2		District 3		District 4		District 5		District 6		District 7		District 8		District 9		District 10	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
All lengths	1/ 4,952.4	100.0	115.1	100.0	907.2	100.0	828.0	100.0	78.3	100.0	1,260.1	100.0	666.8	100.0	98.3	100.0	88.6	100.0	534.4	100.0	200.4	100.0	175.2	100.0
Shorter than 7/8 2/..	944.3	19.1	26.8	23.3	305.6	33.7	160.9	19.4	25.9	33.1	143.9	11.4	220.8	33.1	---	---	8.2	9.2	15.4	2.9	31.0	15.5	5.8	3.3
7/8 and 29/32	2,469.6	49.9	50.5	43.9	464.9	53.4	472.4	57.1	45.5	58.1	749.4	59.5	299.6	44.9	---	---	62.2	70.2	186.2	34.8	65.1	32.5	53.4	30.5
15/16 and 31/32	1,214.9	24.5	28.8	25.0	98.0	10.8	177.8	21.5	5.2	6.6	345.8	27.4	119.3	17.9	---	---	17.6	19.9	267.5	50.0	67.6	33.7	85.6	49.0
1 and 1-1/32	203.9	4.1	8.3	7.2	17.1	1.9	14.8	1.8	.2	.2	19.9	1.6	22.9	3.4	5.0	5.1	.6	.7	57.1	10.7	30.2	15.1	27.8	15.9
1-1/16 and 1-3/32 ...	99.9	2.0	.7	.6	1.6	.2	2.0	.2	---	---	.6	3/	4.1	.6	74.5	75.8	---	---	7.8	1.5	6.4	3.2	2.2	1.2
1-1/8 and 1-5/32	19.7	.4	---	---	---	.1	3/	---	---	---	---	---	.1	3/	18.8	19.1	---	---	.4	.1	.1	3/	.2	.1
1-3/16 and 1-7/32 ...	.1	3/	---	---	---	---	---	---	---	---	.1	3/	---	---	---	---	---	---	---	---	---	---	---	---
1-1/4 and longer	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ As reported by the Bureau of the Census.
2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.

TEXAS: CROP REPORTING DISTRICTS, 1937



U. S. DEPARTMENT OF AGRICULTURE NEG. 32953 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 10

Table 26.-- Tenderability of American upland cotton ginned in the United States, by States, crops of 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

State	Crop year	Total American upland cotton ginned 1/		Tenderable 2/: All staple lengths		Tenderable 2/: Staple lengths 7/8 to 1-1/32 inches		Tenderable 2/: Staple lengths 1-1/16 inches and longer		Untenderable: Total untenderable		Untenderable: In grade only		Untenderable: In staple only		Untenderable: In both grade and staple	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
All States ..	1928	14,268.2	100.0	11,664.7	81.8	10,231.2	71.7	1,433.5	10.1	2,603.5	18.2	531.4	3.7	1,780.5	12.5	291.6	2.0
	1929	14,519.0	100.0	10,992.5	75.7	9,433.5	65.0	1,559.0	10.7	3,526.5	24.3	605.0	4.2	2,639.7	18.2	281.8	1.9
	1930	13,732.2	100.0	11,623.2	84.6	10,207.2	74.3	1,416.0	10.3	2,109.0	15.4	279.8	2.0	1,737.7	12.7	91.5	.7
	1931	16,615.2	100.0	14,833.9	89.3	12,989.4	78.2	1,844.5	11.1	1,781.3	10.7	761.8	4.6	859.9	5.2	159.6	.9
	1932	12,701.3	100.0	11,489.1	90.5	9,929.4	78.2	1,559.7	12.3	1,212.2	9.5	374.5	2.9	683.8	5.4	153.9	1.2
	1933	12,654.3	100.0	11,782.8	93.1	10,177.9	80.4	1,604.9	12.7	871.5	6.9	332.4	2.6	485.2	3.9	53.9	.4
	1934	9,458.0	100.0	8,518.7	90.1	6,822.3	72.1	1,696.4	18.0	939.3	9.9	156.3	1.6	743.6	7.9	39.4	.4
	1935	10,402.7	100.0	8,333.9	80.1	6,816.9	65.5	1,517.0	14.6	2,068.8	19.9	744.7	7.2	1,072.0	10.3	246.1	2.4
	1936	12,123.8	100.0	10,539.7	86.9	8,101.3	66.8	2,438.4	20.1	1,584.1	13.1	432.5	3.6	928.7	7.7	222.9	1.8
	1937	18,237.1	100.0	15,050.9	82.5	12,566.9	68.9	2,484.0	13.6	3,186.2	17.5	1,351.6	7.4	1,550.1	8.5	284.5	1.6
Alabama	1928	1,096.6	100.0	830.4	75.7	828.0	75.5	2.4	.2	266.2	24.3	2.0	.2	262.3	23.9	1.9	.2
	1929	1,307.7	100.0	705.9	54.0	704.4	53.9	1.5	.1	601.8	46.0	16.2	1.2	547.1	41.8	38.5	3.0
	1930	1,444.9	100.0	873.0	60.4	869.9	60.2	3.1	.2	571.9	39.6	18.6	1.3	528.8	36.6	24.5	1.7
	1931	1,385.0	100.0	1,247.6	90.1	1,240.5	89.6	7.1	.5	137.4	9.9	.9	.1	136.2	9.8	.3	3/
	1932	933.7	100.0	792.0	84.8	788.3	84.4	3.7	.4	141.7	15.2	4.4	.5	136.8	14.6	.5	.1
	1933	951.1	100.0	866.0	91.1	859.6	90.4	6.4	.7	85.1	8.9	2.6	.3	82.4	8.6	.1	3/
	1934	936.1	100.0	736.5	78.7	730.1	78.0	6.4	.7	199.6	21.3	3.4	.4	195.8	20.9	.4	3/
	1935	1,033.5	100.0	669.3	64.8	662.6	64.1	6.7	.7	364.2	35.2	5.4	.5	354.9	34.3	3.9	.4
	1936	1,135.0	100.0	1,064.0	93.7	1,047.0	92.2	17.0	1.5	71.0	6.3	12.0	1.1	58.3	5.1	.7	.1
	1937	1,566.6	100.0	1,246.2	79.5	1,239.1	79.1	7.1	.4	320.4	20.5	50.5	3.3	255.6	16.3	14.3	.9
Arizona	1928	117.4	100.0	112.5	95.8	66.9	57.0	45.6	38.8	4.9	4.2	2.3	2.0	2.5	2.1	.1	.1
	1929	120.7	100.0	114.8	95.1	92.6	76.7	22.2	18.4	5.9	4.9	4.4	3.6	.1	.1	1.4	1.2
	1930	127.2	100.0	119.8	94.2	87.4	68.7	32.4	25.5	7.4	5.8	7.1	5.6	—	—	.3	.2
	1931	97.3	100.0	92.9	95.5	57.8	59.4	35.1	36.1	4.4	4.5	1.1	1.1	—	—	3.3	3.4
	1932	58.8	100.0	57.9	98.5	31.0	52.7	26.9	45.8	.9	1.5	.8	1.3	—	—	.1	.2
	1933	83.2	100.0	82.4	99.0	44.2	53.1	38.2	45.9	.8	1.0	.8	1.0	—	—	—	—
	1934	99.1	100.0	95.5	96.4	37.5	37.9	58.0	58.5	3.6	3.6	3.5	3.5	—	—	.1	3/
	1935	113.9	100.0	109.6	96.2	55.0	48.3	54.6	47.9	4.3	3.8	4.0	3.5	—	—	.3	.3
	1936	170.2	100.0	162.0	95.2	62.8	36.9	99.2	58.3	8.2	4.8	8.1	4.7	.1	.1	—	—
	1937	299.2	100.0	286.4	95.7	68.8	23.0	217.6	72.7	12.8	4.3	12.8	4.3	—	—	—	—
Arkansas	1928	1,216.2	100.0	1,008.3	82.9	807.8	66.4	200.5	16.5	207.9	17.1	80.9	6.7	123.5	10.1	3.5	.3
	1929	1,395.9	100.0	1,150.3	82.4	978.3	70.1	172.0	12.3	245.6	17.6	67.7	4.9	176.3	12.6	1.6	.1
	1930	863.5	100.0	773.5	89.6	643.8	74.6	129.7	15.0	90.0	10.4	13.1	1.5	75.3	8.7	1.6	.2
	1931	1,836.1	100.0	1,616.6	88.0	1,298.4	70.7	318.2	17.3	219.5	12.0	198.6	10.8	19.9	1.1	1.0	.1
	1932	1,283.4	100.0	1,187.5	92.5	864.9	67.4	322.6	25.1	95.9	7.5	70.1	5.5	25.4	2.0	.4	3/
	1933	1,014.6	100.0	967.5	95.4	699.6	69.0	267.9	26.4	47.1	4.6	39.3	3.9	6.2	.6	1.6	.1
	1934	849.0	100.0	794.9	93.6	566.3	66.7	228.6	26.9	54.1	6.4	11.9	1.4	42.0	5.0	.2	3/
	1935	841.5	100.0	733.7	87.2	567.5	67.4	166.2	19.8	107.8	12.8	72.9	8.7	28.9	3.4	6.0	.7
	1936	1,265.6	100.0	1,124.1	88.8	849.6	67.1	274.5	21.7	141.5	11.2	53.7	4.2	79.4	6.3	8.4	.7
	1937	1,808.9	100.0	1,469.6	81.2	1,273.6	70.4	196.0	10.8	339.3	18.8	235.5	13.0	91.8	5.1	12.0	.7
California	1928	171.0	100.0	161.3	94.3	92.0	53.8	69.3	40.5	9.7	5.7	6.9	4.0	2.7	1.6	.1	.1
	1929	254.1	100.0	246.4	97.0	135.1	53.2	111.3	43.8	7.7	3.0	6.9	2.7	.5	.2	.3	.1
	1930	256.3	100.0	245.6	95.8	46.1	18.0	199.5	77.8	10.7	4.2	10.7	4.2	—	—	—	—
	1931	171.2	100.0	161.4	94.3	27.8	16.2	133.6	78.1	9.8	5.7	.9	.5	.1	.1	8.8	5.1
	1932	124.4	100.0	120.9	97.2	16.2	13.0	104.7	84.2	3.5	2.8	3.5	2.8	—	—	—	—
	1933	210.7	100.0	205.4	97.5	46.6	22.1	158.8	75.4	5.3	2.5	5.3	2.5	—	—	—	—
	1934	251.5	100.0	246.3	97.9	11.6	4.6	234.7	93.3	5.2	2.1	5.1	2.0	—	—	.1	3/
	1935	232.7	100.0	206.8	88.9	18.8	8.1	188.0	80.8	25.9	11.1	25.9	11.1	—	—	—	—
	1936	436.3	100.0	404.9	92.8	49.0	11.2	355.9	81.6	31.4	7.2	31.2	7.2	—	—	.2	3/
	1937	723.0	100.0	697.4	96.5	15.4	2.2	682.0	94.3	25.6	3.5	25.6	3.5	—	—	—	—
Florida	1928	20.1	100.0	17.0	84.6	16.7	83.1	.3	1.5	3.1	15.4	.8	4.0	2.1	10.4	.2	1.0
	1929	29.8	100.0	18.6	62.4	18.5	62.1	.1	.3	11.2	37.6	.1	.3	11.1	37.3	—	—
	1930	51.1	100.0	40.7	79.6	40.7	79.6	—	—	10.4	20.4	.3	.6	9.8	19.2	.3	.6
	1931	43.4	100.0	40.2	92.6	40.1	92.4	.1	.2	3.2	7.4	.3	.7	2.6	6.0	.3	.7
	1932	15.6	100.0	13.2	84.6	13.2	84.6	—	—	2.4	15.4	.1	.6	2.3	14.8	—	—
	1933	24.1	100.0	22.7	94.2	22.6	93.8	.1	.4	1.4	5.8	—	—	1.4	5.8	—	—
	1934	24.3	100.0	22.6	93.0	22.5	92.6	.1	.4	1.7	7.0	.1	.4	1.6	6.6	—	—
	1935	26.7	100.0	19.1	71.5	19.0	71.1	.1	.4	7.6	28.5	1.9	7.1	4.4	16.5	1.3	4.9
	1936	27.7	100.0	26.7	96.4	26.6	96.0	.1	.4	1.0	3.6	.2	.7	.8	2.9	—	—
	1937	32.3	100.0	26.7	82.7	26.7	82.7	—	—	5.6	17.3	3.3	10.2	2.0	6.2	.3	.9
Georgia	1928	1,053.2	100.0	908.9	86.3	901.5	85.6	7.4	.7	144.3	13.7	14.8	1.4	112.5	10.7	17.0	1.6
	1929	1,339.8	100.0	996.7	74.4	992.9	74.1	3.8	.3	343.1	25.6	60.9	4.5	224.4	16.8	57.8	4.3
	1930	1,597.5	100.0	1,317.8	82.5	1,309.0	81.9	8.8	.6	279.7	17.5	42.6	2.7	224.1	14.0	13.0	.8
	1931	1,393.7	100.0	1,322.0	94.9	1,310.2	94.0	11.8	.9	71.7	5.1	2.3	.1	69.4	5.0	—	—
	1932	861.8	100.0	809.3	93.9	800.4	92.9	8.9	1.0	52.5	6.1	9.4	1.1	41.0	4.8	2.1	.2
	1933	1,093.4	100.0	1,019.9	93.3	1,003.8	91.8	16.1	1.5	73.5	6.7	13.7	1.2	58.7	5.4	1.1	.1
	1934	974.9	100.0	934.0	95.8	896.6	92.0	37.4	3.8	40.9	4.2	3.5	.3	36.9	3.8	.5	.1
	1935	1,052.7	100.0	910.6	86.5	871.9	82.8	38.7	3.7	142.1	13.5	37.6	3.6	89.4	8.5	15.1	1.4
	1936	1,086.5	100.0	1,045.7	96.2	1,009.9	92.9	35.8	3.3	40.8	3.8	12.4	1.1	27.9	2.6	.5	3/
	1937	1,473.1	100.0	1,343.9	91.2	1,328.8	90.2	15.1	1.0	129.2	8.8	60.4	4.1	58.6	4.0	10.2	.7

See footnotes at end of table

Table 26.-- Tenderability of American upland cotton ginned in the United States, by States, crops of 1928-37 --Continued.

State	Crop year	Total American upland cotton ginned 1/		Tenderable 2/: All staple lengths		Tenderable 2/: Staple lengths 7/8 to 1-1/32 inches		Tenderable 2/: Staple lengths 1-1/16 inches and longer		Untenderable: Total untenderable		Untenderable: In grade only		Untenderable: In staple only		Untenderable: In both grade and staple	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
Louisiana......	1928	685.9	100.0	592.2	86.3	505.0	73.6	87.2	12.7	93.7	13.7	5.4	.8	87.4	12.8	.9	.1
	1929	797.7	100.0	674.4	84.5	577.5	72.4	96.9	12.1	123.3	15.5	12.7	1.6	110.2	13.8	.4	.1
	1930	704.8	100.0	598.2	84.9	500.6	71.0	97.6	13.9	106.6	15.1	15.3	2.2	89.1	12.6	2.2	.3
	1931	876.6	100.0	795.4	90.7	623.2	71.1	172.2	19.6	81.2	9.3	22.6	2.6	57.7	6.6	.9	.1
	1932	599.5	100.0	535.8	89.4	438.8	73.2	97.0	16.2	63.7	10.6	1.6	.3	61.4	10.2	.7	.1
	1933	469.3	100.0	450.6	96.0	338.9	72.2	111.7	23.8	18.7	4.0	6.5	1.4	12.0	2.6	.2	3/
	1934	473.3	100.0	420.1	88.8	328.1	69.3	92.0	19.5	53.2	11.2	3.1	.7	49.9	10.5	.2	3/
	1935	541.4	100.0	522.6	96.5	391.0	72.2	131.6	24.3	18.8	3.5	2.3	.4	16.5	3.1	—	—
	1936	742.6	100.0	691.2	93.1	434.2	58.5	257.0	34.6	51.4	6.9	6.1	.8	45.1	6.1	.2	3/
	1937	1,050.6	100.0	902.2	85.9	767.7	73.1	134.5	12.8	148.4	14.1	66.7	6.3	79.4	7.6	2.3	.2
Mississippi....	1928	1,462.0	100.0	1,176.8	80.5	490.1	33.5	686.7	47.0	285.2	19.5	30.9	2.1	253.5	17.3	0.8	0.1
	1929	1,876.0	100.0	1,625.1	86.6	762.2	40.6	862.9	46.0	250.9	13.4	61.2	3.3	188.0	10.0	1.7	.1
	1930	1,458.5	100.0	1,322.9	90.7	759.3	52.1	563.6	38.6	135.6	9.3	20.7	1.4	112.1	7.7	2.8	.2
	1931	1,719.4	100.0	1,561.8	90.8	726.2	42.2	835.6	48.6	157.6	9.2	92.2	5.4	65.3	3.8	.1	3/
	1932	1,161.2	100.0	1,114.0	95.9	473.8	40.8	640.2	55.1	47.2	4.1	15.0	1.3	31.9	2.8	.3	3/
	1933	1,132.2	100.0	1,117.6	98.7	434.3	38.4	683.3	60.3	14.6	1.3	2.0	.2	12.6	1.1	—	—
	1934	1,121.3	100.0	1,090.9	97.3	410.9	36.6	680.0	60.7	30.4	2.7	3.1	.3	27.3	2.4	—	—
	1935	1,226.3	100.0	1,135.8	92.6	503.2	41.0	632.6	51.6	90.5	7.4	8.5	.7	81.3	6.6	.7	.1
	1936	1,862.5	100.0	1,759.7	94.5	767.2	41.2	992.5	53.3	102.8	5.5	27.7	1.5	74.5	4.0	.6	3/
	1937	2,561.8	100.0	2,252.2	87.9	1,363.6	53.2	888.6	34.7	309.6	12.1	255.1	10.0	52.4	2.0	2.1	.1
Missouri.......	1928	146.9	100.0	94.0	64.0	79.6	54.2	14.4	9.8	52.9	36.0	44.1	30.0	1.6	1.1	7.2	4.9
	1929	220.9	100.0	152.5	69.0	140.3	63.5	12.2	5.5	68.4	31.0	65.3	29.6	2.1	.9	1.0	.5
	1930	153.3	100.0	133.9	87.3	126.3	82.3	7.6	5.0	19.4	12.7	8.2	5.4	9.1	5.9	2.1	1.4
	1931	280.4	100.0	204.5	72.9	194.5	69.3	10.0	3.6	75.9	27.1	73.3	26.1	1.9	.7	.7	.3
	1932	300.7	100.0	243.1	80.8	219.7	73.0	23.4	7.8	57.6	19.2	55.6	18.5	2.0	.7	—	—
	1933	237.9	100.0	195.6	82.2	185.2	77.8	10.4	4.4	42.3	17.8	39.2	16.5	.2	.1	2.9	1.2
	1934	230.4	100.0	197.8	85.9	174.2	75.6	23.6	10.3	32.6	14.1	24.4	10.6	7.4	3.2	.8	.3
	1935	182.8	100.0	122.6	67.1	106.8	58.4	15.8	8.7	60.2	32.9	47.9	26.2	2.7	1.5	9.6	5.2
	1936	301.3	100.0	239.0	79.3	216.0	71.7	23.0	7.6	62.3	20.7	23.7	7.9	36.5	12.1	2.1	.7
	1937	390.2	100.0	230.2	59.0	220.3	56.5	9.9	2.5	160.0	41.0	127.1	32.6	19.9	5.1	13.0	3.3
New Mexico.....	1928	82.2	100.0	76.1	92.6	35.7	43.4	40.4	49.2	6.1	7.4	1.2	1.5	.3	.3	4.6	5.6
	1929	86.3	100.0	75.4	87.4	43.2	50.1	32.2	37.3	10.9	12.6	6.1	7.1	.1	.1	4.7	5.4
	1930	95.8	100.0	90.0	93.9	39.4	41.1	50.6	52.8	5.8	6.1	5.3	5.6	—	—	.5	.5
	1931	93.8	100.0	88.1	93.9	51.2	54.6	36.9	39.3	5.7	6.1	.6	.7	—	—	5.1	5.4
	1932	67.5	100.0	60.1	89.0	24.3	36.0	35.8	53.0	7.4	11.0	5.3	7.9	—	—	2.1	3.1
	1933	86.1	100.0	83.2	96.6	43.0	49.9	40.2	46.7	2.9	3.4	2.9	3.4	—	—	—	—
	1934	83.7	100.0	83.3	99.5	17.0	20.3	66.3	79.2	.4	.5	.1	.1	—	—	.3	.4
	1935	70.2	100.0	63.0	89.7	6.4	9.1	56.6	80.6	7.2	10.3	6.2	8.9	.1	.1	.9	1.3
	1936	105.0	100.0	96.3	91.7	36.8	35.0	59.5	56.7	8.7	8.3	7.3	7.0	—	—	1.4	1.3
	1937	153.8	100.0	138.8	90.2	21.0	13.6	117.8	76.6	15.0	9.8	13.6	8.9	.5	.3	.9	.6
North Carolina.	1928	869.3	100.0	771.5	88.8	755.1	86.9	16.4	1.9	97.8	11.2	10.7	1.2	84.4	9.7	2.7	.3
	1929	767.0	100.0	673.1	87.8	664.3	86.6	8.8	1.2	93.9	12.2	12.0	1.6	74.8	9.7	7.1	.9
	1930	800.6	100.0	747.0	93.3	715.3	89.3	31.7	4.0	53.6	6.7	13.2	1.6	39.7	5.0	.7	.1
	1931	771.2	100.0	761.7	98.8	729.0	94.5	32.7	4.3	9.5	1.2	1.7	.2	7.8	1.0	—	—
	1932	680.3	100.0	668.3	98.2	607.8	89.3	60.5	8.9	12.0	1.8	4.2	.6	7.7	1.2	.1	3/
	1933	690.5	100.0	663.9	96.1	637.9	92.4	26.0	3.7	26.6	3.9	4.8	.7	21.7	3.2	.1	3/
	1934	640.9	100.0	628.4	98.0	561.7	87.6	66.7	10.4	12.5	2.0	4.7	.8	7.2	1.1	.6	.1
	1935	579.3	100.0	545.2	94.1	507.6	87.6	37.6	6.5	34.1	5.9	8.0	1.4	25.8	4.4	.3	.1
	1936	606.7	100.0	573.7	94.6	509.1	83.9	64.6	10.7	33.0	5.4	29.2	4.8	1.0	.2	2.8	.4
	1937	780.6	100.0	757.3	97.0	721.4	92.4	35.9	4.6	23.3	3.0	13.2	1.7	9.4	1.2	.7	.1
Oklahoma.......	1928	1,187.0	100.0	900.2	75.8	865.7	72.9	34.5	2.9	286.8	24.2	124.5	10.5	105.7	8.9	56.6	4.8
	1929	1,125.6	100.0	708.3	62.9	679.5	60.4	28.8	2.5	417.3	37.1	95.8	8.5	272.0	24.2	49.5	4.4
	1930	856.8	100.0	700.2	81.7	685.5	80.0	14.7	1.7	156.6	18.3	29.9	3.5	115.0	13.4	11.7	1.4
	1931	1,235.9	100.0	964.1	78.0	948.9	76.8	15.2	1.2	271.8	22.0	133.9	10.9	91.7	7.4	46.2	3.7
	1932	1,072.0	100.0	959.6	89.5	953.8	89.0	5.8	.5	112.4	10.5	20.5	1.9	72.4	6.8	19.5	1.8
	1933	1,235.8	100.0	1,065.0	86.2	1,032.8	83.6	32.2	2.6	170.8	13.8	97.3	7.9	63.5	5.1	10.0	.8
	1934	329.9	100.0	223.3	67.7	223.2	67.7	.1	3/	106.6	32.3	44.2	13.4	49.1	14.9	13.3	4.0
	1935	562.7	100.0	299.4	53.2	294.4	52.3	5.0	.9	263.3	46.8	155.4	27.6	61.4	10.9	46.5	8.3
	1936	289.7	100.0	171.5	59.2	169.3	58.4	2.2	.8	118.2	40.8	32.4	11.2	59.4	20.5	26.4	9.1
	1937	756.4	100.0	479.7	63.4	473.6	62.6	6.1	.8	276.7	36.6	112.7	14.9	121.3	16.0	42.7	5.7
South Carolina.	1928	744.4	100.0	667.2	89.6	598.4	80.4	68.8	9.2	77.2	10.4	25.4	3.4	42.8	5.8	9.0	1.2
	1929	833.1	100.0	711.4	85.4	650.5	78.1	60.9	7.3	121.7	14.6	28.6	3.4	80.8	9.7	12.3	1.5
	1930	1,015.3	100.0	975.2	96.1	842.4	83.0	132.8	13.1	40.1	3.9	13.2	1.3	26.5	2.6	.4	3/
	1931	1,010.2	100.0	997.1	98.7	879.5	87.1	117.6	11.6	13.1	1.3	1.1	.1	12.0	1.2	—	—
	1932	722.2	100.0	714.8	99.0	572.4	79.3	142.4	19.7	7.4	1.0	4.6	.6	2.8	.4	—	—
	1933	728.0	100.0	709.3	97.4	597.3	82.0	112.0	15.4	18.7	2.6	9.3	1.3	9.2	1.3	.2	3/
	1934	684.6	100.0	680.0	99.3	547.5	80.0	132.5	19.3	4.6	.7	2.5	.4	2.0	.3	.1	3/
	1935	738.7	100.0	707.6	95.8	592.4	80.2	115.2	15.6	31.1	4.2	20.2	2.7	9.9	1.4	1.0	.1
	1936	804.2	100.0	774.5	96.3	636.4	79.1	138.1	17.2	29.7	3.7	28.0	3.5	1.2	.1	.5	.1
	1937	996.2	100.0	966.8	97.0	924.6	92.8	42.2	4.2	29.4	3.0	26.5	2.7	2.8	.3	.1	3/

See footnotes at end of table.

Table 26 .- Tenderability of American upland cotton ginned in the United States, by States, crops of 1928-37—Continued.

State	Crop year	Total American upland cotton ginned 1/		Tenderable 2/: All staple lengths		Tenderable 2/: Staple lengths 7/8 to 1-1/32 inches		Tenderable 2/: Staple lengths 1-1/16 inches and longer		Untenderable: Total Untenderable		Untenderable: In grade only		Untenderable: In staple only		Untenderable: In both grade and staple	
		1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
Tennessee......	1928	423.5	100.0	304.5	71.9	292.7	69.1	11.8	2.8	119.0	28.1	31.0	7.3	86.2	20.4	1.8	.4
	1929	504.3	100.0	381.4	75.6	370.1	73.4	11.3	2.2	122.9	24.4	42.9	8.5	75.8	15.1	4.2	.8
	1930	371.4	100.0	301.6	81.2	289.8	78.0	11.8	3.2	69.8	18.8	10.1	2.7	58.1	15.7	1.6	.4
	1931	578.0	100.0	508.8	88.0	494.1	85.5	14.7	2.5	69.2	12.0	29.3	5.1	38.7	6.7	1.2	.2
	1932	467.5	100.0	423.4	90.6	395.1	84.5	28.3	6.1	44.1	9.4	31.7	6.8	12.1	2.6	.3	3/
	1933	428.9	100.0	404.2	94.2	387.6	90.3	16.6	3.9	24.7	5.8	11.8	2.8	12.7	3.0	.2	3/
	1934	396.7	100.0	338.3	85.3	324.9	81.9	13.4	3.4	58.4	14.7	6.7	1.7	51.7	13.0	---	---
	1935	315.6	100.0	188.6	59.8	174.2	55.2	14.4	4.6	127.0	40.2	50.8	16.1	63.4	20.1	12.8	4.0
	1936	422.2	100.0	335.3	79.4	293.6	69.5	41.7	9.9	86.9	20.6	6.9	1.6	79.8	18.9	.2	3/
	1937	633.3	100.0	399.2	63.0	387.0	61.1	12.2	1.9	234.1	37.0	136.5	21.6	90.7	14.3	6.9	1.1
Texas..........	1928	4,941.5	100.0	3,999.1	80.9	3,853.8	78.0	145.3	2.9	942.4	19.1	147.8	3.0	610.4	12.4	184.2	3.7
	1929	3,803.2	100.0	2,706.5	71.2	2,576.8	67.8	129.7	3.4	1,094.7	28.8	120.5	3.2	873.1	23.0	101.1	2.6
	1930	3,886.1	100.0	3,340.1	85.9	3,209.7	82.5	130.4	3.4	546.0	14.1	70.5	1.8	445.9	11.5	29.6	.8
	1931	5,068.8	100.0	4,422.8	87.3	4,321.7	85.3	101.1	2.0	646.0	12.7	199.5	3.9	354.8	7.0	91.7	1.8
	1932	4,307.4	100.0	3,748.6	87.0	3,691.6	85.7	57.0	1.3	558.8	13.0	144.5	3.4	286.5	6.6	127.8	3.0
	1933	4,220.3	100.0	3,885.1	92.1	3,801.3	90.1	83.8	2.0	335.2	7.9	94.8	2.2	202.9	4.8	37.5	.9
	1934	2,314.9	100.0	1,982.0	85.6	1,926.5	83.2	55.5	2.4	332.9	14.4	37.9	1.6	272.2	11.8	22.8	1.0
	1935	2,849.7	100.0	2,069.6	72.6	2,016.6	70.8	53.0	1.8	780.1	27.4	297.8	10.5	333.1	11.7	149.2	5.2
	1936	2,825.4	100.0	2,030.4	71.9	1,955.0	69.2	75.4	2.7	795.0	28.1	151.4	5.4	464.7	16.4	178.9	6.3
	1937	4,952.4	100.0	3,802.8	76.8	3,684.7	74.4	118.1	2.4	1,149.6	23.2	205.3	4.1	765.5	15.5	178.8	3.6
Virginia	1928	44.8	100.0	41.4	92.4	41.4	92.4	---	---	3.4	7.6	0.6	1.3	2.6	5.9	0.2	0.4
	1929	48.0	100.0	44.4	92.5	44.3	92.3	0.1	0.2	3.6	7.5	.3	.6	3.3	6.9	---	---
	1930	42.7	100.0	38.5	90.2	38.4	90.0	.1	.2	4.2	9.8	.3	.7	3.9	9.1	---	---
	1931	42.5	100.0	40.8	96.0	40.8	96.0	---	---	1.7	4.0	---	---	1.7	4.0	---	---
	1932	31.3	100.0	29.7	94.9	29.5	94.3	.2	.6	1.6	5.1	.1	.3	1.5	4.8	---	---
	1933	34.4	100.0	32.4	94.2	32.4	94.2	---	---	2.0	5.8	.3	.9	1.7	4.9	---	---
	1934	33.0	100.0	32.2	97.6	32.0	97.0	.2	.6	.8	2.4	.3	.9	.5	1.5	---	---
	1935	27.6	100.0	26.7	96.7	26.5	96.0	.2	.7	.9	3.3	.7	2.6	.2	.7	---	---
	1936	30.5	100.0	29.0	95.1	28.8	94.4	.2	.7	1.5	4.9	1.5	4.9	---	---	---	---
	1937	40.2	100.0	38.7	96.3	38.6	96.1	.1	.2	1.5	3.7	1.3	3.3	.1	.2	.1	.2
All other 4/...	1928	6.2	100.0	3.3	53.2	.8	12.9	2.5	40.3	2.9	46.8	2.1	33.9	---	---	.8	12.9
	1929	8.9	100.0	5.3	59.6	1.0	11.2	4.3	48.4	3.6	40.4	3.4	38.2	---	---	.2	2.2
	1930	6.4	100.0	5.2	81.3	3.6	56.3	1.6	25.0	1.2	18.7	.7	10.9	.3	4.7	.2	3.1
	1931	11.7	100.0	8.1	69.2	5.5	47.0	2.6	22.2	3.6	30.8	3.5	29.9	.1	.9	---	---
	1932	14.0	100.0	10.9	77.9	8.6	61.5	2.3	16.4	3.1	22.1	3.1	22.1	---	---	---	---
	1933	13.8	100.0	12.0	87.0	10.8	78.3	1.2	8.7	1.8	13.0	1.8	13.0	---	---	---	---
	1934	14.4	100.0	12.6	87.5	11.7	81.2	.9	6.3	1.8	12.5	1.8	12.5	---	---	---	---
	1935	7.4	100.0	3.7	50.0	3.0	40.5	.7	9.5	3.7	50.0	3.2	43.2	---	---	.5	6.8
	1936	12.4	100.0	11.7	94.4	10.0	80.7	1.7	13.7	.7	5.6	.7	5.6	---	---	---	---
	1937	18.5	100.0	12.8	69.2	12.0	64.9	.8	4.3	5.7	30.8	5.5	29.8	.1	.5	.1	.5

1/ As reported by the Bureau of the Census.

2/ Tenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Less than 0.05 percent.

4/ Includes Illinois, Kansas, and Kentucky.

Table 27.- Grade and staple length of American upland cotton on hand in the United States, Aug. 1, 1937

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Grade	All staple lengths		Shorter than 7/8 inch 1/	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
	1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
All grades ...	2/ 4,381.8	100.0	606.6	1,600.0	859.0	643.8	296.0	264.3	89.3	22.8
Extra White	46.6	1.1	6.9	16.0	8.4	5.2	4.6	3.7	1.7	.1
3-G.M.	4.5	.1	---	.2	.2	.9	1.3	1.5	.3	.1
4-S.M.	7.6	.2	.1	.3	1.2	1.6	1.7	1.5	1.2	---
5-M.	5.9	.1	1.2	.7	1.5	1.1	.9	.4	.1	---
6-S.L.M.	8.9	.2	4.7	1.8	1.0	.7	.4	.2	.1	---
7-L.M.	18.5	.4	.8	12.8	4.0	.6	.2	.1	---	---
8-S.G.O. 1/	1.2	3/	.1	.2	.5	.3	.1	---	---	---
9-G.O. 1/	---	---	---	---	---	---	---	---	---	---
White	3,418.2	78.0	328.5	1,185.4	701.9	574.1	266.4	252.7	86.6	22.6
1-M.F.	---	---	---	---	---	---	---	---	---	---
2-S.G.M.	.8	3/	---	.1	.1	.3	.2	.1	---	---
3-G.M.	93.6	2.1	6.2	13.8	9.0	10.8	18.2	21.8	10.5	3.3
4-S.M.	667.2	15.2	59.1	182.4	111.6	109.9	77.3	79.4	37.5	10.0
5-M.	1,387.8	31.7	116.4	501.9	282.8	269.1	97.2	83.3	28.4	8.7
6-S.L.M.	854.9	19.5	86.3	323.0	201.0	127.3	49.6	58.2	8.9	.6
7-L.M.	314.5	7.2	44.6	126.4	76.4	39.5	17.5	8.8	1.3	---
8-S.G.O. 1/	75.5	1.7	13.7	31.2	16.2	8.8	4.7	.9	---	---
9-G.O. 1/	23.9	.5	2.2	6.6	4.8	8.4	1.7	.2	---	---
Spotted	742.1	16.9	208.8	338.7	119.1	49.4	19.2	5.9	.9	.1
3-G.M.	32.4	.7	9.9	14.3	4.2	2.0	.9	.8	.2	.1
4-S.M.	234.5	5.4	63.7	112.4	32.4	15.2	7.2	3.3	.3	---
5-M.	274.9	6.3	71.9	129.5	48.4	17.6	6.1	1.0	.4	---
6-S.L.M. 1/	137.7	3.1	46.2	57.8	22.3	8.4	2.3	.7	---	---
7-L.M. 1/	62.6	1.4	17.1	24.7	11.8	6.2	2.7	.1	---	---
Tinged	108.8	2.5	30.7	43.9	21.8	10.2	2.0	.2	---	---
3-G.M.	1.8	3/	.2	.9	.5	.2	---	---	---	---
4-S.M.	12.4	.3	1.5	6.7	2.5	1.1	.5	.1	---	---
5-M. 1/	26.0	.6	5.7	13.0	3.4	2.9	.9	.1	---	---
6-S.L.M. 1/	32.4	.7	10.2	14.4	5.1	2.2	.5	---	---	---
7-L.M. 1/	36.2	.8	13.1	8.9	10.3	3.8	.1	---	---	---
Yellow Stained	23.3	.5	13.2	7.2	1.3	.3	---	1.3	---	---
3-G.M.	.8	3/	.2	.2	.2	.2	---	---	---	---
4-S.M. 1/	5.6	.1	2.0	2.2	.2	---	---	1.2	---	---
5-M. 1/	16.9	.4	11.0	4.8	.9	.1	---	.1	---	---
Gray	7.8	.2	.3	.8	1.8	2.1	2.2	.5	.1	---
3-G.M.	.2	3/	---	---	---	.1	.1	---	---	---
4-S.M.	4.0	.1	.2	.5	.9	1.2	1.0	.2	---	---
5-M. 1/	3.6	.1	.1	.3	.9	.8	1.1	.3	.1	---
No grade 1/ 4/	35.0	.8	18.2	8.0	4.7	2.5	1.6	---	---	---

1/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

2/ As reported by the Bureau of the Census.

3/ Less than 0.05 percent.

4/ Includes bales not otherwise classified above.

Table 28.- Grade and staple length of American-Egyptian cotton on hand in the United States, Aug. 1, 1928-37

(Quantities are given in running bales)

Year and grade	All staple lengths		Shorter than 1-1/2 inches	1-1/2 and 1-17/32 inches	1-9/16 and 1-19/32 inches	1-5/8 to 1-23/32 inches	1-3/4 inches and longer
	1,000 bales	Percent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1928							
All grades ...	1/ 5.8	100.0	0.1	1.5	2.4	1.7	---
1 and 1½ ...	1.3	22.4	---	.2	.8	.3	---
2 and 2½ ...	1.1	19.0	---	.5	.1	.4	---
3 and 3½ ...	2.7	46.6	---	.4	1.5	.8	---
4 and 4½ ...	.4	6.9	.1	.2	---	.1	---
5	.1	1.7	---	---	---	.1	---
Below 5	.2	3.4	---	.2	---	---	---
1929							
All grades ...	1/ 7.2	100.0	.3	.7	5.1	1.1	---
1 and 1½ ...	1.7	23.3	.2	---	1.0	.5	---
2 and 2½ ...	4.0	55.6	.1	.1	3.5	.2	---
3 and 3½ ...	1.2	16.7	---	.3	.5	.4	---
4 and 4½ ...	.2	2.8	---	.2	---	---	---
5	---	---	---	---	---	---	---
Below 5	.1	1.4	---	.1	---	---	---
1930							
All grades ...	1/ 8.1	100.0	---	.2	7.1	.8	---
1 and 1½ ...	2.4	29.7	---	---	2.1	.3	---
2 and 2½ ...	3.5	43.2	---	.1	3.0	.4	---
3 and 3½ ...	2.1	25.9	---	.1	1.9	.1	---
4 and 4½ ...	.1	1.2	---	---	.1	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1931							
All grades ...	1/ 16.7	100.0	---	2.0	13.6	1.1	---
1 and 1½ ...	4.7	26.1	---	.3	4.2	.2	---
2 and 2½ ...	8.6	51.5	---	.6	7.2	.8	---
3 and 3½ ...	2.9	17.4	---	.9	1.9	.1	---
4 and 4½ ...	.5	3.0	---	.2	.3	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1932							
All grades ...	1/ 16.5	100.0	---	3.1	12.4	1.0	---
1 and 1½ ...	2.9	17.6	---	.3	2.5	.1	---
2 and 2½ ...	9.1	55.1	---	1.5	7.0	.6	---
3 and 3½ ...	3.5	21.2	---	1.1	2.2	.2	---
4 and 4½ ...	1.0	3.1	---	.2	.7	.1	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1933							
All grades ...	1/ 9.8	100.0	.7	2.9	5.1	1.1	---
1 and 1½ ...	1.8	16.4	---	.1	1.3	.4	---
2 and 2½ ...	5.5	56.1	.2	1.7	3.0	.6	---
3 and 3½ ...	2.0	20.4	.4	1.0	.5	.1	---
4 and 4½ ...	.5	3.1	.1	.1	.3	---	---
5	---	---	---	---	---	---	---
Below 5	---	---	---	---	---	---	---
1934							
All grades ...	1/ 7.0	100.0	.3	1.9	3.8	1.0	---
1 and 1½ ...	2.9	41.4	---	.9	1.4	.6	---
2 and 2½ ...	3.1	44.3	.1	.5	2.1	.4	---
3 and 3½ ...	.6	8.6	---	.3	.3	---	---
4 and 4½ ...	.1	1.4	---	.1	---	---	---
5	.1	1.4	---	.1	---	---	---
Below 5	.2	2.9	.2	---	---	---	---
1935							
All grades ...	1/ 6.6	100.0	.2	1.9	6.5	---	---
1 and 1½ ...	1.6	20.9	---	.5	1.3	---	---
2 and 2½ ...	4.9	56.9	.1	.4	4.4	---	---
3 and 3½ ...	1.4	16.3	---	.7	.7	---	---
4 and 4½ ...	.3	3.8	---	.2	.1	---	---
5	.1	1.2	---	.1	---	---	---
Below 5	.1	1.2	.1	---	---	---	---
1936							
All grades ...	1/ 7.0	100.0	.1	3.1	3.4	.4	---
1 and 1½ ...	1.9	27.1	---	.8	1.0	.1	---
2 and 2½ ...	3.7	52.9	.1	1.2	2.1	.3	---
3 and 3½ ...	.9	12.9	---	.7	.2	---	---
4 and 4½ ...	.4	5.7	---	.3	.1	---	---
5	.1	1.4	---	.1	---	---	---
Below 5	---	---	---	---	---	---	---
1937							
All grades ...	1/ 5.5	100.0	.1	2.3	2.2	.9	---
1 and 1½ ...	.8	14.5	---	.1	.3	.4	---
2 and 2½ ...	1.7	30.9	.1	.2	1.1	.3	---
3 and 3½ ...	1.2	21.8	---	.4	.6	.2	---
4 and 4½ ...	.7	12.8	---	.5	.2	---	---
5	.3	5.5	---	.3	---	---	---
Below 5	.8	14.5	---	.8	---	---	---

1/ As reported by the Bureau of the Census.

Table 29.- Staple length of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Place of storage	Year	All staple lengths 1/		Shorter than 7/8 inch 2/		7/8 and 29/32 inch		15/16 and 31/32 inch		1 and 1-1/32 inches		1-1/16 and 1-3/32 inches		1-1/8 and 1-5/32 inches		1-3/16 and 1-7/32 inches		1-1/4 inches and longer	
		1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
All places of storage...	1928	2,419.8	100.0	87.8	3.6	485.0	20.0	426.8	17.6	659.8	27.3	268.5	11.1	287.2	11.9	157.0	6.5	47.7	2.0
	1929	2,122.6	100.0	155.0	7.3	650.9	30.8	397.4	18.7	395.1	18.6	221.3	10.4	170.1	8.0	96.4	4.5	36.4	1.7
	1930	4,313.6	100.0	446.8	10.4	1,445.6	33.5	825.4	19.1	783.0	18.1	389.3	9.0	283.4	6.6	115.8	2.7	24.3	.6
	1931	6,246.0	100.0	463.2	7.4	2,615.7	41.9	1,528.2	24.5	849.2	13.6	414.8	6.6	269.5	4.3	89.7	1.4	15.7	.3
	1932	9,560.3	100.0	298.3	3.1	3,392.6	35.5	2,704.0	28.3	1,657.6	17.4	754.5	7.9	546.7	5.7	174.0	1.8	32.6	.3
	1933	8,069.7	100.0	188.4	2.3	2,503.6	31.0	2,199.3	27.3	1,774.6	22.0	671.7	8.3	562.9	7.0	143.6	1.8	25.6	.3
	1934	7,638.1	100.0	233.4	3.0	2,534.1	33.2	2,112.9	27.7	1,477.4	19.3	615.6	8.1	529.2	6.9	111.6	1.5	23.9	.3
	1935	7,128.9	100.0	528.8	7.4	2,773.6	38.9	1,799.5	25.2	996.2	14.0	533.1	7.5	356.4	5.0	111.9	1.6	29.4	.4
	1936	5,329.5	100.0	561.4	10.5	2,288.8	43.0	1,259.2	23.6	715.1	13.4	224.8	4.2	191.1	3.6	66.5	1.3	22.6	.4
	1937	4,381.8	100.0	606.6	13.9	1,600.0	36.5	859.0	19.6	641.8	14.7	296.0	6.8	264.3	6.0	89.3	2.0	22.8	.5
Public warehouses and compresses 3/...	1928	1,488.7	100.0	77.1	5.2	341.2	22.9	256.0	17.2	333.5	22.4	186.6	12.5	182.8	12.3	96.6	6.5	14.9	1.0
	1929	1,196.8	100.0	145.3	12.1	452.4	37.9	177.6	14.8	196.0	16.4	104.4	8.7	79.2	6.6	34.3	2.9	7.6	.6
	1930	3,271.0	100.0	425.6	13.0	1,222.2	37.4	602.1	18.4	504.0	15.4	301.7	9.2	156.8	4.8	52.6	1.6	6.0	.2
	1931	5,332.9	100.0	441.7	8.3	2,408.0	45.2	1,306.1	24.5	656.8	12.3	306.5	5.7	170.3	3.2	37.4	.7	6.1	.1
	1932	8,405.4	100.0	286.7	3.4	3,173.4	37.7	2,443.9	29.1	1,292.7	15.4	626.5	7.5	454.4	5.4	115.7	1.4	12.1	.1
	1933	6,779.1	100.0	178.2	2.6	2,283.6	33.7	1,873.0	27.6	1,361.1	20.1	545.3	8.0	434.7	6.4	91.2	1.4	12.0	.2
	1934	6,473.7	100.0	225.7	3.5	2,321.0	35.8	1,844.0	28.5	1,109.1	17.1	499.7	7.7	405.8	6.3	63.3	1.0	5.1	.1
	1935	6,387.0	100.0	524.4	8.2	2,685.0	42.0	1,644.0	25.7	776.0	12.2	435.9	6.8	235.9	3.7	72.9	1.2	12.9	.2
	1936	4,481.4	100.0	552.8	12.3	2,163.8	48.3	1,080.0	24.1	480.3	10.7	122.4	2.7	60.7	1.4	17.5	.4	3.9	.1
	1937	3,168.1	100.0	589.8	18.6	1,426.1	45.0	619.3	19.6	291.2	9.2	124.9	3.9	81.4	2.6	31.2	1.0	4.2	.1
Consuming establishments........	1928	931.1	100.0	10.7	1.2	143.8	15.4	170.8	18.3	326.3	35.1	81.9	8.8	104.4	11.2	60.4	6.5	32.8	3.5
	1929	925.8	100.0	9.7	1.1	198.5	21.4	219.8	23.8	199.1	21.5	116.9	12.6	90.9	9.8	62.1	6.7	28.8	3.1
	1930	1,042.6	100.0	21.2	2.0	223.4	21.4	223.3	21.4	279.0	26.8	87.6	8.4	126.6	12.1	63.2	6.1	18.3	1.8
	1931	913.1	100.0	21.5	2.4	207.7	22.7	222.1	24.3	192.4	21.1	108.3	11.9	99.2	10.9	52.3	5.7	9.6	1.0
	1932	1,154.9	100.0	11.6	1.0	219.2	19.0	260.1	22.5	364.9	31.6	128.0	11.1	92.3	8.0	58.3	5.0	20.5	1.8
	1933	1,290.6	100.0	10.2	.8	220.0	17.0	326.3	25.3	413.5	32.0	126.4	9.8	128.2	9.9	52.4	4.1	13.6	1.1
	1934	1,164.4	100.0	7.7	.7	213.1	18.3	268.9	23.1	368.3	31.6	115.9	10.0	123.4	10.6	48.3	4.1	18.8	1.6
	1935	741.9	100.0	4.4	.6	88.6	11.9	155.5	21.0	220.2	29.7	97.2	13.1	120.5	16.2	39.0	5.3	16.5	2.2
	1936	848.1	100.0	8.6	1.0	125.0	14.7	179.2	21.1	234.8	27.7	102.4	12.1	130.4	15.4	49.0	5.8	18.7	2.2
	1937	1,213.7	100.0	16.8	1.4	173.9	14.3	239.7	19.7	352.6	29.1	171.1	14.1	182.9	15.1	58.1	4.8	18.6	1.5

1/ As reported by the Bureau of the Census.

2/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

3/ Figures include cotton reported by the Bureau of the Census as "elsewhere", amounting to 335,000 bales for 1928; 275,000 for 1929; 470,000 for 1930; 850,000 for 1931; 1,760,000 for 1932; 1,080,000 for 1933; 950,000 for 1934; 680,000 for 1935; 575,000 for 1936; and 400,000 for 1937.

Table 30.- Tenderability of American upland cotton on hand in the United States, Aug. 1, 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Year	Total American upland cotton on hand Aug. 1 1/		Tenderable 2/						Untenderable							
			All staple lengths		Staple lengths 7/8 to 1-1/32 inches		Staple lengths 1-1/16 inches and longer		Total untenderable		Untenderable in grade only		Untenderable in staple only		Untenderable in both grade and staple	
	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent	1,000 bales	Percent
1928 ..	2,419.8	100.0	2,198.0	90.8	1,459.5	60.3	738.5	30.5	221.8	9.2	134.0	5.6	51.7	2.1	36.1	1.5
1929 ..	2,122.6	100.0	1,747.0	82.3	1,251.0	58.9	496.0	23.4	375.6	17.7	220.6	10.4	71.6	3.4	83.4	3.9
1930 ..	4,313.6	100.0	3,416.3	79.2	2,666.6	61.8	749.7	17.4	897.3	20.8	450.5	10.5	268.4	6.2	178.4	4.1
1931 ..	6,246.0	100.0	5,543.5	88.7	4,773.0	76.4	770.3	12.3	702.7	11.3	239.5	3.9	423.9	6.8	39.3	.6
1932 ..	9,560.3	100.0	8,882.7	92.9	7,418.4	77.6	1,464.3	15.3	677.6	7.1	379.3	4.0	242.8	2.5	55.5	.6
1933 ..	8,069.7	100.0	7,437.4	92.2	6,065.8	75.2	1,371.6	17.0	632.3	7.8	443.9	5.5	154.8	1.9	33.6	.4
1934 ..	7,638.1	100.0	6,969.8	91.3	5,709.5	74.8	1,260.3	16.5	668.3	8.7	434.9	5.7	181.4	2.3	52.0	.7
1935 ..	7,128.9	100.0	6,371.0	89.4	5,357.8	75.2	1,013.2	14.2	757.9	10.6	229.1	3.2	490.9	6.9	37.9	.5
1936 ..	5,329.5	100.0	4,399.0	82.5	3,907.1	73.3	491.9	9.2	930.5	17.5	369.1	6.9	503.5	9.5	57.9	1.1
1937 ..	4,361.8	100.0	3,458.2	78.9	2,805.2	64.0	653.0	14.9	923.6	21.1	317.0	7.2	467.0	10.7	139.6	3.2

1/ As reported by the Bureau of the Census.

2/ Tenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Table 31.- Average staple length 1/ of American upland cotton on hand in the United States, by places of storage, Aug. 1, 1928-37

Place of storage	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches
All places of storage . .	15.44	15.95	15.65	15.40	15.67	15.83	15.74	15.49	15.26	15.43
Public warehouses and compresses 2/. . . .	16.32	15.56	15.42	15.25	15.58	15.78	15.63	15.34	14.99	14.97
Consuming establishments.	16.62	16.45	16.39	16.28	16.36	16.35	16.38	16.74	16.65	16.62

1/ See footnote 1, table 8.

2/ Figures include cotton reported by the Bureau of the Census as "elsewhere."

Table 32.- Staple length of Egyptian cotton 1/ on hand in the United States, Aug. 1, 1928-37

(Quantities are given in equivalent 500-pound bales)

Year	All staple lengths 2/	Shorter than 1-1/8 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 to 1-11/32 inches	1-3/8 to 1-15/32 inches	1-1/2 to 1-19/32 inches	1-5/8 to 1-23/32 inches	1-3/4 inches and longer
	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
1928...	65.3	1.4	23.4	1.7	7.5	21.3	7.0	2.6	0.4
1929...	129.2	.3	70.8	6.6	2.7	34.1	12.9	1.8	---
1930...	145.4	.3	47.3	11.5	9.9	53.5	22.3	.6	---
1931...	63.9	1.1	21.5	.8	6.5	28.6	5.2	---	---
1932...	68.1	6.0	13.0	.7	3.1	30.3	11.5	1.4	.2
1933...	54.8	7.9	12.5	2.0	2.4	32.7	6.6	.6	.1
1934...	61.8	1.9	16.4	.8	2.0	36.7	3.9	---	---
1935...	48.0	.1	14.2	.8	4.4	25.3	3.0	.2	---
1936...	41.8	.2	9.1	1.0	9.0	19.5	1.5	---	---
1937...	44.8	---	2.2	.5	9.5	30.0	.1	---	---

1/ Foreign cottons are not deliverable in settlement of futures contracts made subject to the United States Cotton Futures Act.

2/ As reported by the Bureau of the Census.

Table 33.- Staple length of foreign cotton 1/ other than Egyptian on hand in the United States, Aug. 1, 1928-37

(Quantities are given in equivalent 500-pound bales)

Growth	Year	All staple lengths 2/		Shorter than 7/8 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1-1/32 inches	1-1/16 and 1-3/32 inches	1-1/8 and 1-5/32 inches	1-3/16 and 1-7/32 inches	1-1/4 inches and longer
		1,000 bales	Per-cent	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
Foreign, other than Egyptian..	1928	45.6	100.0	39.3	---	---	0.3	---	0.1	0.9	5.0
	1929	53.0	100.0	42.1	0.3	5.5	---	0.7	.1	.4	3.9
	1930	63.3	100.0	55.6	---	---	---	.3	1.3	.1	6.0
	1931	43.4	100.0	39.5	---	---	---	.1	.3	1.3	2.2
	1932	32.9	100.0	25.4	.8	---	---	---	.1	.2	6.4
	1933	30.3	100.0	26.7	---	---	---	.2	.4	.4	2.6
	1934	36.8	100.0	32.6	---	---	.2	.1	---	.7	3.2
	1935	23.0	100.0	21.3	---	---	.2	---	.8	.2	.5
	1936	31.1	100.0	30.1	---	---	.1	.4	.2	.1	.2
	1937	66.7	100.0	56.5	---	---	7.6	.5	---	---	2.1
Peruvian..	1928	5.5	12.1	---	---	---	---	---	.1	.9	4.5
	1929	4.6	8.7	---	---	---	---	.7	.1	.3	3.5
	1930	7.1	11.2	---	---	---	---	.3	1.3	.1	5.4
	1931	3.2	7.4	---	---	---	---	.1	.3	1.3	1.5
	1932	2.6	7.9	---	---	---	---	---	.1	.2	2.3
	1933	1.6	5.3	---	---	---	---	.1	.3	.4	.8
	1934	.9	2.4	---	---	---	---	.1	---	.7	.1
	1935	.9	3.9	---	---	---	---	---	.7	.2	---
	1936	.7	2.2	---	---	---	---	.4	.2	.1	---
	1937	.7	1.1	---	---	---	.3	---	---	---	.4
Chinese...	1928	29.9	65.5	29.9	---	---	---	---	---	---	---
	1929	22.7	42.8	18.1	---	4.6	---	---	---	---	---
	1930	25.5	40.3	25.5	---	---	---	---	---	---	---
	1931	21.1	48.6	21.1	---	---	---	---	---	---	---
	1932	10.5	31.9	10.2	.3	---	---	---	---	---	---
	1933	21.4	70.6	21.4	---	---	---	---	---	---	---
	1934	19.9	54.1	19.9	---	---	---	---	---	---	---
	1935	9.9	43.0	9.9	---	---	---	---	---	---	---
	1936	10.3	33.1	10.3	---	---	---	---	---	---	---
	1937	26.5	39.7	26.5	---	---	---	---	---	---	---
British Indian....	1928	9.4	20.6	9.4	---	---	---	---	---	---	---
	1929	25.0	47.2	23.9	.3	.8	---	---	---	---	---
	1930	29.9	47.2	29.9	---	---	---	---	---	---	---
	1931	18.3	42.2	18.3	---	---	---	---	---	---	---
	1932	15.4	46.8	15.0	.4	---	---	---	---	---	---
	1933	5.3	17.5	5.3	---	---	---	---	---	---	---
	1934	12.1	32.9	12.1	---	---	---	---	---	---	---
	1935	10.8	47.0	10.8	---	---	---	---	---	---	---
	1936	19.8	63.7	19.8	---	---	---	---	---	---	---
	1937	30.0	45.0	30.0	---	---	---	---	---	---	---
Other	1928	.8	1.8	---	---	---	.3	---	---	---	.5
	1929	.7	1.3	.1	---	.1	---	---	---	.1	.4
	1930	.8	1.3	.2	---	---	---	---	---	---	.6
	1931	.8	1.8	.1	---	---	---	---	---	---	.7
	1932	4.4	13.4	.2	.1	---	---	---	---	---	4.1
	1933	2.0	6.6	---	---	---	---	.1	.1	---	1.8
	1934	3.9	10.6	.6	---	---	.2	---	---	---	3.1
	1935	1.4	6.1	.6	---	---	.2	---	.1	---	.5
	1936	.3	1.0	---	---	---	.1	---	---	---	.2
	1937	9.5	14.2	---	---	---	7.3	.5	---	---	1.7

1/ Foreign cottons are not deliverable in settlement of futures contracts made subject to the United States Cotton Futures Act.

2/ As reported by the Bureau of the Census.

Table 34.- Staple length of cotton ginned in designated districts 1/ of Texas, crops of 1928-37

(Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included)

Table 34.-- Staple length of cotton ginned in designated districts 1/ of Texas, crops of 1928-37 - Continued

Crop and staple length (inches)	All districts		District 1-N		District 1-S		District 2		District 3		District 4		District 5		District 6		District 7		District 8		District 9		District 10	
	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent	1,000 bales	Per-cent
1933																								
All lengths	2/ 4,280.3	100.0	95.2	100.0	336.7	100.0	909.3	100.0	140.9	100.0	1,154.3	100.0	561.4	100.0	90.9	100.0	68.0	100.0	606.5	100.0	183.3	100.0	133.8	100.0
Shorter than 7/8 3/	240.4	5.7	14.6	15.3	39.2	11.6	120.5	13.2	10.6	7.5	8.3	.7	33.3	5.9	.1	.2	2.5	3.7	7.0	1.1	4.2	2.3	.1	.1
7/8 and 29/32	1,615.3	38.3	40.4	42.5	149.8	44.5	447.0	49.2	74.5	52.9	340.0	29.5	265.4	47.3	.3	.6	36.8	53.8	177.8	29.3	73.3	40.0	10.2	9.0
15/16 and 31/32	1,811.9	42.9	33.5	35.2	115.7	34.3	307.4	33.6	52.8	37.5	665.2	57.6	224.9	40.1	2.9	5.7	25.7	37.8	269.2	44.4	84.5	46.1	30.1	26.4
1 and 1-1/32	468.8	11.1	6.4	6.7	30.9	9.2	32.6	3.6	3.0	2.1	135.8	11.8	36.0	6.4	15.0	29.4	3.1	4.6	129.1	21.3	19.8	10.8	57.1	50.2
1-1/16 and 1-3/32	73.8	1.8	.3	.3	.9	.3	1.7	.2	-	-	4.8	.4	1.7	.3	26.1	51.3	.1	.1	21.7	3.6	1.5	.8	15.0	13.2
1-1/8 and 1-5/32	10.1	.2	-	-	.2	.1	.1	3/	-	-	.2	3/	.1	3/	6.5	12.8	-	-	1.7	.3	-	-	1.3	1.1
1-3/16 and 1-7/32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1934																								
All lengths	2/ 2,314.9	100.0	17.0	100.0	79.3	100.0	239.8	100.0	62.4	100.0	738.7	100.0	408.1	100.0	56.3	100.0	46.6	100.0	439.3	100.0	119.6	100.0	121.6	100.0
Shorter than 7/8 3/	295.0	12.7	8.9	52.4	46.0	58.0	64.0	26.4	13.5	21.6	26.8	3.6	104.2	25.6	-	-	3.8	8.1	10.2	2.4	6.1	5.1	7.5	6.2
7/8 and 29/32	1,298.7	56.1	6.6	38.8	26.3	33.2	140.8	58.7	43.3	67.8	528.2	70.7	211.0	52.2	31.2	66.7	10.6	22.6	174.3	40.6	53.3	44.6	48.9	39.6
15/16 and 31/32	593.0	25.6	1.3	7.6	6.0	7.6	29.6	12.4	6.6	10.3	181.6	24.6	76.8	19.0	.2	.4	1.2	2.6	21.4	5.0	9.1	7.6	12.7	10.4
1 and 1-1/32	72.7	3.2	.2	1.2	.8	1.0	1.3	.5	.2	.3	8.0	1.1	10.5	2.6	7.3	13.0	1.2	2.6	3.5	.8	.5	.4	.4	.3
1-1/16 and 1-3/32	17.0	1.6	-	-	.2	.2	.1	3/	-	-	.1	3/	1.5	.4	30.7	54.5	-	-	-	-	-	-	-	-
1-1/8 and 1-5/32	18.5	.8	-	-	-	-	-	-	-	-	-	-	.1	3/	16.1	32.1	-	-	.3	.1	-	-	-	-
1-3/16 and 1-7/32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1935																								
All lengths	2/ 2,699.7	100.0	47.5	100.0	287.3	100.0	604.3	100.0	109.2	100.0	709.5	100.0	441.3	100.0	43.8	100.0	75.9	100.0	341.1	100.0	102.1	100.0	67.7	100.0
Shorter than 7/8 3/	462.3	16.9	14.7	30.9	95.8	33.3	194.3	32.2	26.2	24.0	33.4	4.7	109.3	24.8	-	-	2.8	3.7	4.0	1.2	1.8	1.8	-	-
7/8 and 29/32	1,167.2	41.0	23.5	49.5	154.2	53.7	278.0	46.0	66.2	60.6	336.1	47.4	191.5	43.4	-	-	21.6	28.4	57.3	16.8	26.4	25.8	12.4	18.1
15/16 and 31/32	936.1	32.8	8.4	17.7	33.5	11.7	118.5	19.6	16.6	15.2	302.5	42.6	114.6	26.0	.4	.9	46.9	61.8	198.1	58.1	53.5	52.4	39.1	56.0
1 and 1-1/32	211.0	7.4	.9	1.9	5.3	1.1	13.1	2.2	.2	.2	36.7	5.2	23.2	5.2	1.7	3.8	4.8	6.1	79.7	23.4	19.5	19.1	26.1	39.8
1-1/16 and 1-3/32	36.1	1.3	-	-	.5	.2	.3	3/	-	-	.8	.1	2.6	.6	24.0	54.8	-	-	7.0	2.0	.8	.8	.1	.1
1-1/8 and 1-5/32	17.0	.6	-	-	-	-	.1	3/	-	-	-	-	.1	3/	15.7	35.9	-	-	1.0	.3	.1	.1	-	-
1-3/16 and 1-7/32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1936																								
All lengths	2/ 2,825.4	100.0	43.2	100.0	346.6	100.0	372.7	100.0	67.4	100.0	973.4	100.0	438.6	100.0	64.7	100.0	70.0	100.0	271.0	100.0	74.5	100.0	104.3	100.0
Shorter than 7/8 3/	643.6	22.8	19.4	44.9	253.4	73.3	169.5	45.5	28.6	42.4	64.6	6.6	98.2	22.5	-	-	6.7	9.6	5.3	2.0	1.3	1.8	.6	.6
7/8 and 29/32	1,110.6	39.3	20.0	46.3	82.9	24.0	183.1	49.1	36.1	53.6	457.7	47.0	209.0	47.6	.1	.2	49.4	70.6	54.2	12.6	13.7	18.4	24.4	23.4
15/16 and 31/32	762.0	27.0	3.4	7.9	8.4	2.4	19.8	5.3	2.7	4.0	389.9	40.1	109.5	24.1	1.3	2.0	13.6	19.4	119.1	43.9	36.6	49.1	51.7	49.1
1 and 1-1/32	233.0	8.2	.4	.9	.7	.2	.3	.1	-	-	99.7	6.1	25.3	6.0	12.6	19.5	.3	.4	57.3	35.9	16.3	24.6	17.1	16.4
1-1/16 and 1-3/32	56.1	2.1	-	-	.2	.1	-	-	-	-	1.3	.2	3.4	.8	36.2	55.9	-	-	12.1	4.3	4.2	5.6	.5	.5
1-1/8 and 1-5/32	17.9	.6	-	-	-	-	-	-	-	-	-	-	.2	3/	14.4	22.2	-	-	2.9	1.1	.4	.5	-	-
1-3/16 and 1-7/32	.2	3/	-	-	-	-	-	-	-	-	-	-	-	-	.1	.2	-	-	.1	3/	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1937																								
All lengths	2/ 4,952.4	100.0	115.1	100.0	907.2	100.0	826.0	100.0	74.3	100.0	1,260.1	100.0	666.8	100.0	98.1	100.0	88.6	100.0	534.4	100.0	200.4	100.0	175.2	100.0
Shorter than 7/8 3/	998.1	19.1	26.8	23.3	305.6	33.7	160.9	19.4	25.9	33.1	143.9	11.4	220.8	33.1	-	-	8.2	9.2	15.4	2.9	31.0	15.5	5.8	3.3
7/8 and 29/32	2,409.6	48.9	50.5	43.9	484.9	53.4	472.4	57.1	42.5	56.1	769.8	59.5	299.6	44.9	-	-	62.2	70.2	186.2	34.8	99.1	49.5	93.4	90.5
15/16 and 31/32	1,214.9	24.5	28.8	25.0	98.0	10.8	177.8	21.5	6.7	8.6	345.8	27.4	139.3	17.9	-	-	17.6	19.9	267.5	50.0	67.6	33.7	69.8	68.0
1 and 1-1/32	203.9	4.1	8.3	7.2	17.1	1.9	14.8	1.8	.2	.2	19.5	1.6	28.9	3.4	5.0	5.1	.6	.7	57.1	10.7	35.2	17.1	27.6	15.9
1-1/16 and 1-3/32	99.9	2.0	.7	.6	1.6	.2	2.0	.2	-	-	.2	3/	4.1	.6	74.5	75.8	-	-	7.8	1.5	6.4	3.2	2.2	1.2
1-1/8 and 1-5/32	19.7	.4	-	-	-	-	.1	3/	-	-	-	-	.1	3/	18.8	19.1	-	-	.4	.1	.1	3/	.2	.1
1-3/16 and 1-7/32	.1	3/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4 and longer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1/ Districts are the same as those used by the Division of Crop and Livestock Estimates, it having been decided on January 6, 1938, to divide the State into these districts for purposes of cotton quality statistics. The boundaries of districts previously used did not coincide with boundaries of crop reporting districts. In order that comparable figures may be available on the crops of 1928-37, the information previously assembled on the basis of the earlier districts has been assembled according to the revised districts.
2/ As reported by the Bureau of the Census.
3/ Untenderable in settlement of futures contracts made subject to sec. 5 of the United States Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
3/ Less than 0.05 percent.

90

Table 35.- Average staple length 1/ of American upland cotton ginned in designated districts 2/ of Texas, crops of 1928-37

District	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches	Sixteenth inches
All districts	14.99	14.86	15.14	15.08	14.98	15.16	14.77	14.87	14.79	14.71
1-N	14.40	13.95	14.47	14.35	14.94	14.84	14.08	14.41	14.15	14.68
1-S	14.43	13.84	14.42	14.35	14.81	14.92	14.02	14.31	13.80	14.31
2	14.75	14.14	14.40	14.55	15.05	14.78	14.35	14.42	14.10	14.56
3	14.73	13.90	14.36	14.57	14.81	14.84	14.39	14.42	14.12	14.26
4	15.07	15.09	15.24	15.25	15.02	15.32	14.73	14.99	14.96	14.69
5	14.83	14.52	14.75	15.02	14.51	14.98	14.50	14.64	14.67	14.44
6	16.97	16.78	17.20	17.01	17.52	17.19	17.68	17.76	17.49	17.64
7	15.02	14.47	14.42	14.76	15.10	14.94	14.70	15.20	14.61	14.62
8	15.08	15.84	15.53	15.66	15.19	15.48	15.01	15.59	15.82	15.23
9	15.65	16.05	15.67	15.56	15.18	15.18	15.06	15.42	15.66	15.08
10	15.30	16.09	16.05	15.68	15.25	16.21	15.09	15.66	15.43	15.32

1/ See footnote 1, table 8.
2/ See footnote 1, table 34.

91

D360.1 Un3454

U.S. Agri. eco. bureau
Grade, staple length, and tenderability of cotton in the U.S., 1928-29 to 1937-38.

END OF
TITLE